

**IEC****IECEE**

®

™

Ref. Certif. No.

**FR\_719908**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

**Adaptor**

Name and address of the applicant

**LEGRAND FRANCE**128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX - FRANCE

Name and address of the manufacturer

**LEGRAND FRANCE**128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

**NINGBO BANMEN ELECTRIC APPLIANCE CO., LTD.**East Industrial Zone, Guanhaiwei, Cixi City, 315314  
Zhejiang Province - CHINA

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark / Brand (if any)

legrand

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

0 504 62

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC FR 639185 dated 08/04/2013.  
Update further to the evolution of the standard(s)  
Update the list of product references Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013  
IEC 60884-2-5:2017

As shown in the Test Report Ref. No. which forms part of this Certificate

ABND-ESH-P22111815

This CB Test Certificate is issued by the National Certification Body

**LCIE**

LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE

33 avenue du Général Leclerc  
92260 Fontenay-aux-Roses, FRANCE  
[www.lcie.fr](http://www.lcie.fr)Signature: **Jérôme REYSSON**  
Certification Officer

Date: 21/08/2024

## ANNEX

### CLASSIFICATION

standard Sheet:	III, VII
rated current (A)	16 A
rated load (W)	3680 W
rated voltage (V)	250 V~
household voltage (V)	230 V~
degree of protection	ordinary
provision for earthing	with earthing contact
method of connecting the cable	rewirable
type of terminals	screw-type
type of connections	-
colour	grey+white
<b>socket-outlets</b>	
multiple socket-outlets	
number of socket-outlets	16A : 1
degree of protection against electric shock	normal protection
existence of shutters	with shutters
method of application - mounting	portable type
method of installation	-
<b>plugs:</b>	
class of equipment	I
entry of cable	-



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE  
 33 avenue du Général Leclerc  
 92260 Fontenay-aux-Roses, FRANCE  
[www.lcie.fr](http://www.lcie.fr)



Signature: Jérôme REYSSON  
 Certification Officer

Date: 21/08/2024