

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Electronic switch
Electronic switch

Name and address of the applicant

Legrand Low Voltage Electrical (WUXI) Co., Ltd
No.88 Xi Mei Rd., WUXI - China

Name and address of the manufacturer

Legrand Low Voltage Electrical (WUXI) Co., Ltd
No.88 Xi Mei Rd., WUXI - China

Name and address of the factory

Legrand Low Voltage Electrical (WUXI) Co., Ltd
No.88 Xi Mei Rd., WUXI - China
 Additional Information on page 2

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

2 A, 230 V~, 50/60Hz

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

0 419 21

Additional information (if necessary may also be reported on page 2)

 Additional Information on page 2


A sample of the product was tested and found to be in conformity with

IEC 60669-2-1:2002(ed.4) +A1:2008,
IEC 60669-1:1998(ed.3) +A1:1999 +A2:2006

As shown in the Test Report Ref. No. which forms part of this Certificate

ADC-16NO0147ACSC

This CB Test Certificate is issued by the National Certification Body

LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.frLABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 150 450 000 €
RCS Nanterre 408 563 174
33 Avenue du Général Leclerc
F – 92266 FONTENAY AUX ROSES

Date: 13/03/2017

Signature: **Jean-Francois BRUEL**
Certification Officer



Ref. Certif. No.

FR_700285


MAIN CHARACTERISTICS

Type of electronic switch.....	Electronically operated mechanical switching device
Pattern number	1
Contact opening (gap)	micro-gap
Protection degree	IP20
Method of mounting	Surface-type
Method of installation	design A
Type of terminals	screw-type
Flexible cable outlet	without
Rated current (A) - Rated load (VA or W)	2 A
Kind of load controlled	Door bell
rated voltage (V)	230 V~
Rated frequency (Hz)	50/60 Hz
Characteristic of fuses	F12,5AH250V

For more information relating to the ratings and the main characteristics please refer to the CB Test Report:
ADC-16NO0147ACSC



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 13/03/2017

Signature: **Jean-François BRUEL**
Certification Officer