



Ref. Certif. No.

FR_719672

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Electronic switch
Sensor light

Name and address of the applicant

Legrand Intelligent Electrical (Huizhou) Co., Ltd.
Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech
Industrial Development Zone, Huizhou 516001,
Guangdong - CHINA

Name and address of the manufacturer

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY,
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

Note: When more than one factory, please report on page 2

☒ Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark / Brand (if any)

1) 
2) 

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

See Annex

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC FR_712209/M1 dated 25/01/2023.
Update further to the evolution of the standard(s)
Addition of product references
Addition of three factories

☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60669-1:2017
IEC 60669-2-1:2021

As shown in the Test Report Ref. No. which forms part of this Certificate

ARLI-ESH-P24060927

This CB Test Certificate is issued by the National Certification Body




LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 24/07/2024



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: 
Julien GAUTHIER
Certification Officer

ANNEX

Name and address of the factories:

Legrand Intelligent Electrical (Huizhou) Co., Ltd.

Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech Industrial Development Zone, Huizhou 516001, Guangdong - CHINA

NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PVT. LTD

A-2, MIDC AREA, MALEGAON VILLAGE, SINNAR, DIST. - NASHIK - 422113, MAHARASHTRA - INDIA

LEGRAND

AVENUE DU PARC ALATA - 60550 VERNEUIL EN HALATTE - FRANCE

RAIS HASSAN SAADI Logistics Dubai

Jebel Ali Free Zone, P.O. Box 7 Dubai - United Arab Emirates

All the commercial references listed below may be supplemented with a prefix of type LG-, BT-, ... (to indicate the brand) and/or suffix of type 0, 1, 2, 3, 4, FI, EX, ... In this case, the products are technically the same.

references

	Matt White	Matt Titanium	Matt Black	
Type reference	Commercial ref	Commercial ref	Commercial ref	mechanism ref
AG12478CA	AC25101MW	AC25101MT	AC25101MB	A026807DA

Frame

Commercial ref	Designation
A1402	1G 1 AND 2M BRITISH STD FRAME
A1403	1G 1 AND 2M BS FRAME W/ EARTH
A14010	2M PANEL MOUNTING SUPPORT
A14011	2M PANEL MOUNTING SUPPORT
A1409	FRAME 2G 2X2M BS




LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE

33 avenue du Général Leclerc

92260 Fontenay-aux-Roses, FRANCE

www.lcie.fr



Date: 24/07/2024

Signature: Julien GAUTHIER
Certification Officer

ANNEX

Cover plates

Commercial ref									Designation
Matt White	Matt Titanium	Matt Black	Frosted White	Frosted Black	Dark Aluminium	Brushed Stainless Steel	Night Blue	Solid Aluminium	
Classic									
AC1102M W	AC1102 MT	AC1102 MB	AC1102F W	AC1102 FB	AC1102 DA	AC1102BS	AC1102 NB	AC1102S A	1G 2M BS PLATE
AC1103M W	AC1103 MT	AC1103 MB	AC1103F W	AC1103 FB	AC1103 DA	AC1103BS	AC1103 NB	AC1103S A	2M ITALIAN/US PLATE


REFERENCES - PRINCIPAL CHARACTERISTICS

Reference	Color	Earthing terminal	Factory code
281096MW	Matt white	Without	XXD02
281096MWSG	Matt white	With	
281096MG	Matt grey	Without	
281096MB	Matt black	Without	
281096MBSG	Matt black	With	
281096DS	Dark silver	Without	
281096DSSG	Dark silver	With	
281096CH	Champagne	Without	
281096CHSG	Champagne	With	
281096DB	Dark bronze	Without	
281096DBSG	Dark bronze	With	
281096BA	Brushed aluminium	Without	
281096BASG	Brushed aluminium	With	
281096BB	Brushed black	Without	
281096BBSG	Brushed black	With	
281096BC	Brushed champagne	Without	
JW4382IR	White	Without	
JG4382IR	Grey	Without	
JB4382IR	Black	Without	
AG12478BA	Grey	Without	
AC25101MW	Matt white	Without	
AC25101MB	Matt black	Without	
AC25101MT	Matt Titanium	Without	

Pattern number	1
Contact opening (gap) and switch performance	without contact gap (semiconductor switching device)
Protection degree	IP20
Method of mounting	flush-type
Method of installation	design A
Type of terminals	screw-type, for rigid conductors only
Flexible cable outlet	without
Rated current (A) / Rated load (VA or W)	1W
Rated voltage (V)	100-240V~
Rated frequency (Hz)	50/60Hz



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr



Signature: *Julien Gauthier*
Julien GAUTHIER
Certification Officer

Date: 24/07/2024