

IEC**IECEE**

Ref. Certif. No.

FR_712046**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME****CB TEST CERTIFICATE**

Product

Switch for household and similar fixed-electrical installation
Keycard switch

Name and address of the applicant

Legrand Intelligent Electrical (Huizhou) Co., Ltd.
Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech Industrial Development Zone, Huizhou, Guangdong - CHINA

Name and address of the manufacturer

Legrand Intelligent Electrical (Huizhou) Co., Ltd.
Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech Industrial Development Zone, Huizhou, Guangdong - CHINA

Name and address of the factory

Legrand Intelligent Electrical (Huizhou) Co., Ltd.
Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech Industrial Development Zone, Huizhou, Guangdong - CHINA

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

See Annex

Additional information (if necessary may also be reported on page 2)

 Additional Information on page 2


A sample of the product was tested and found to be in conformity with

IEC 60669-1:2017
IEC 60669-2-1:2002+A1:2008+A2:2015

As shown in the Test Report Ref. No. which forms part of this Certificate

ARLI-ESH-P21030019

This CB Test Certificate is issued by the National Certification Body

**LCIE**LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCEwww.lcie.frLABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSESSignature:
Julien Gauthier
Certification Officer

Date: 02/08/2021

ANNEX

References, ratings and main characteristics:

<i>Factory code</i>	<i>Reference</i>	<i>Color</i>
CXG34	281039MW	Matt white
	281039MWSG	Matt white
	281039MG	Matt grey
	281039MGSG	Matt grey
	281039MB	Matt black
	281039MBSG	Matt black
	281039DS	Dark silver
	281039DSSG	Dark silver
	281039CH	Champagne
	281039CHSG	Champagne
	281039DB	Dark bronze
	281039DBSG	Dark bronze
	281039BA	Brushed aluminium
	281039BASG	Brushed aluminium
	281039BB	Brushed black
	281039BBSG	Brushed black
	281039BC	Brushed champagne

The factory code and reference are same product named different number due to commercial purpose 281039 series with xxSG means with earthing terminal.



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
 33 avenue du Général Leclerc
 92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 02/08/2021



ANNEX

Type of electronic switch	Keycard switch (RFID switching device)
Pattern number	1
Contact opening (gap)	micro-gap
Protection degree	IP20
Method of actuating	other external influences
Method of mounting	flush-type
Method of installation	design A
Type of terminals	screw-type
Flexible cable outlet	without
Rated current (A) - Rated load (VA or W)	1800W
Minimum current (A) - Minimum load (VA or W)	-
Kind of load controlled	incandescent lamps
Rated voltage (V)	220- 240 V
Rated frequency (Hz)	50/60
Characteristic of fuses	-



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
 33 avenue du Général Leclerc
 92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 02/08/2021



LABORATOIRE CENTRAL DES
 INDUSTRIES ELECTRIQUES
 S.A.S au capital de 15.745.984 €
 RCS Nanterre B 408 363 174
 33 avenue du Général Leclerc
 F - 92266 FONTENAY AUX ROSES

Signature:  **Julien Gauthier**
 Certification Officer