



Ref. Certif. No.

FR\_719162

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product

**Portable socket-outlet**  
Rewirable portable socket-outlet

Name and address of the applicant

**LEGRAND FRANCE**  
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX - FRANCE

Name and address of the manufacturer

**LEGRAND FRANCE**  
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

**NINGBO BANMEN ELECTRIC APPLIANCE CO., LTD.**  
EAST INDUSTRIAL ZONE, GUANHAIWEI, CIXI CITY, 315314  
ZHEJIANG PROVINCE - CHINA

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

16A, 250V~  
See Annex

Trademark / Brand (if any)

legrand

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

HE16  
0 503 17, 0 501 79, 0 501 89

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC 592857/M1 dated 16/03/2011.  
Update the list of product references  
Update further to the evolution of the standard(s)☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60884-1:2022

As shown in the Test Report Ref. No. which forms part of this Certificate

ABND-ESH-P22120934

This CB Test Certificate is issued by the National Certification Body

LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE  
33 avenue du Général Leclerc  
92260 Fontenay-aux-Roses, FRANCE  
[www.lcie.fr](http://www.lcie.fr)

Date: 23/05/2024

LABORATOIRE CENTRAL DES  
INDUSTRIES ELECTRIQUES  
S.A.S au capital de 15.745.984 €  
RCS Nanterre B 408 363 174  
33 avenue du Général Leclerc  
F - 92266 FONTENAY AUX ROSESSignature: **Julien GAUTHIER**  
Certification Officer

## ANNEX

### References, ratings and main characteristics:

Model	Reference	Entry of cable	Color of enclosure	Other
HE16	0 501 79	longitudinal	BLACK	/
	0 503 17	longitudinal	WHITE	/
	0 501 89	longitudinal	WHITE	with label


### Classification

standard Sheet:	Standard sheet III of CEE 7
rated current (A)	16A
rated voltage (V)	250V
degree of protection	IP20
provision for earthing	with earthing contact
method of connecting the cable	rewirable
type of terminals	screw-type
type of connections	-
colour	See table above
<b>socket-outlets</b>	
multiple socket-outlets	16A : 1
number of socket-outlets	
degree of protection against electric shock	normal protection
existence of shutters	with shutters
method of application - mounting	portable type
method of installation	-



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE  
33 avenue du Général Leclerc  
92260 Fontenay-aux-Roses, FRANCE  
[www.lcie.fr](http://www.lcie.fr)

Date: 23/05/2024



Signature: **Julien GAUTHIER**  
Certification Officer