



Ref. Certif. No.

FR_720721/M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Combined socket-outlet and switch
Switched socket-outlets for fixed installations

Name and address of the applicant

Legrand Intelligent Electrical (Huizhou) Co., Ltd.
Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech
Industrial Development Zone, Huizhou 516001, Guangdong -
CHINA

Name and address of the manufacturer

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

Note: When more than one factory, please report on page 2

☒ Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark / Brand (if any)

 (for all models exclude 838147 &
838148)
2) tenby (for models 838147 & 838148)

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

See Annex

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC FR_720721 dated 24/12/2024.
Update the list of product references

☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60884-1:2022
IEC 60884-2-3:2006

As shown in the Test Report Ref. No. which forms part of this Certificate

ARLI-ESH-P25020960

This CB Test Certificate is issued by the National Certification Body



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature:


LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15,745,984 €
RCS Nanterre B 408 363 171
33 avenue du Général Leclerc
92260 FONTENAY AUX ROSES
F - 92266 FONTENAY AUX ROSES
Certification Officer

ANNEX

Name and address of the factories:**Legrand Intelligent Electrical (Huizhou) Co., Ltd.**

Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech Industrial Development Zone, Huizhou 516001, Guangdong - CHINA

LEGRAND ELECTRIC Ltd

UNIT 12 NO. 1 INDUSTRIAL ESTATE MEDOMSLEY ROAD CONSETT COUNTY DURHAM DH8 6SR - UNITED KINGDOM

LEGRAND

AVENUE DU PARC ALATA - 60550 VERNEUIL EN HALATTE – FRANCE

LEGRAND FRANCE

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY, 87045 LIMOGES CEDEX – FRANCE

LEGRAND France

6 PLACE DU BREUIL 38680 PONT EN ROYANS – FRANCE

RAIS HASSAN SAADI Logistics Dubai

Jebel Ali Free Zone, P.O. Box 7 Dubai - United Arab Emirates

NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PVT. LTD

A-2, MIDC AREA, MALEGAON VILLAGE, SINNAR, DIST. NASHIK - 422113, MAHARASHTRA - INDIA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE

33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE

www.lcie.fr

Date: 18/04/2025

Signature: 
Certification Officer



ANNEX

References, ratings and main characteristics:

Reference	Range	Product description	With USB module
281170MW	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT WHITE	B006308AA
281170MB	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK	B006308AA
281170DS	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W DARK SILVER	B006308AA
281170DB	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W DARK BRONZE	B006308AA
281170CH	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE	B006308AA
281170BB	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED BLACK	B006308AA
281170BA	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED ALU	B006308AA
281170MWSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT WHITE WITH MS	B006308BA
281170MBSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK WITH MS	B006308BA
281170DSSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W DARK SILVER WITH MS	B006308BA
281170DBSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W DARK BRONZE WITH MS	B006308BA
281170CHSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE WITH MS	B006308BA
281170BBSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED BLACK WITH MS	B006308BA
281170BASG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED ALU WITH MS	B006308BA
281171MW	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT WHITE	B006309AA
281171MB	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK	B006309AA
281171DS	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W DARK SILVER	B006309AA
281171DB	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W DARK BRONZE	B006309AA
281171CH	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W CHAMPAGNE	B006309AA
281171BB	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED BLACK	B006309AA
281171BA	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED ALU	B006309AA
281171MWSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT WHITE WITH MS	B006309BA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature: 
Certification Officer



ANNEX

Reference	Range	Product description	With USB module
281171MBSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK WITH MS	B006309BA
281171DSSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W DARK SILVER WITH MS	B006309BA
281171DBSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W DARK BRONZE WITH MS	B006309BA
281171CHSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W CHAMPAGNE WITH MS	B006309BA
281171BBSG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED BLACK WITH MS	B006309BA
281171BASG	MALLIA SENSES	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED ALU WITH MS	B006309BA
281172MW	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W MATT WHITE	B006308AA
281172MB	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK	B006308AA
281172DS	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W DARK SILVER	B006308AA
281172DB	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W DARK BRONZE	B006308AA
281172CH	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE	B006308AA
281172BB	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED BLACK	B006308AA
281172BA	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED ALU	B006308AA
281173MW	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W MATT WHITE	B006309AA
281173MB	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK	B006309AA
281173DS	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W DARK SILVER	B006309AA
281173DB	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W DARK BRONZE	B006309AA
281173CH	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W CHAMPAGNE	B006309AA
281173BB	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED BLACK	B006309AA
281173BA	MALLIA SENSES	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED ALU	B006309AA
AA3328MW	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT WHITE	B006308AA
AA3328MT	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT TITANIUM	B006308AA
AA3328MB	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK	B006308AA
AA3334MW	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT WHITE WITH MS	B006308BA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature: 
Certification Officer



ANNEX

Reference	Range	Product description	With USB module
AA3334MT	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT TITANIUM WITH MS	B006308BA
AA3334MB	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK WITH MS	B006308BA
AA3329MW	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT WHITE	B006309AA
AA3329MT	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT TITANIUM	B006309AA
AA3329MB	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK	B006309AA
AA3335MW	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT WHITE WITH MS	B006309BA
AA3335MT	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT TITANIUM WITH MS	B006309BA
AA3335MB	ALTAIR	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK WITH MS	B006309BA
AA3330MW	ALTAIR	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W MATT WHITE	B006308AA
AA3330MT	ALTAIR	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W MATT TITANIUM	B006308AA
AA3330MB	ALTAIR	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK	B006308AA
AA3331MW	ALTAIR	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W MATT WHITE	B006309AA
AA3331MT	ALTAIR	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W MATT TITANIUM	B006309AA
AA3331MB	ALTAIR	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK	B006309AA
618084	ELOE	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
618087	ELOE	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
MEC33088WH	MILO BS	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT WHITE	B006308AA
MEC33088BL	MILO BS	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W BLACK	B006308AA
MEC33088SL	MILO BS	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W SILVER	B006308AA
MEC33088CH	MILO BS	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE	B006308AA
MEC33088RG	MILO BS	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W ROSE GOLD	B006308AA
MEC33091WHSG	MILO BS	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT WHITE WITH MS	B006308BA
MEC33091BLSG	MILO BS	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W BLACK WITH MS	B006308BA
MEC33091SLSG	MILO BS	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W SILVER WITH MS	B006308BA
MEC33091CHSG	MILO BS	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE WITH MS	B006308BA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature



ANNEX

Reference	Range	Product description	With USB module
MEC33086WH	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W MATT WHITE	B006308AA
MEC33086SL	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W BLACK	B006308AA
MEC33086CH	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W SILVER	B006308AA
MEC33086BL	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE	B006308AA
MEC33086RG	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W ROSE GOLD	B006308AA
282466	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
282466-C	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK	B006308AA
282466-C1	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W ROSE GOLD	B006308AA
282466-C2	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE	B006308AA
282466-C3	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W DARK SILVER	B006308AA
282338	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
282338-C	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK	B006308AA
282338-C1	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W ROSE GOLD	B006308AA
282338-C2	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE	B006308AA
282338-C3	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W DARK SILVER	B006308AA
282340	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W WHITE	B006309AA
282340-C	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK	B006309AA
282340-C1	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W ROSE GOLD	B006309AA
282340-C2	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W CHAMPAGNE	B006309AA
282340-C3	GALION	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W DARK SILVER	B006309AA
282339	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W WHITE	B006309AA
282339-C	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK	B006309AA
282339-C1	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W ROSE GOLD	B006309AA
282339-C2	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W CHAMPAGNE	B006309AA
282339-C3	GALION	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W DARK SILVER	B006309AA
838147	TENBY MODERN WHITE	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
838148	TENBY MODERN WHITE	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature:


LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 409 263 124
SIREN 512 033 000
E - 92266 FONTENAY-AUX-ROSES

Certification Officer

ANNEX

Reference	Range	Product description	With USB module
730062	SYNERGY WHITE	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
730063	SYNERGY WHITE	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
AR68135	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED STEEL	B006308AA
AR68235	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED GOLD	B006308AA
AR68335	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W SATIN WHITE	B006308AA
AR68435	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK	B006308AA
AR68035	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W CUSTOM	B006308AA
AR68170	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED STEEL	B006309AA
AR68270	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED GOLD	B006309AA
AR68370	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W SATIN WHITE	B006309AA
AR68470	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK	B006309AA
AR68070	ART D'ARNOULD	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W CUSTOM	B006309AA
AR68137	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED STEEL	B006308AA
AR68237	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W BRUSHED GOLD	B006308AA
AR68337	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W SATIN WHITE	B006308AA
AR68437	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W MATT BLACK	B006308AA
AR68037	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W CUSTOM	B006308AA
AR68171	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED STEEL	B006309AA
AR68271	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W BRUSHED GOLD	B006309AA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature:



ANNEX

Reference	Range	Product description	With USB module
AR68371	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W SATIN WHITE	B006309AA
AR68471	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W MATT BLACK	B006309AA
AR68071	ART D'ARNOULD	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W CUSTOM	B006309AA
077666L	MOSAIC KSA	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
617590	BELANKO S	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
617591	BELANKO S	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W ANTHRACITE	B006308AA
617592	BELANKO S	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W IVORY	B006308AA
617593	BELANKO S	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W WHITE	B006308AA
617594	BELANKO S	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W ANTHRACITE	B006308AA
617595	BELANKO S	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W IVORY	B006308AA
MEC33097WH	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W MATT WHITE	B006309AA
MEC33097SL	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W BLACK	B006309AA
MEC33097CH	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W SILVER	B006309AA
MEC33097BL	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W CHAMPAGNE	B006309AA
MEC33097RG	MILO BS	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W ROSE GOLD	B006309AA
AA3328CH	Altair Customization	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE	B006308AA
AA3328DB	Altair Customization	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W DARK BRONZE	B006308AA
AA3328RS	Altair Customization	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C 20W ROSE	B006308AA
AA3329CH	Altair Customization	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W CHAMPAGNE	B006309AA
AA3329DB	Altair Customization	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W DARK BRONZE	B006309AA
AA3329RS	Altair Customization	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 24W ROSE	B006309AA
AA3330CH	Altair Customization	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W CHAMPAGNE	B006308AA
AA3330DB	Altair Customization	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W DARK BRONZE	B006308AA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature:



ANNEX

Reference	Range	Product description	With USB module
AA3330RS	Altair Customization	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C 20W ROSE	B006308AA
AA3331CH	Altair Customization	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W CHAMPAGNE	B006309AA
AA3331DB	Altair Customization	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W DARK BRONZE	B006309AA
AA3331RS	Altair Customization	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 24W ROSE	B006309AA
GA33132CH	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W	B006308AA
GA33132DS	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W	B006308AA
GA33132MB	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W	B006308AA
GA33132GR	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W	B006308AA
GA33132MW	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W	B006308AA
GA33133CH	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W WITH MS	B006308BA
GA33133DS	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W WITH MS	B006308BA
GA33133MB	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W WITH MS	B006308BA
GA33133GR	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W WITH MS	B006308BA
GA33133MW	New Galion	1G BS13A SINGLE POLE SWITCHED USB A+C 20W WITH MS	B006308BA
GA33134CH	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W	B006309AA
GA33134DS	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W	B006309AA
GA33134MB	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W	B006309AA
GA33134GR	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W	B006309AA
GA33134MW	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W	B006309AA
GA33135CH	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W WITH MS	B006309BA
GA33135DS	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W WITH MS	B006309BA
GA33135MB	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W WITH MS	B006309BA
GA33135GR	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W WITH MS	B006309BA
GA33135MW	New Galion	1G BS13A SINGLE POLE SWITCHED USB C+C 24W WITH MS	B006309BA

*The "range" denotes applicant's categorization



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature



ANNEX

Additional information for AR68*** series:

Collection References - Univers EPURE					Mechanism references		Nb gang	USB Module	Switch poles
BRUSHED STEEL	BRUSHED GOLD	SATIN WHITE	MATT BLACK	CUSTOM	for CONFIGURED PRODUCTS	for CONFIGURED PRODUCTS			
AR68135	AR68235	AR68335	AR68435	AR68035	AG15205AA	AG15761AA	1	B006308AA	1
AR68170	AR68270	AR68370	AR68470	AR68070	AG15205AA	AG15762AA	1	B006309AA	1
AR68137	AR68237	AR68337	AR68437	AR68037	AG15203AA	AG15763AA	1	B006308AA	2
AR68171	AR68271	AR68371	AR68471	AR68071	AG15203AA	AG15764AA	1	B006309AA	2

Cover plates

Commercial ref				
BRUSHED STEEL	BRUSHED GOLD	SATIN WHITE	MATT BLACK	CUSTOM
AR-P68135	AR-P68235	AR-P68335	AR-P68435	Finition references



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature


LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
F - 92266 FONTENAY AUX ROSES
Julien GAUTHIER
Certification Officer

ANNEX

CONFIGURED PRODUCTS = Mechanism references (See table above) + Finition references (See table below)

Finition References = Style code & Plate finishes code & Mechanism finishes code

Style		Plate finishes Code		Mechanism finishes (Lever / Rocker)	
Code	Universe	Code	Finishes	Code	Finishes
1	Mémoire	60	Mirror polish gold	1	Chrome
2	Epure	61	Satin gold	2	Gold
3	Fusion	62	Brushed gold	3	Satin white
8	Retro	78	Pink brushed gold	4	Mat black
		81	Circular brushed gold	5	Black gun barel
		64	Mirror polish steel	6	Pink gold
		65	Satin steel	7	...
		66	Brushed steel		
		83	Circular brushed steel		
		70	Matt black		
		72	Satin white		
		68	Coated grey		
		59	Bronze		
		71	Brass		
		73	Laquered brushed brass		
		74	Brushed gunmetal		
		84	Circular brushed gunmetal		
		69	Hammered steel		
		75	Corten®		
		79	Gold leaves		
		80	Palladium leaves		



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature: 
Julien GAUTHIER
Certification Officer



ANNEX

Additional information for AA33**** series:

All the commercial references listed below may be supplemented with a prefix of type LG-, BT-, ... (to indicate the brand) and/or suffix of type 0, 1, 2, 3, 4, FI, EX, ... In this case, the products are technically the same.

references

Matt White	Matt Titanium	Matt Black				
Commercial ref	Commercial ref	Commercial ref	Mechanism ref	Mechanism ref	Description	Type reference PCBA
AA3328MW	AA3328MT	AA3328MB	AG15205AA	T004114_A	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C	B006308A A
AA3334MW	AA3334MT	AA3334MB	AG15205AA	T004115_A	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C WITH MS	B006308B A
AA3329MW	AA3329MT	AA3329MB	AG15205AA	T004116_A	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C	B006309A A
AA3335MW	AA3335MT	AA3335MB	AG15205AA	T004117_A	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C WITH MS	B006309B A
AA3330MW	AA3330MT	AA3330MB	AG15203AA	T004118_A	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C	B006308A A
AA3331MW	AA3331MT	AA3331MB	AG15203AA	T004119_A	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C	B006309A A
Champagne	Dark bronze	Rose				
Commercial ref	Commercial ref	Commercial ref	Mechanism ref	Mechanism ref	Description	Type reference PCBA
AA3328CH	AA3328DB	AA3328RS	AG15205AA	T004114_A	1G BS13A SINGLE POLE SWITCHED SOCKET USB A+C	B006308A A
AA3329CH	AA3329DB	AA3329RS	AG15205AA	T004116_A	1G BS13A SINGLE POLE SWITCHED SOCKET USB C+C	B006309A A
AA3330CH	AA3330DB	AA3330RS	AG15203AA	T004118_A	1G BS13A DOUBLE POLE SWITCHED SOCKET USB A+C	B006308A A
AA3331CH	AA3331DB	AA3331RS	AG15203AA	T004119_A	1G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C	B006309A A



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature: 
Certification Officer



ANNEX

Commercial ref	Rated values	Switch	Actuating	Gang	Specificities
AA3328MW, AA3328MT, AA3328MB, AA3328CH, AA3328DB, AA3328RS	13A 250V~ USB: 5Vdc~12Vdc, Max. 20W	Single pole	Rocker	1	USB port: A+C
AA3334MW, AA3334MT, AA3334MB	13A 250V~ USB: 5Vdc~12Vdc, Max. 20W	Single pole	Rocker	1	USB port: A+C PCBA with micro switch
AA3329MW, AA3329MT, AA3329MB, AA3329CH, AA3329DB, AA3329RS	13A 250V~ USB: 5Vdc~12Vdc, Max. 24W	Single pole	Rocker	1	USB port: C+C
AA3335MW, AA3335MT, AA3335MB	13A 250V~ USB: 5Vdc~12Vdc, Max. 24W	Single pole	Rocker	1	USB port: C+C PCBA with micro switch
AA3330MW, AA3330MT, AA3330MB, AA3330CH, AA3330DB, AA3330RS	13A 250V~ USB: 5Vdc~12Vdc, Max. 20W	Double pole	Rocker	1	USB port: A+C
AA3331MW, AA3331MT, AA3331MB, AA3331CH, AA3331DB, AA3331RS	13A 250V~ USB: 5Vdc~12Vdc, Max. 24W	Double pole	Rocker	1	USB port: C+C

Altair Cover plates

Commercial ref								
Matt White	Matt Titanium	Matt Black	Frosted White	Frosted Black	Dark Aluminium	Brushed Stainless Steel	Night Blue	Solid Aluminium
AA1113 MW	AA1113MT	AA1113MB	AA1113FW	AA1113FB	AA1113DA	AA1113BS	AA1113 NB	AA1113S A
Champagne	Dark Bronze	Rose	Brushed Bronze	Brushed Antique Brass	Solid Dark Bronze	Solid Sand	Solid Black	Solid Rose
AA1113 CH	AA1113DB	AA1113RS	AA1113BB	AA1113AB	AA1113SZ	AA1113SD	AA1113 SB	AA1113S R
Solid Champagne								
AA1113 SC								



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE

33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE

www.lcie.fr

Date: 18/04/2025

Signature: 
Certification Officer



ANNEX

CLASSIFICATION

standard Sheet:	standard sheet of BS 1363-2
rated current (A)	13A
rated voltage (V)	250V
degree of protection	IP20
provision for earthing	with earthing contact
method of connecting the cable	rewirable
type of terminals	screw-type
colour	See the table above
socket-outlets	
multiple socket-outlets	13A : 1
number of socket-outlets	
degree of protection against electric shock	normal protection
existence of shutters	with shutters
method of application - mounting	flush-type
method of installation	design A (For all models exclude 730062 and 730063) design B (for models 730062 and 730063)
Intended for circuits where	a single earthing circuit provides protective earthing
Switched socket-outlets without interlock	
According to the method of actuating the switch	rocker
According to the switching of the neutral	Switched neutral (Double pole) / unswitched neutral (Single pole)

type of components	manufacturer	Certification
USB charger	LEGRAND FRANCE	LCIE test report No. ARLI-ESH-P25021348



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 18/04/2025

Signature: 
Certification Officer

