

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Fixed socket-outlet

Name and address of the applicant

LEGRAND FRANCE

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Name and address of the manufacturer

LEGRAND FRANCE

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

See annex

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

Series : MOSAIC

References : See Annex

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC FR_707308 dated 26/11/2019: updated the list of product references

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013

As shown in the Test Report Ref. No. which forms part of this Certificate

166655-749647 and test reports listed in annex

This CB Test Certificate is issued by the National Certification Body

LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr

Date: 14/04/2020

LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSESSignature:
Julien Gauthier
Certification Officer

ANNEX

Name and address of the factories:**LEGRAND FRANCE**

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX – FRANCE

LEGRAND FRANCE SILLE

80 ROUTE D'EVRON
72140 SILLE LE GUILLAUME - FRANCE

LEGRAND FRANCE ISERE

PLACE DU BREUIL
38680 PONT EN ROYANS - FRANCE

LEGRAND MAGYARORSZAG VILLAMOSSAGI RENDSZEREK ZRT

IPARTELEPI UT 14 PF 10
6600 SZENTES - HUNGARY

NP PLASTIC HUNGARIA

IPARIS PARK 07/6
5440 KUNSZENMARTON - HUNGARY


PLASTIVALOIRE

ZI NORD
37130 LANGEAIS - FRANCE



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex

www.lcie.fr



Signature: **Julien Gauthier**
Certification Officer

Date: 14/04/2020

ANNEX (continued)

Relevant documents :

60021487-514363A/A1, 60032291-530935A/A1, 60051320-552296A/A1, 60051320-552098/A1, 60051549-552343A/A1, 60052084-553026/A1, 80640-569801/A1, 109475-618400A, 112252-623334A, 118896-637230A1, 127649-655969, 130899-663536Cr2016-10-05, 136736-675846A, 140943-683663, 140943-683665A, 158526-730178F, 160795-735203B


Mechanisms

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
PFA1	0 771 11	2P+E	slt	white or black or grey	
	0 995 94	2P+E	slt	white	
	0 996 95	2P+E	slt	white	
	0 996 80	2P+E	slt	white	
	0 771 99	2P+E	slt	white	
	0 771 40	2P+E	slt	white	for Czech Republic
	0 771 12	2P+E	slt	white antibactériel or grey	with pilot light
	0 787 01	2P+E	slt	white antibactériel	
	0 771 16	2P+E	slt	green antibactériel	
	0 771 46	2P+E	slt	green antibactériel	for Czech Republic
	0 771 17	2P+E	slt	orange antibactériel	
	0 771 47	2P+E	slt	orange antibactériel	for Czech Republic
	0 771 18	2P+E	slt	red antibactériel	
	0 771 26	2P+E	slt	red antibactériel	with pilot light
	0 771 41	2P+E	slt	red antibactériel	for Czech Republic
	0 771 19	2P+E	slt	white	with lid
	0 771 49	2P+E	slt	white	for Czech Republic with lid
	0 791 21	2P+E	slt	Anthracite	
	0 792 71	2P+E	slt	aluminium	
	0 792 14	2P+E	slt	aluminium	for Czech Republic
	0 771 32	2P+E	slt	white antibactériel	mobile face of entry plug
	0 996 24	2P+E	slt	white antibactériel	mobile face of entry plug
	0 791 32	2P+E	slt	Anthracite	mobile face of entry plug
0 771 33	2P+E	slt	red antibactériel	mobile face of entry plug	
0 771 35	2P+E	slt	white antibactériel	with pilot light mobile face of entry plug	
0 787 04	2P+E	slt	green antibactériel	mobile face of entry plug	
0 921 10	2P+E	slt	Inox		
0 921 11	2P+E	slt	Inox		

slt : screwless terminals



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Signature: *Julien Gauthier*
Julien Gauthier
Certification Officer

Date: 14/04/2020


ANNEX (continued)

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
PFA2	0 771 10	2P	slt	white	
	0 996 41	2P	slt	white	
	0 992 03	2P	slt	white	
	0 996 94	2P	slt	white	
PFA3	0 771 45	2P+E	slt	white	angle of 45°
	0 793 45	2P+E	slt	black	angle of 45°
	0 771 48	2P+E	slt	white	with pilot light angle of 45°
PFAD1	0 771 34	2 x 2P+E	slt	white	mobile face of entry plug
	0 791 34L	2 x 2P+E	slt	black mat	mobile face of entry plug
	0 791 34	2 x 2P+E	slt	Anthracite	mobile face of entry plug
	0 793 44	2 x 2P+E	slt	Aluminium	mobile face of entry plug
PFAT1	0 771 36	3 x 2P+E	slt	white	mobile face of entry plug
	0 791 36L	3 x 2P+E	slt	black mat	mobile face of entry plug
	0 791 36	3 x 2P+E	slt	Anthracite	mobile face of entry plug
	0 793 46	3 x 2P+E	slt	Aluminium	mobile face of entry plug
	0 771 13	2P+E	st	white	
	0 996 40	2P+E	st	white	
	0 771 14	2P+E	st	red or grey/red	tamperproof
	2 781 14L	2P+E	st	red or grey/red	tamperproof
	0 771 15	2P+E	st	red antibactérial	tamperproof with pilot light
	2 781 15L	2P+E	st	red antibactérial	tamperproof with pilot light

st : screw terminals
slt : screwless terminals



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Signature: **Julien Gauthier**
Certification Officer

Date: 14/04/2020


ANNEX (continued)

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
E11	0 771 42	2 x 2P+T	slt	white	for trunking angle of 45°
	0 793 62	2 x 2P+T	slt	black	for trunking angle of 45°
	0 994 21	2 x 2P+T	slt	white	for trunking angle of 45°
	0 996 42	2 x 2P+T	slt	white	for trunking angle of 45°
	200 020	2 x 2P+T	slt	white	for trunking angle of 45°
	200 021	2 x 2P+T	slt	white	for trunking angle of 45°
	200 070	2 x 2P+T	slt	white	for trunking angle of 45°
	200 071	2 x 2P+T	slt	white	for trunking angle of 45°
	0 771 62	2 x 2P+T	slt	green	for trunking angle of 45°
	0 791 92	2 x 2P+T	slt	Anthracite	for trunking angle of 45°
	0 792 72	2 x 2P+T	slt	aluminium	for trunking angle of 45°
	0 771 72	2 x 2P+T	slt	red	for trunking angle of 45°
	0 771 64	2 x 2P+T	slt	white	for trunking angle of 45° grey push terminal
	0 792 76	2 x 2P+T	slt	aluminium	for trunking angle of 45° grey push terminal
	0 771 68	2 x 2P+T	slt	red	for trunking angle of 45° grey push terminal
	0 771 43	3 x 2P+T	slt	white	for trunking angle of 45°
	0 793 63	3 x 2P+T	slt	black	for trunking angle of 45°
	0 994 22	3 x 2P+T	slt	white	for trunking angle of 45°
	0 996 43	3 x 2P+T	slt	white	for trunking angle of 45°
	0 771 63	3 x 2P+T	slt	green	for trunking angle of 45°
	0 791 63	3 x 2P+T	slt	Anthracite	for trunking angle of 45°
	0 792 73	3 x 2P+T	slt	aluminium	for trunking angle of 45°
	0 771 73	3 x 2P+T	slt	red	for trunking angle of 45°
	0 771 65	3 x 2P+T	slt	white	for trunking angle of 45° grey push terminal
	0 771 69	3 x 2P+T	slt	red	for trunking angle of 45° grey push terminal
0 771 44	4 x 2P+T	slt	white	for trunking angle of 45°	
0 994 23	4 x 2P+T	slt	white	for trunking angle of 45°	
0 996 31	4 x 2P+T	slt	white	for trunking angle of 45°	

slt : screwless terminals



LCIE – Laboratoire Central des Industries Electriques
 33, avenue du Général Leclerc – BP8
 FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Signature: **Julien Gauthier**
 Certification Officer

Date: 14/04/2020

ANNEX (continued)


Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
E11	200 022	4 x 2P+T	slt	white	for trunking angle of 45°
	200 023	4 x 2P+T	slt	white	for trunking angle of 45°
	200 072	4 x 2P+T	slt	white	for trunking angle of 45°
	200 073	4 x 2P+T	slt	white	for trunking angle of 45°
	0 771 74	4 x 2P+T	slt	red	tamperproof for trunking angle of 45°
	0 771 52	2 x 2P+T	slt	red	tamperproof for trunking angle of 45°
	0 771 66	2 x 2P+T	slt	red	tamperproof for trunking angle of 45° grey push terminal
	0 771 53	3 x 2P+T	slt	red	tamperproof for trunking angle of 45°
	0 771 67	3 x 2P+T	slt	red	tamperproof for trunking angle of 45° grey push terminal
	0 771 54	4 x 2P+T	slt	red	tamperproof for trunking angle of 45°

slt : screwless terminals



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr

Date: 14/04/2020



Signature: 
Julien Gauthier
Certification Officer

ANNEX (continued)

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
E10	0 771 01	2P+T	slt	white	for trunking with soluclip
	0 771 02	2 x 2P+T	slt	white	for trunking with soluclip
	0 771 82	2 x 2P+T	slt	black	for trunking with soluclip
	0 771 92	2 x 2P+T	slt	green	for trunking with soluclip
	0 771 03	3 x 2P+T	slt	white	for trunking with soluclip
	0 771 83	3 x 2P+T	slt	black	for trunking with soluclip
	0 771 04	4 x 2P+T	slt	white	for trunking with soluclip
	0 771 21	2P+T	slt	red	tamperproof for trunking with soluclip
	0 771 22	2 x 2P+T	slt	red	tamperproof for trunking with soluclip
	0 771 23	3 x 2P+T	slt	red	tamperproof for trunking with soluclip
	0 771 24	4 x 2P+T	slt	red	tamperproof for trunking with soluclip
	0 773 31	2P+T	slt	white	for trunking
	0 773 32	2 x 2P+T	slt	white	for trunking
	0 773 33	3 x 2P+T	slt	white	for trunking
	0 773 34	4 x 2P+T	slt	white	for trunking
	0 773 41	2P+T	slt	red	tamperproof for trunking
	0 773 42	2 x 2P+T	slt	red	tamperproof for trunking
	0 773 43	3 x 2P+T	slt	red	tamperproof for trunking
	0 773 44	4 x 2P+T	slt	red	tamperproof for trunking
	0 773 01	2P+T	slt	white	for trunking
	0 773 51	2P+T	slt	white	for trunking with frame cv 65
	0 773 02	2 x 2P+T	slt	white	for trunking
	0 773 52	2 x 2P+T	slt	white	for trunking with frame cv 65
	0 792 22	2 x 2P+T	slt	aluminium	for trunking
	0 773 03	3 x 2P+T	slt	white	for trunking
	0 792 23	3 x 2P+T	slt	aluminium	for trunking
	0 773 04	4 x 2P+T	slt	white	for trunking
	0 773 54	4 x 2P+T	slt	white	for trunking with frame cv 65
	0 773 21	2P+T	slt	red	Tamperproof for trunking
	0 773 22	2 x 2P+T	slt	red	Tamperproof for trunking
0 773 23	3 x 2P+T	slt	red	Tamperproof for trunking	
0 773 24	4 x 2P+T	slt	red	Tamperproof for trunking	

slt : screwless terminals



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: Julien Gauthier

Certification Officer

Date: 14/04/2020

ANNEX (continued)

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
LXX08	0 771 61	2P+E	slt	white	with USB type C
	0 771 61L	2P+E	slt	white	with USB type C
	0 994 24	2P+E	slt	white	with USB type C
	0 992 09	2P+E	slt	white	with USB type C
	0 791 61L	2P+E	slt	black mat	with USB type C
	0 994 49	2P+E	slt	black mat	with USB type C
	0 793 61	2P+E	slt	aluminium	with USB type C
	0 793 61L	2P+E	slt	aluminium	with USB type C
PFA1	2 781 61L	2P+E	slt	white	with USB type C
	0 771 11L	2P+E	slt	white	mobile face of entry plug
	0 771 99L	2P+E	slt	white	mobile face of entry plug
	0 771 81L	2P+E	slt	white	mobile face of entry plug
	0 771 17L	2P+E	slt	orange antibactériel	mobile face of entry plug
	0 791 21L	2P+E	slt	black mat	mobile face of entry plug
	0 994 44	2P+E	slt	black mat	mobile face of entry plug
	0 771 26L	2P+E	slt	red antibactériel	mobile face of entry plug with pilot light
	2 781 11L	2P+E	slt	white	mobile face of entry plug
	2 781 12L	2P+E	slt	white	mobile face of entry plug with pilot light
	2 781 26L	2P+E	slt	red antibactériel	mobile face of entry plug with pilot light
	2 781 41L	2P+E	slt	red antibactériel	mobile face of entry plug
	2 781 46L	2P+E	slt	green antibactériel	mobile face of entry plug
	2 781 47L	2P+E	slt	orange antibactériel	
	2 781 49L	2P+E	slt	white	with lid
	2 782 14L	2P+E	slt	aluminium	mobile face of entry plug
	0 992 04	2P+E	slt	white	
	200 081	2P+E	slt	white	
	200 083	2P+E	slt	white	
	200 085	2P+E	slt	white	
0 992 16	2P+E	slt	white		
0 994 19	2P+E	slt	white		

slt : screwless terminals



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: *Julien Gauthier*
Julien Gauthier
Certification Officer

Date: 14/04/2020

ANNEX (continued)

standard sheet	V (CEE7) (2P+T) / I (CEE7) (2P)
rated current (A) rated voltage (V)	16 A 250 V~
Degree of protection	IP20 IP44 with cover plate 0 788 80 or plates 0 897--
Provision for earthing	without earthing contact with earthing contact
method of connecting the cable	rewirable
Type of terminals	screw-type screwless-type (rigid and flexible)
Degree of protection against electric shock	normal protection
Existence of shutters	with shutters
Method of application - mounting	Surface type or flush-type floor-type with plates 0 897--
Method of installation	design A design B with plates 0 897--



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr

Date: 14/04/2020



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: 
Julien Gauthier
Certification Officer

ANNEX (continued)

Accessories :
Blank

References	Number of modules	Colour
0 770 70	1	white
0 792 70	1	aluminium
0 787 20	1	white antibacterial
0 770 71	2	white
0 791 81	2	anthracite
0 792 80	2	aluminium
0 791 81L	2	Black mat
0 787 21	2	white antibacterial
4 129 52	2	grey

Pilot light

References	Voltage	Specificity
0 676 63	230V	Indicator green
0 676 64	230V	Indicator white
0 802 60L	230V	Monitor light for 0 802 51
0 802 62L	230V	Indicator light for 0 802 51

Frames

Between axes: 71mm, with screw


References	Number of gang or modules	Specificity
0 802 51	1 gang	
0 802 09	1 gang	sold by 100
0 802 60	1 gang	for illumination under frame
0 802 62	1 gang	for indicator under frame
0 802 59	3 modules	
0 802 52	2 gangs	
0 802 58	2 gangs	horizontal for illumination under frame
0 802 57	2 gangs	vertical for illumination under frame
0 802 53	3 gangs	
0 802 54	4 gangs	
0 802 64	2 x 2 gangs	
0 802 66	2 x 3 gangs	
0 802 68	2 x 10 modules	

Between axes: 71mm, with claws

References	Number of gang	Specificity
0 802 61	1 gang	
0 802 69	1 gang	long claws



LCIE – Laboratoire Central des Industries Electriques
 33, avenue du Général Leclerc – BP8
 FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Signature: *Julien Gauthier*
 Certification Officer

Date: 14/04/2020

ANNEX (continued)

Between axes: Italy

References	Number of modules	Specificity
0 802 13	3 modules	
0 802 14	4 modules	
0 802 16	6 modules	
0 802 93	3 modules CHILI	

Frame DLP

References	Number of modules	Specificity
0 109 21	2 modules	cv 65
0 109 41	4 modules	
0 109 61	6 modules	
0 109 81	8 modules	
0 109 22	2 modules	cv 85
0 109 42	4 modules	
0 109 62	6 modules	
0 109 82	8 modules	

Blanks

References	Number of gang
0 791 04	2 gangs
0 791 06	3 gangs
0 791 10	4 gangs

Thin walls

References	Number of modules	Colour
0 802 91	2 modules	white
0 802 95	2 modules	aluminium

Modulars

References	Number of modules	Colour	Specificity
0 788 40	2 modules	white	cover for modular
0 801 29	2 modules	white	DIN rail for modular
0 802 99	2 modules	white	modular support
4 129 50	2 modules	white	modular support



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex

www.lcie.fr



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: 
Julien Gauthier
Certification Officer

Date: 14/04/2020

ANNEX (continued)

Kit box + frame + plate

References	Number of modules	Colour
0 788 72	2 x 4 modules	white
0 788 73	3 x 4 modules	white
0 788 74	4 x 4 modules	white
0 790 72	2 x 4 modules	aluminium
0 790 73	3 x 4 modules	aluminium
0 790 74	4 x 4 modules	aluminium
0 788 72L	2 x 4 modules	White
0 788 73L	3 x 4 modules	White
0 788 74L	4 x 4 modules	White
0 790 72L	2 x 4 modules	Aluminium
0 790 73L	3 x 4 modules	Aluminium
0 790 74L	4 x 4 modules	Aluminium

Kit surface box + frame + plate

Export references	France references	Number of modules	Colour
0 788 82	0 788 86	2 x 4 modules	white
0 788 83	0 788 87	3 x 4 modules	white
0 788 84	0 788 88	4 x 4 modules	white
0 790 82		2 x 4 modules	aluminium
0 790 83		3 x 4 modules	aluminium
0 790 84		4 x 4 modules	aluminium
0 788 82L	0 788 86L	2 x 4 modules	White
0 788 83L	0 788 87L	3 x 4 modules	White
0 788 84L	0 788 88L	4 x 4 modules	White
0 790 82L		2 x 4 modules	Aluminium
0 790 83L		3 x 4 modules	Aluminium
0 790 84L		4 x 4 modules	Aluminium

Boxes for surface mounting

References	Number of gang or modules	Specificity
0 802 80	1 gang	Depth 30mm
0 802 81	1 gang	Depth 40mm
0 802 82	2 gangs	vertical
0 802 83	3 gangs	vertical
0 802 84	4 gangs	
0 802 85	2 gangs	horizontal
0 802 86	3 gangs	horizontal
0 802 89	3 modules	
0 802 74	2 x 2 gangs	
0 802 76	2 x 3 gangs	
0 802 78	2 x 10 modules	



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex

www.lcie.fr



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: 
Julien Gauthier
Certification Officer

Date: 14/04/2020

ANNEX (continued)

Plates for floor recessed type

References	Designation
0 897 00	Square plate to be equipped, 1 gang inox - IP44, IK08
0 897 01	Round plate to be equipped, 1 gang inox - IP44, IK08
0 897 10	Square plate to be equipped, 1 gang bronze - IP44, IK08
0 897 11	Round plate to be equipped, 1 gang bronze - IP44, IK08
0 897 02	Rectangle plate to be equipped, 2 gang inox - IP44, IK08
0 897 12	Rectangle plate to be equipped, 2 gang bronze - IP44, IK08

Cover plates

Between axes: 71mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 02	1 gang 2 modules	white	sold by 100	0 802 51, 0 802 60, 0 802 61, 0 802 62, 0 802 69
0 788 99		white		
0 787 22		white antibactériel		
0 793 02		aluminium		
0 790 42		Anthracite		
0 788 03	3 modules	white		0 802 59
0 793 03		aluminium		
0 788 04	2 x 2 modules	white	horizontal	0 802 52, 0 802 58
0 787 25		white antibactériel		
0 793 04		aluminium		
0 790 44		Anthracite		
0 788 22	2 x 2 modules	white	vertical	0 802 52, 0 802 57
0 787 23		white antibactériel		
0 793 22		aluminium		
0 790 62		Anthracite		
0 788 14	4 modules	white	horizontal	0 802 52, 0 802 58
0 787 24		white antibactériel		
0 793 14		aluminium		
0 790 54		Anthracite		
0 788 25	5 modules	white	vertical	0 802 52, 0 802 57
0 793 25		aluminium		
0 788 15	5 modules	white	horizontal	0 802 52, 0 802 58
0 793 15		aluminium		
0 788 06	3 x 2 modules	white	horizontal	0 802 53
0 793 06		aluminium		
0 790 46		Anthracite		
0 788 23	3 x 2 modules	white	vertical	0 802 53
0 793 23		aluminium		



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex

www.lcie.fr



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: *Julien Gauthier*
Certification Officer

Date: 14/04/2020

ANNEX (continued)

Cover plates
 Between axes: 71mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 16	6 modules	white		0 802 53
0 787 26		white antibactériel		
0 793 16		aluminium		
0 790 56		Anthracite		
0 788 18	8 modules	white		0 802 53
0 793 18		aluminium		
0 790 58		Anthracite		
0 788 38	2 x 2 x 2 modules	white		0 802 64
0 793 38		aluminium		
0 788 30	2 x 5 modules	white		0 802 64
0 793 30		aluminium		
0 788 32	2 x 3 x 2 modules	white		0 802 66
0 793 32		aluminium		
0 788 36	2 x 6 modules	white		0 802 66
0 793 36		aluminium		
0 790 76		Anthracite		
0 788 37	2 x 8 modules	white		0 802 66
0 793 37		aluminium		
0 790 77		Anthracite		
0 788 08	4 x 2 modules	white	horizontal	0 802 54
0 793 08		aluminium		
0 788 10	10 modules	white		0 802 54
0 793 10		aluminium		
0 788 28	2 x 10 modules	white		0 802 68
0 793 28		aluminium		
0 788 02L	1 gang 2 modules	White	Sold by 100	0 802 51, 0 802 61, 0 802 69
2 778 02L		White		
0 788 99L		White		
0 787 22L		White antibacterial		
0 793 02L		Aluminium		
0 790 42L		Black mat		



LCIE – Laboratoire Central des Industries Electriques
 33, avenue du Général Leclerc – BP8
 FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



LABORATOIRE CENTRAL DES
 INDUSTRIES ELECTRIQUES
 S.A.S au capital de 15.745.984 €
 RCS Nanterre B 408 363 174
 33 avenue du Général Leclerc
 F - 92266 FONTENAY AUX ROSES

Signature:  Julien Gauthier
 Certification Officer

Date: 14/04/2020

ANNEX (continued)

Cover plates

Between axes: 71mm


References	Number of gang or modules	Colour	Specificity	Frame
0 788 03L	3 modules	White		0 802 59
0 793 03L		Aluminium		
0 788 04L		White		
2 778 04L	2 x 2 modules	White	horizontal	0 802 52, 0 802 58
0 787 25L		White antibacterial		
0 793 04L		Aluminium		
0 790 44L		Black mat		
0 788 22L		White		
2 778 22L	2 x 2 modules	White	vertical	0 802 52, 0 802 57
0 787 23L		White antibacterial		
0 793 22L		Aluminium		
0 790 62L		Black mat		
0 788 14L		White		
2 778 14L	4 modules	White	horizontal	0 802 52, 0 802 58
0 787 24L		White antibacterial		
0 793 14L		Aluminium		
0 790 54L		Black mat		
0 788 25L	5 modules	White	vertical	0 802 52, 0 802 57
0 793 25L		Aluminium		
0 788 15L	5 modules	White	horizontal	0 802 52, 0 802 58
0 793 15L		Aluminium		
0 788 06L	3 x 2 modules	White	horizontal	0 802 53
2 778 06L		White		
0 793 06L		Aluminium		
0 790 46L		Black mat		
0 788 23L	3 x 2 modules	White	vertical	0 802 53
0 793 23L		Aluminium		
0 788 16L	6 modules	White		0 802 53
2 778 16L		White		
0 787 26L		White antibacterial		
0 793 16L		Aluminium		
0 790 56L		Black mat		
0 788 18L	8 modules	White		0 802 53
0 793 18L		Aluminium		
0 790 58L		Black mat		
0 788 38L	2 x 2 x 2 modules	White		0 802 64
0 793 38L		Aluminium		



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex

www.lcie.fr

Date: 14/04/2020



Signature: **Julien Gauthier**

Certification Officer

ANNEX (continued)

Cover plates
Between axes: 71mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 30L	2 x 5 modules	White		0 802 64
0 793 30L		Aluminium		
0 788 32L	2 x 3 x 2 modules	White		0 802 66
0 793 32L		Aluminium		
0 788 36L	2 x 6 modules	White		0 802 66
0 793 36L		Aluminium		
0 790 76L		Black mat		
0 788 37L	2 x 8 modules	White		0 802 66
0 793 37L		Aluminium		
0 790 77L		Black mat		
0 788 08L	4 x 2 modules	White	horizontal	0 802 54
0 793 08L		Aluminium		
0 788 10L	10 modules	White		0 802 54
0 793 10L		Aluminium		
0 788 28L	2 x 10 modules	White		0 802 68
0 793 28L		Aluminium		

Between axes: 57mm

References	Number of modules	Colour	Specificity	Frame
0 788 54	2 x 2 modules	white	vertical	0 802 51, 0 802 61
0 793 54		aluminium		
0 788 64	2 x 2 modules	white	horizontal	0 802 51, 0 802 61, 0 802 14
0 793 64		aluminium		
0 788 56	3 x 2 modules	white	vertical	0 802 51, 0 802 61
0 788 66	3 x 2 modules	white	horizontal	0 802 51, 0 802 61, 0 802 16
0 788 54L	2 x 2 modules	White	vertical	0 802 51, 0 802 61
0 793 54L		Aluminium		
0 788 64L	2 x 2 modules	White	horizontal	0 802 51, 0 802 61, 0 802 14
0 793 64L		Aluminium		
0 788 56L	3 x 2 modules	White	vertical	0 802 51, 0 802 61
0 788 66L	3 x 2 modules	White	horizontal	0 802 51, 0 802 61, 0 802 16



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: *Julien Gauthier*
Julien Gauthier
Certification Officer

Date: 14/04/2020

ANNEX (End)

Between axes: Italy

References	Number of modules	Colour	Specificity	Frame
0 788 91	1 module	white		0 802 13, 0 802 93
0 788 92	2 modules	white	centred	0 802 13, 0 802 94
0 788 93	3 modules	white	vertical	0 802 13, 0 802 95
0 788 94	2 modules	white	separated	0 802 13, 0 802 96
0 788 90		white	blank	0 802 13, 0 802 97

Cover IP 44

References	Number of modules	Colour	Specificity	Frame
0 788 80	2 modules	white antibacterial	IP44	0 802 51, 0 802 61



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex

www.lcie.fr

Date: 14/04/2020



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: 
Julien Gauthier
Certification Officer