

FR_711580

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE Product Multiple socket-outlet Name and address of the applicant **LEGRAND FRANCE** 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX **FRANCE** Name and address of the manufacturer **LEGRAND FRANCE** 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX **FRANCE** LEGRAND FRANCE SILLE LE GUILLAUME Name and address of the factory 80 ROUTE D'EVRON 72140 SILLE LE GUILLAUME **FRANCE** Note: When more than one factory, please report on page 2 ☐ Additional Information on page 2 Ratings and principal characteristics See Annex Trademark / Brand (if any) **LEGRAND** Customer's Testing Facility (CTF) Stage used Model / Type Ref. 0 505 78 Supersedes CBTC 60055202B dated 12/04/2007. Update further to Additional information (if necessary may also be reported on page 2) the evolution of the standard(s) ☐ Additional Information on page 2 A sample of the product was tested and found to IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013 be in conformity with As shown in the Test Report Ref. No. which 169825-758402 forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body



LCIE – Laboratoire Central des Industries Electriques 33, avenue du Général Leclerc – BP8 FR 92 266 Fontenay aux Roses Cedex

www.lcie.fr

Date: 03/06/2021

LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES S.A.S au capital de 15.745.984 €

F - 92266 FONTENAY AUX ROSEartification Officer





ANNEX

References, ratings and main characteristics:

References	Nb of sockets outlets	Current	Voltage	Load	Degree of protection
0 505 78	3	16A	230V~	3500 W	IP 44

standard Sheet	V (CEE7)		
rated current (A)	16A		
rated load (W)	See table		
rated voltage (V)	250V~		
household voltage (V)	230V~		
degree of protection	IP44		
provision for earthing	with earthing contact		
method of connecting the cable	rewirable		
type of terminals	screw-type		
type of connection	crimped		
colour	black		
pins	solid		
socket-outlets			
multiple socket-outlets / number of socket-outlets	3		
degree of protection against electric shock	increased protection		
existence of shutters	with shutters		
method of application - mounting	portable type		



LCIE – Laboratoire Central des Industries Electriques 33, avenue du Général Leclerc – BP8 FR 92 266 Fontenay aux Roses Cedex

www.lcie.fr

Date: 03/06/2021

LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174

E 33 avenue du Général Gualeture: Julien Gauthier
F - 92266 FONTENAY AUX ROSES Certification Officer