EÚ Vyhlásenie o zhode

vydané podľa zákona 56/2018 Z.z. o technických požiadavkách na výrobky a o posudzovaní zhody

Názov organizácie: **LEGRAND Slovensko, s.r.o.**
Adresa: **Panónska cesta 7, 851 04 BRATISLAVA**
IČO: **35835907**
IČ DPH: **SK2020287192**

Výrobca: **Legrand S.A., Limoges Cedex, Francúzsko**
Výrobok: **Mosaic spínače a tlačidlá + príslušenstvo**
- obj.č. v prílohe

Výrobca vyhlasuje, že

- uvedený výrobok je pri určenom použití bezpečný a prijaté opatrenia, ktorými je zabezpečená zhoda všetkých výrobkov uvádzaných na trh s technickou dokumentáciou, so základnými požiadavkami nariadení vlády, ktoré sa na ne vzťahujú a požiadavkami technických predpisov

- vlastnosti tohto výrobku spĺňajú technické požiadavky, ktoré sa na tento výrobok vzťahujú a ktoré sú uvedené v príslušných nariadeniach vlády, príp. v iných technických predpisoch

Posúdenie zhody bolo vykonané podľa:

európskych smerníc

- 2014/35/EU
o harmonizácii právnych predpisov členských štátov týkajúcich sa sprístupnenia elektrického zariadenia určeného na používanie v rámci určitých limitov napätia na trhu
- 2014/30/EU
o harmonizácii právnych predpisov členských štátov vzťahujúcich sa na elektromagnetickú kompatibilitu

a nariadení vlády SR

- č.325/2019 Z.z.
o sprístupňovaní elektrického zariadenia určeného na používanie v rámci určitých limitov napätia na trhu
- č.331/2019 Z.z.
o elektromagnetickej kompatibilite zariadení

Pri posudzovaní zhody boli použité tieto normy:

STN EN 60669-1 +A1 + A2, STN EN 60669 -2-1 +A1

Identifikácia: LCIE - Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc, 92260 Fontenay-aux-Roses, France

Číslo certifikátu: FR 645761D

Vyhlasovateľ: Meno: Emmanuel Regent
Funkcia: Country Manager Czech Republic & Slovak Republic
Adresa: Panónska cesta 7, 851 04 Bratislava 5
Dátum: 22.03.2021

Podpis:

legrand
LEGRAND Slovensko, s.r.o.
Panónska cesta 7, 851 04 Bratislava
IČO: 35835907 IČ DPH: SK2020287192

Príloha k vyhláseniu o zhode:

REFERENCES – MAIN CHARACTERISTICS

Mechanisms

Type reference	References	Pattern	Actuating	Terminals	Rating	Colour of actuating member	Number of modules
CM11	0 770 00	1	R	slt	10AX / 250V	White	1
CM21	0 770 10	1	R	slt	10AX / 250V	White	2
CM16	0 770 01	6	R	slt	10AX / 250V	White	1
	0 996 50	6	R	slt	10AX / 250V	White	1
	0 995 92	6 + 6	R	slt	10AX / 250V	White	1 + 1
	0 996 92	6 + 6	R	slt	10AX / 250V	White	1 + 1
	0 996 67	6 + 6	R	slt	10AX / 250V	White	1 + 1
	200 941	6	R	slt	10AX / 250V	White	1
	0 787 10	6	R	slt	10AX / 250V	White antibacterial	1
	0 791 01	6	R	slt	10AX / 250V	Anthracite	1
	0 792 01	6	R	slt	10AX / 250V	Aluminium	1
CM26	0 770 11	6	R	slt	10AX / 250V	White	2
	0 996 51	6	R	slt	10AX / 250V	White	2
	0 995 91	6	R	slt	10AX / 250V	White	2
	0 996 91	6	R	slt	10AX / 250V	White	2
	0 996 81	6	R	slt	10AX / 250V	White	2
	0 770 98	6	R	slt	10AX / 250V	White	2
	0 787 11	6	R	slt	10AX / 250V	White antibacterial	2
	0 791 11	6	R	slt	10AX / 250V	Anthracite	2
	0 792 11	6	R	slt	10AX / 250V	Aluminium	2
	0 770 27	6	R	slt	10AX / 250V	White antibacterial CMV	2
	0 996 39	6	R	slt	10AX / 250V	White antibacterial CMV	2

Type reference	References	Pattern	Actuating	Terminals	Rating	Colour of actuating member	Number of modules
CM16B	0 770 02	6	R	slt	10AX / 250V	White with pilot light	1
	0 996 12	6	R	slt	10AX / 250V	White with pilot light	1
	0 996 14	6	R	slt	10AX / 250V	White with pilot light	1
	0 770 48	6 + 6	R + R	slt	10 AX / 250V	White with pilot light	1 + 1
	0 792 02	6	R	slt	10AX / 250V	Aluminium with pilot light	1
CM26B	0 770 12	6	R	slt	10AX / 250V	White with pilot light	2
	0 996 13	6	R	slt	10AX / 250V	White with pilot light	2
	0 996 15	6	R	slt	10AX / 250V	White with pilot light	2
	0 787 12	6	R	slt	10AX / 250V	White with pilot light	2
	0 791 12	6	R	slt	10AX / 250V	Anthracite with pilot light	2
	0 792 12	6	R	slt	10AX / 250V	Aluminium with pilot light	2
CM11P	0 770 30	1	RM	slt	6A / 250V	White	1
	0 787 14	1	RM	slt	6A / 250V	White antibacterial	1
	0 791 30	1	RM	slt	6A / 250V	Anthracite	1
	0 792 30	1	RM	slt	6A / 250V	Aluminium	1
CM11PB	0 770 33	1	RM	slt	6A / 250V	White with terminal for pilot light	1
	0 770 47	1	RM	slt	6A / 250V	White	1 + 1
CM21P	0 770 40	1	RM	slt	6A / 250V	White	2
	0 787 15	1	RM	slt	6A / 250V	White antibacterial	2
	0 791 40	1	RM	slt	6A / 250V	Anthracite	2
	0 792 40	1	RM	slt	6A / 250V	Aluminium	2


LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES
S.A.S. au capital de 5 728 240
RCS Nanterre B 408 363 174
33, Av. du Gal Leclerc
FONTENAY-aux-ROSES
F-92260

Type reference	References	Pattern	Actuating	Terminals	Rating	Colour of actuating member	Number of modules
CM16P	0 770 31	6	RM	slt	6A / 250V	White	1
	0 996 53	6	RM	slt	6A / 250V	White	1
	0 770 32	6	RM	slt	6A / 250V	White with pilot light	1
	0 996 16	6	RM	slt	6A / 250V	White with pilot light	1
	0 792 32	6	RM	slt	6A / 250V	Aluminium with pilot light	1
	0 782 04	6	RM	slt	6A / 250V	White antibacterial	1 + 1
	0 766 85	6	RM	slt	6A / 250V	White antibacterial	1 + 1
CM26P	0 770 41	6	RM	slt	6A / 250V	Blanc / White	2
	0 996 54	6	RM	slt	6A / 250V	Blanc / White	2
	0 995 93	6	RM	slt	6A / 250V	White	2
	0 996 93	6	RM	slt	6A / 250V	White	2
	0 996 68	6	RM	slt	6A / 250V	White	2
	0 770 42	6	RM	slt	6A / 250V	Aluminium with pilot light	2
	0 996 17	6	RM	slt	6A / 250V	Aluminium with pilot light	2
	0 787 16	6	RM	slt	6A / 250V	White antibacterial with pilot light	2
	0 791 42	6	RM	slt	6A / 250V	Anthracite with pilot light	2
	0 792 42	6	RM	slt	6A / 250V	Aluminium with pilot light	2
	0 770 43	6	RM	slt	6A / 250V	White antibacterial label holder	2
	0 996 29	6	RM	slt	6A / 250V	White antibacterial	2

Type reference	References	Pattern	Actuating	Terminals	Rating	Colour of actuating member	Number of modules
RB6	0 770 26	6	R	slt	6AX / 250V	White rolling shutters	2
	0 996 56	6	R	slt	6AX / 250V	White rolling shutters	2
	0 787 05	6	R	slt	6AX / 250V	White antibacterial rolling shutters	2
	0 791 26	6	R	slt	6AX / 250V	Anthracite rolling shutters	2
	0 792 26	6	R	slt	6AX / 250V	Aluminium rolling shutters	2
RB6P	0 770 25	6	RM	slt	6A / 250V	White rolling shutters	2
	0 996 35	6	RM	slt	6A / 250V	White rolling shutters	2
	0 792 25	6	RM	slt	6A / 250V	Aluminium rolling shutters	2
RB4P	0 770 28	4	RM	slt	6A / 250V	White rolling shutters	2
	0 792 28	4	RM	slt	6A / 250V	Aluminium rolling shutters	2

R : rocker
RM : momentary rocker
slt : screwless terminals
CMV : controlled mechanical ventilation

pattern number	1, 6, 4 see tables above
contacts opening (gap)	normal gap
degree of protection	IP 20 - IP 44 with plate 0 788 80
method of mounting	flush type - surface type with surface boxes
method of installation	design A
type of terminals	screwless (rigid and flexible)
rated current (A) or (AX)	10AX, 6AX, 6A see tables above



ACCESSORIES

Blank

References	Number of modules	Colour
0 770 70	1	White
0 792 70	1	Aluminium
0 787 20	1	White antibacterial
0 770 71	2	White
0 791 81	2	Anthracite
0 792 80	2	Aluminium
0 787 21	2	White antibacterial
4 129 52	2	Grey

Pilot light

References	Specificity
0 676 88	Monitor light 230 V for pattern 1 or 6 (2 lights)
0 676 85	Monitor light 230 V for pattern 6 (1 light)
0 676 84	Indicator light 230V for pattern 1
0 676 86	Indicator light 230V for pattern 6
0 676 87	Indicator light 12 / 24 / 48 V

Between axes 71 with screw


References	Number of gang or modules	specificity
0 802 50	1 module	
0 802 51	1 gang	
0 802 09	1 gang	sold by 100
0 802 60	1 gang	indicator lights under plate
0 802 62	1 gang	monitor lights under plate
0 802 59	3 modules	
0 802 52	2 gangs	
0 802 58	2 gangs horizontal	indicator lights under plate
0 802 57	2 gangs vertical	indicator lights under plate
0 802 53	3 gangs	
0 802 54	4 gangs	
0 802 64	2 x 2 gangs	
0 802 66	2 x 3 gangs	
0 802 68	2 x 10 modules	



Cover plate **Between axes 71**

References	Number of gang or modules	Color	Specificity	Frame
0 788 01	1 module	White		0 802 50
0 790 01		Aluminium Z		
0 793 01		Aluminium		
0 788 11	1 gang 1 module	White		0 802 51, 0 802 60, 0 802 61, 0 802 62, 0 802 69
0 790 11		Aluminium Z		
0 793 11		Aluminium		
0 788 02	1 gang 2 modules	White		
0 788 99		White	Sold by 100	
0 790 02		Aluminium Z		
0 787 22		White antibacterial		
0 793 02		Aluminium		
0 790 42		Anthracite		
0 788 03	3 modules	White		0 802 59
0 790 03		Aluminium Z		
0 793 03		Aluminium		
0 788 04	2 x 2 modules	White	horizontal	0 802 52, 0 802 58
0 790 04		Aluminium Z		
0 787 25		White antibacterial		
0 793 04		Aluminium		
0 790 44		Anthracite		
0 788 22	2 x 2 modules	White	vertical	0 802 52, 0 802 57
0 790 22		Aluminium Z		
0 787 23		White antibacterial		
0 793 22		Aluminium		
0 790 62		Anthracite		
0 788 14	4 modules	White	horizontal	0 802 52, 0 802 58
0 790 14		Aluminium Z		
0 787 24		White antibacterial		
0 793 14		Aluminium		
0 790 54		Anthracite		

References	Number of gang or modules	Color	Specificity	Frame
0 788 25	5 modules	White	vertical	0 802 52, 0 802 57
0 790 25		Aluminium Z		
0 793 25		Aluminium		
0 788 15	5 modules	White	horizontal	0 802 52, 0 802 58
0 790 15		Aluminium Z		
0 793 15		Aluminium		
0 788 06	3 x 2 modules	White	horizontal	0 802 53
0 790 06		Aluminium Z		
0 793 06		Aluminium		
0 790 46		Anthracite		
0 788 23	3 x 2 modules	White	vertical	0 802 53
0 790 23		Aluminium Z		
0 793 23		Aluminium		
0 788 16	6 modules	White		0 802 53
0 790 16		Aluminium Z		
0 787 26		White antibacterial		
0 793 16		Aluminium		
0 790 56		Anthracite		
0 788 18	8 modules	White		0 802 53
0 790 18		Aluminium Z		
0 793 18		Aluminium		
0 790 58		Anthracite		
0 788 38	2 x 2 x 2 modules	White		0 802 64
0 790 38		Aluminium Z		
0 793 38		Aluminium		
0 788 30	2 x 5 modules	White		0 802 64
0 790 30		Aluminium Z		
0 793 30		Aluminium		
0 788 32	2 x 3 x 2 modules	White		0 802 66
0 790 32		Aluminium Z		
0 793 32		Aluminium		



References	Number of gang or modules	Color	Specificity	Frame
0 788 36	2 x 6 modules	White		0 802 66
0 790 36		Aluminium Z		
0 793 36		Aluminium		
0 790 76		Anthracite		
0 788 37	2 x 8 modules	White		0 802 66
0 790 37		Aluminium Z		
0 793 37		Aluminium		
0 790 77		Anthracite		
0 788 08	4 x 2 modules	White	horizontal	0 802 54
0 790 08		Aluminium Z		
0 793 08		Aluminium		
0 788 10	10 modules	White		0 802 54
0 790 10		Aluminium Z		
0 793 10		Aluminium		
0 788 28	2 x 10 modules	White		0 802 68
0 790 28		Aluminium Z		
0 793 28		Aluminium		

Between axes 57


References	Number of gang or modules	Color	Specificity	Frame
0 788 54	2 x 2 modules	White	vertical	0 802 51, 0 802 61
0 793 54		Aluminium		
0 788 64	2 x 2 modules	White	horizontal	0 802 51, 0 802 61, 0 802 14
0 793 64		Aluminium		
0 788 56	3 x 2 modules	White	vertical	0 802 51, 0 802 61
0 788 66	3 x 2 modules	White	horizontal	0 802 51, 0 802 61, 0 802 16

Between axes Italy

References	Number of gang or modules	Color	Specificity	Frame
0 788 91	1 module	White		0 802 13, 0 802 93
0 788 92	2 modules	White	centred	0 802 13, 0 802 93
0 788 93	3 modules	White	vertical	0 802 13, 0 802 93
0 788 94	2 modules	White	separated	0 802 13, 0 802 93
0 788 90		White	blank	0 802 13, 0 802 93

IP 44

References	Number of gang or modules	Color	Specificity	Frame
0 788 80	2 modules	White antibacterial	IP44	0 802 51, 0 802 61



Between axes 71 with claws

References	Number of gang or modules
0 802 61	1 gang
0 802 69	1 gang long claws

Between axes Italy

References	Number of gang or modules
0 802 13	3 modules
0 802 14	4 modules
0 802 16	6 modules
0 802 93	3 modules CHILI

Blank

References	Number of gang or modules
0 791 04	2 gangs
0 791 06	3 gangs
0 791 10	4 gangs

frames and boxes for thin walls

Frame reference	Boxes references	Number of gang or modules	specificity
0 802 90	0 800 10	1 module	White
0 802 92	0 800 10	2 x 1 module	White
0 802 91	0 800 11	2 modules	White
0 802 94	0 800 10	1 module	Aluminium
0 802 95	0 800 11	2 modules	Aluminium

Modulars

References	Number of gang or modules	specificity
0 788 40	2 modules	cover for modular
0 801 29	2 modules	DIN rail for modular
0 802 99	2 modules	modular support
4 129 50	2 modules	modular support

Boxes for surface mounting

References	Number of gang or modules	Specificity
0 802 80	1 gang	height 27 mm
0 802 81	1 gang	height 40 mm
0 802 82	3 modules	
0 802 83	2 gangs	vertical
0 802 84	2 gangs	horizontal
0 802 85	3 gangs	vertical
0 802 86	3 gangs	horizontal
0 802 89	4 gangs	
0 802 74	2 x 2 gangs	
0 802 76	2 x 3 gangs	
0 802 78	2 x 10 modules	

Flush-mounting workstation kits

Export references	France references	Number of gang or modules	Specificity
0 788 72	0 788 72	2 x 4 modules	White
0 788 73	0 788 73	3 x 4 modules	White
0 788 74	0 788 74	4 x 4 modules	White
0 790 72		2 x 4 modules	Aluminium
0 790 73		3 x 4 modules	Aluminium
0 790 74		4 x 4 modules	Aluminium

Surface-mounting workstation kits

Export references	France references	Number of gang or modules	Specificity
0 788 82	0 788 86	2 x 4 modules	White
0 788 83	0 788 87	3 x 4 modules	White
0 788 84	0 788 88	4 x 4 modules	White
0 790 82		2 x 4 modules	Aluminium
0 790 83		3 x 4 modules	Aluminium
0 790 84		4 x 4 modules	Aluminium

