



Ref. Certif. No.

FR_719198

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Switches for household and similar fixed electrical installations

Switches for fixed-electrical installations

Name and address of the applicant

NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PVT. LTD
A-2, MIDC AREA, MALEGAON VILLAGE, SINNAR, DIST.
NASHIK – 422113, MAHARASHTRA - INDIA

Name and address of the manufacturer

NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PVT. LTD
A-2, MIDC AREA, MALEGAON VILLAGE, SINNAR, DIST.
NASHIK – 422113, MAHARASHTRA - INDIA

Name and address of the factory

Note: When more than one factory, please report on page 2

☒ Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

See Annex

Additional information (if necessary may also be reported on page 2)

☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60669-1:2017

As shown in the Test Report Ref. No. which forms part of this Certificate

ADQW-ESH-P23120537

This CB Test Certificate is issued by the National Certification Body



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 24/06/2024



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature:

Julien GAUTHIER

Certification Officer

ANNEX

Name and address of the factories:

NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PVT. LTD

A-2, MIDC AREA, MALEGAON VILLAGE, SINNAR, DIST. NASHIK – 422113, MAHARASHTRA – INDIA

LEGRAND

Avenue du Parc Alata - 60550 Verneuil en Halatte - France

RAIS HASSAN SAADI Logistics Dubai

Jebel Ali Free Zone, P.O. Box 7, Dubai - United Arab Emirates

LEGRAND FRANCE

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY, 87045 LIMOGES CEDEX - FRANCE

Legrand Intelligent Electrical (Huizhou) Co., Ltd.

Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech Industrial Development Zone, Huizhou, 516001 Guangdong - CHINA

References, ratings and main characteristics:

All the commercial references listed below may be supplemented with a prefix of type LG-, BT-, ... (to indicate the brand) and/or suffix of type 0, 1, 2, 3, 4, FI, EX, ... In this case, the products are technically the same.

CLASSIC references					
	White	Titanium	Black		
Type reference	Commercial ref	Commercial ref	Commercial ref	Module	Specificities
A028982AA	AC22101MW	AC22101MT	AC22101MB	1	with pilot light
	AC22103MW	AC22103MT	AC22103MB		

Characteristics of appliance	
Pattern number	6
Contact opening (gap)	normal gap
Protection of degree	IP20
Method of actuating	rocker
Method of mounting	flush type
Method of installation	design A
Type fo terminals	screw type
Rated current (A) or (AX)	16AX
Rated voltage (V)	250V~



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE

33 avenue du Général Leclerc

92260 Fontenay-aux-Roses, FRANCE

www.lcie.fr



Signature: *Julien Gauthier*
Julien GAUTHIER
 Certification Officer

Date: 24/06/2024

ANNEX

Accessories	
Pilot light	
Commercial ref	Designation
A180	230V red
A186	230V blue
A184	230V red
A185	230V blue
A187	230V warm white

Frame

Commercial ref	Designation
A1402	1G 1 AND 2M BRITISH STD FRAME
A1403	1G 1 AND 2M BS FRAME W/ EARTH
A1404	1G 3M HORIZO/VERTICAL BS FRAME
A1408	2G 3M BS FRAME
A1409	2G 2 X 2M BS FRAME
A1406	3M IT/FR/SCH FRAME
A1407	6M IT/FR/SCH FRAME
A1400	1M PANEL MOUNTING SUPPORT
A1401	2M PANEL MOUNTING SUPPORT
A1405	4M FR/SCH FRAME


Blank


Commercial ref			Designation
Matt White	Matt Titanium	Matt Black	
AC150MW	AC150MT	AC150MB	1 BLANK MODULE
AC153MW	AC153MT	AC153MB	2 BLANK MODULES
AC1501MW	AC1501MT	AC1501MB	1G BS BLANKING PLATE
AC1502MW	AC1502MT	AC1502MB	2G BS BLANKING PLATE



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 24/06/2024



Signature:  Julien GAUTHIER
Certification Officer

ANNEX


Cover plates

Commercial ref									Designation
Matt White	Matt Titanium	Matt Black	Frosted White	Frosted Black	Dark Aluminium	Brushed Stainless Steel	Night Blue	Solid Aluminium	
AC1100MW	AC1100MT	AC1100MB	AC1100FW	AC1100FB	AC1100DA	AC1100BS	AC1100NB	AC1100SA	1G 1M BS PLATE
AC1101MW	AC1101MT	AC1101MB	AC1101FW	AC1101FB	AC1101DA	AC1101BS	AC1101NB	AC1101SA	1M ITALIAN/US PLATE
AC1102MW	AC1102MT	AC1102MB	AC1102FW	AC1102FB	AC1102DA	AC1102BS	AC1102NB	AC1102SA	1G 2M BS PLATE
AC1103MW	AC1103MT	AC1103MB	AC1103FW	AC1103FB	AC1103DA	AC1103BS	AC1103NB	AC1103SA	2M ITALIAN/US PLATE
AC1104MW	AC1104MT	AC1104MB	AC1104FW	AC1104FB	AC1104DA	AC1104BS	AC1104NB	AC1104SA	1G 3M BS PLATE HORIZ/VERT
AC1105MW	AC1105MT	AC1105MB	AC1105FW	AC1105FB	AC1105DA	AC1105BS	AC1105NB	AC1105SA	3M BS PLATE FOR 2G BOX
AC1107MW	AC1107MT	AC1107MB	AC1107FW	AC1107FB	AC1107DA	AC1107BS	AC1107NB	AC1107SA	3M IT/US PLATE
AC1108MW	AC1108MT	AC1108MB	AC1108FW	AC1108FB	AC1108DA	AC1108BS	AC1108NB	AC1108SA	2 X 2M BS PLATE
AC1110MW	AC1110MT	AC1110MB	AC1110FW	AC1110FB	AC1110DA	AC1110BS	AC1110NB	AC1110SA	4M IT/FR/SCH PLATE
AC1111MW	AC1111MT	AC1111MB	AC1111FW	AC1111FB	AC1111DA	AC1111BS	AC1111NB	AC1111SA	6M IT/FR/SCH PLATE
AC1200MW	AC1200MT	AC1200MB	AC1200FW	AC1200FB	AC1200DA	AC1200BS	AC1200NB	AC1200SA	1M PLATE+FRAME
AC1201MW	AC1201MT	AC1201MB	AC1201FW	AC1201FB	AC1201DA	AC1201BS	AC1201NB	AC1201SA	2M PLATE+FRAME
AC1202MW	AC1202MT	AC1202MB	AC1202FW	AC1202FB	AC1202DA	AC1202BS	AC1202NB	AC1202SA	3M PLATE+FRAME
AC1203MW	AC1203MT	AC1203MB	AC1203FW	AC1203FB	AC1203DA	AC1203BS	AC1203NB	AC1203SA	4M PLATE+FRAME
AC1204MW	AC1204MT	AC1204MB	AC1204FW	AC1204FB	AC1204DA	AC1204BS	AC1204NB	AC1204SA	6M BS PLATE+FRAME
AC1205MW	AC1205MT	AC1205MB	AC1205FW	AC1205FB	AC1205DA	AC1205BS	AC1205NB	AC1205SA	6M PLATE+FRAME
AC1206MW	AC1206MT	AC1206MB	AC1206FW	AC1206FB	AC1206DA	AC1206BS	AC1206NB	AC1206SA	8M PLATE+FRAME
AC1207MW	AC1207MT	AC1207MB	AC1207FW	AC1207FB	AC1207DA	AC1207BS	AC1207NB	AC1207SA	8M PLATE+FRAME
AC1208MW	AC1208MT	AC1208MB	AC1208FW	AC1208FB	AC1208DA	AC1208BS	AC1208NB	AC1208SA	2 X 4M PLATE+FRAME
AC1209MW	AC1209MT	AC1209MB	AC1209FW	AC1209FB	AC1209DA	AC1209BS	AC1209NB	AC1209SA	2 X 6M BS PLATE+FRAME
AC1210MW	AC1210MT	AC1210MB	AC1210FW	AC1210FB	AC1210DA	AC1210BS	AC1210NB	AC1210SA	2 X 6M PLATE+FRAME
AC1211MW	AC1211MT	AC1211MB	---	---	---	---	---	---	3 X 6M PLATE+FRAME
---	---	---	AB1100FW	AB1100FB	AB1100DA	AB1100BS	AB1100NB	AB1100SA	4M HYBRID PLATE 2M + 2M SWITCH
---	---	---	AB1200FW	AB1200FB	AB1200DA	AB1200BS	AB1200NB	AB1200SA	6M HYBRID PLATE 3M + 2M DIMMER
---	---	---	AB1201FW	AB1201FB	AB1201DA	AB1201BS	AB1201NB	AB1201SA	6M HYBRID PLATE 3M + 2M SWITCH



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE

www.lcie.fr



Date: 24/06/2024

Signature: Julien GAUTHIER
Certification Officer


ANNEX

Commercial ref									Designation
Matt White	Matt Titanium	Matt Black	Frosted White	Frosted Black	Dark Aluminium	Brushed Stainless Steel	Night Blue	Solid Aluminium	
---	---	---	AB1202 FW	AB1202 FB	AB1202D A	AB1202B S	AB1202 NB	AB1202S A	6M HYBRID PLATE+FRAM 3M+2M DIM
---	---	---	AB1203 FW	AB1203 FB	AB1203D A	AB1203B S	AB1203 NB	AB1203S A	6M HYBRID PLATE+FRAM 3M +2M SW
---	---	---	AB1204 FW	AB1204 FB	AB1204D A	AB1204B S	AB1204 NB	AB1204S A	6M HYBRID PLATE 4M + 1M SWITCH
---	---	---	AB1205 FW	AB1205 FB	AB1205D A	AB1205B S	AB1205 NB	AB1205S A	6M HYBRID PLATE+FRAME 4M+1M SW
---	---	---	AB1206 FW	AB1206 FB	AB1206D A	AB1206B S	AB1206 NB	AB1206S A	8M HYBRID PLATE 5M +2M DIMMER
---	---	---	AB1207 FW	AB1207 FB	AB1207D A	AB1207B S	AB1207 NB	AB1207S A	8M HYBRID PLATE+FRAM 5M+2M DIM
AC11 18MW	AC111 8MT	AC11 18MB	AC111 8FW	AC1118 FB	AC1118D A	AC1118B S	AC1118 SA	AC1118N B	4X4 US PLATE FOR 2M
AC12 12MW	AC121 2MB	AC12 12MT	---	---	---	---	---	---	9M PLATE+FRAME
AC12 13MW	AC121 3MB	AC12 13MT	---	---	---	---	---	---	2 X 8M PLATE+FRAME
---	---	---	AB1208 FW	AB1208 FB	AB1208B S	AB1208D A	AB1208 NB	AB1208S A	4M HYBRID PLATE+FRAME 2M + 2M SWITCH

Pattern number	6
Contact opening	normal gap
Protection degree	IP20
Method of actuating	rocker
Method of mounting	flush-type
Method of installation	design A
Type of terminals	screw-type (rigid and flexible)
Flexible cable outlet	without
Ratings	16AX 250V~
Color	White, Titanium, Black



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr



Date: 24/06/2024

Julien GAUTHIER
Certification Officer