



Ref. Certif. No.

FR_721875

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Combined socket-outlet and switch
Switched socket-outlets for fixed installations

Name and address of the applicant

Legrand Intelligent Electrical (Huizhou) Co., Ltd.
Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech
Industrial Development Zone, 516001 Huizhou,
Guangdong - CHINA

Name and address of the manufacturer

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

Note: When more than one factory, please report on page 2

☒ Additional Information on page 2

Ratings and principal characteristics

13A 250V~
See Annex

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

See Annex

Additional information (if necessary may also be reported on page 2)

☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60884-1:2022
IEC 60884-2-3:2006

As shown in the Test Report Ref. No. which forms part of this Certificate

ARLI-ESH-P25030264

This CB Test Certificate is issued by the National Certification Body



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 19/06/2025

Signature:  **Jérôme REYSSON**
Certification Officer



ANNEX

Name and address of the factories:

Legrand Intelligent Electrical (Huizhou) Co., Ltd.

Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech Industrial Development Zone
516001 Huizhou, Guangdong - CHINA

NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PVT. LTD

A-2, MIDC AREA, MALEGAON VILLAGE, SINNAR, DIST. – NASHIK - 422113 MAHARASHTRA - INDIA

LEGRAND

AVENUE DU PARC ALATA -60550 VERNEUIL EN HALATTE - FRANCE

RAIS HASSAN SAADI Logistics Dubai

Jebel Ali Free Zone, P.O. Box 7 Dubai - United Arab Emirates

LEGRAND France

6 PLACE DU BREUIL 38680 PONT EN ROYANS - FRANCE

RATING AND MAIN CHARACTERISTICS

Reference	Range*	Product description	Color of enclosure	USB module
281176MW	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT WHITE	Matt White	B006310AA
281176MB	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT BLACK	Matt Black	B006310AA
281176DS	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W DARK SILVER	Dark Silver	B006310AA
281176DB	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W DARK BRONZE	Dark Bronze	B006310AA
281176CH	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W CHAMPAGNE	Champagne	B006310AA
281176BB	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED BLACK	Brushed Black	B006310AA
281176BA	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED ALU	Brushed Alu	B006310AA
281176MWSG	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT WHITE WITH MS	Matt White	B006310BA
281176MBSG	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT BLACK WITH MS	Matt Black	B006310BA
281176DSSG	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W DARK SILVER WITH MS	Dark Silver	B006310BA
281176DBSG	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W DARK BRONZE WITH MS	Dark Bronze	B006310BA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE

33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE

www.lcie.fr

Date: 19/06/2025

Signature:  **Jérôme REYSSON**
Certification Officer



ANNEX

Reference	Range*	Product description	Color of enclosure	USB module
281176CHSG	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W CHAMPAGNE WITH MS	Champagne	B006310BA
281176BBSG	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED BLACK WITH MS	Brushed Black	B006310BA
281176BASG	MALLIA SENSES	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED ALU WITH MS	Brushed Alu	B006310BA
281177MW	MALLIA SENSES	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W MATT WHITE	Matt White	B006310AA
281177MB	MALLIA SENSES	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W MATT BLACK	Matt Black	B006310AA
281177DS	MALLIA SENSES	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W DARK SILVER	Dark Silver	B006310AA
281177DB	MALLIA SENSES	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W DARK BRONZE	Dark Bronze	B006310AA
281177CH	MALLIA SENSES	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W CHAMPAGNE	Champagne	B006310AA
281177BB	MALLIA SENSES	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED BLACK	Brushed Black	B006310AA
281177BA	MALLIA SENSES	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED ALU	Brushed Alu	B006310AA
AA3332MW	Altair Customization	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT WHITE	Matt White	B006310AA
AA3332MT	Altair Customization	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT TITANIUM	Matt Titanium	B006310AA
AA3332MB	Altair Customization	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT BLACK	Matt Black	B006310AA
AA3336MW	Altair Customization	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT WHITE WITH MS	Matt White	B006310BA
AA3336MT	Altair Customization	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT TITANIUM WITH MS	Matt Titanium	B006310BA
AA3336MB	Altair Customization	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT BLACK WITH MS	Matt Black	B006310BA
AA3333MW	Altair Customization	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W MATT WHITE	Matt White	B006310AA
AA3333MT	Altair Customization	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W MATT TITANIUM	Matt Titanium	B006310AA
AA3333MB	Altair Customization	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W MATT BLACK	Matt Black	B006310AA
AA3333CH	Altair Customization	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W CHAMPAGNE	Champagne	B006310AA
AA3333DB	Altair Customization	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W DARK BRONZE	Dark Bronze	B006310AA
AA3333RS	Altair Customization	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W ROSE	Rose	B006310AA
282344	GALION	2G BS13A SINGLE POLE SWITCHED USB C+C 36W WHITE	White	B006310AA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 19/06/2025

Signature:  Jérôme REYSSON
Certification Officer



ANNEX

Reference	Range*	Product description	Color of enclosure	USB module
282344-C	GALION	2G BS13A SINGLE POLE SWITCHED USB C+C 36W MATT BLACK	Matt Black	B006310AA
282344-C1	GALION	2G BS13A SINGLE POLE SWITCHED USB C+C 36W ROSE GOLD	Rose Gold	B006310AA
282344-C2	GALION	2G BS13A SINGLE POLE SWITCHED USB C+C 36W CHAMPAGNE	Champagne	B006310AA
282344-C3	GALION	2G BS13A SINGLE POLE SWITCHED USB C+C 36W DARK SILVER	Dark Silver	B006310AA
282346	GALION	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W WHITE	White	B006310AA
282346-C	GALION	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W MATT BLACK	Matt Black	B006310AA
282346-C1	GALION	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W ROSE GOLD	Rose Gold	B006310AA
282346-C2	GALION	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W CHAMPAGNE	Champagne	B006310AA
282346-C3	GALION	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W DARK SILVER	Dark Silver	B006310AA
AR68172	ART D'ARNOULD	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED STEEL	Brushed Steel	B006310AA
AR68272	ART D'ARNOULD	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED GOLD	Brushed Gold	B006310AA
AR68372	ART D'ARNOULD	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W SATIN WHITE	White	B006310AA
AR68472	ART D'ARNOULD	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W MATT BLACK	Matt Black	B006310AA
AR68072	ART D'ARNOULD	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W CUSTOM	Custom	B006310AA
AR68173	ART D'ARNOULD	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED STEEL	Brushed Steel	B006310AA
AR68273	ART D'ARNOULD	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W BRUSHED GOLD	Brushed Gold	B006310AA
AR68373	ART D'ARNOULD	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W SATIN WHITE	White	B006310AA
AR68473	ART D'ARNOULD	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W MATT BLACK	Matt Black	B006310AA
AR68073	ART D'ARNOULD	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W CUSTOM	Custom	B006310AA
077667L	MOSAIC KSA	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W WHITE	White	B006310AA
MEC33095WH	MILO BS	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W MATT WHITE	Matt White	B006310AA
MEC33095BL	MILO BS	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W BLACK	Black	B006310AA
MEC33095SL	MILO BS	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W SILVER	Silver	B006310AA
MEC33095CH	MILO BS	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W CHAMPAGNE	Champagne	B006310AA
MEC33095RG	MILO BS	2G BS13A DOUBLE POLE SWITCHED USB C+C 36W ROSE GOLD	Rose Gold	B006310AA



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 19/06/2025

Signature:  Jérôme REYSSON
Certification Officer



ANNEX

Reference	Range*	Product description	Color of enclosure	USB module
GA33137CH	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W	Champagne	B006310AA
GA33137DS	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W	Dark Silver	B006310AA
GA33137MB	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W	Matt Black	B006310AA
GA33137GR	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W	Graphite	B006310AA
GA33137MW	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W	Matt White	B006310AA
GA33138CH	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W WITH MS	Champagne	B006310BA
GA33138DS	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W WITH MS	Dark Silver	B006310BA
GA33138MB	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W WITH MS	Matt Black	B006310BA
GA33138GR	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W WITH MS	Graphite	B006310BA
GA33138MW	Galion DYN	2G BS13A SINGLE POLE SWITCHED USB C+C 36W WITH MS	Matt White	B006310BA
E4/2UBSC-C1-E	KSA RCU E4	2GANGS 13A DOUBLE POLE SWITCHED BS SOCKET WITH 2USB TYPE-C, 36W, SILVER BLACK	Sliver Black	B006310AA
E5/2UBSC-J2-E	KSA RCU E5	2GANGS 13A DOUBLE POLE SWITCHED BS SOCKET WITH 2USB TYPE-C, 36W, BRUSHED BLACK	Brushed Black	B006310AA
K9R/2UBSC-C2-E	KSA RCU K9R	2GANGS 13A DOUBLE POLE SWITCHED BS SOCKET WITH 2USB TYPE-C, 36W, CHAMPAGNE	Champagne	B006310AA
K9R/2UBSC-J2-E	KSA RCU K9R	2GANGS 13A DOUBLE POLE SWITCHED BS SOCKET WITH 2USB TYPE-C, 36W, BRUSHED BLACK	Brushed Black	B006310AA
AG16029	ART D'ARNOULD	2G BS13A SINGLE POLE SWITCHED SOCKET USB C+C 36W	/	B006310AA
AG16030	ART D'ARNOULD	2G BS13A DOUBLE POLE SWITCHED SOCKET USB C+C 36W	/	B006310AA

*The "range" denotes applicant's categorization



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 19/06/2025

Signature: 
Certification Officer



ANNEX

Additional information for AR68*** series:

Type reference	Collection References - Univers EPURE				Mechanism references for CONFIGURED PRODUCTS	Nb gang	Module type	Switch poles
	BRUSHED STEEL	BRUSHED GOLD	SATIN WHITE	MATT BLACK				
AG16029	AR68172	AR68272	AR68372	AR68472	AR68072	2	Type C + type C	1
AG16030	AR68173	AR68273	AR68373	AR68473	AR68073	2	Type C + type C	2

CONFIGURED PRODUCTS = Mechanism references (See table above) + Finition references (See table below)

Finition References = Style code & Plate finishes code & Mechanism finishes code

Style		Plate finishes Code		Mechanism finishes (Lever / Rocker)	
Code	Universe	Code	Finishes	Code	Finishes
1	Mémoire	60	Mirror polish gold	1	Chrome
2	Epure	61	Satin gold	2	Gold
3	Fusion	62	Brushed gold	3	Satin white
8	Retro	78	Pink brushed gold	4	Mat black
		81	Circular brushed gold	5	Black gun barel
		64	Mirror polish steel	6	Pink gold
		65	Satin steel	7	...
		66	Brushed steel		
		83	Circular brushed steel		
		70	Matt black		
		72	Satin white		
		68	Coated grey		
		59	Bronze		
		71	Brass		
		73	Laquered brushed brass		
		74	Brushed gunmetal		
		84	Circular brushed gunmetal		
		69	Hammered steel		
		75	Corten®		
		79	Gold leaves		
		80	Palladium leaves		



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 19/06/2025

Signature:  **Jérôme REYSSON**
Certification Officer



ANNEX

Additional information for AA33**** series:

All the commercial references listed below may be supplemented with a prefix of type LG-, BT-, ... (to indicate the brand) and/or suffix of type 0, 1, 2, 3, 4, FI, EX, ... In this case, the products are technically the same.

Commercial ref	Commercial ref	Commercial ref	Commercial ref	Commercial ref	Commercial ref	Rated values	Switch	Actuating	Gang	Specificities
AA3332M W	AA3332M B	AA3332M T	-	-	-	13A 250V~ USB: 5Vdc - 20Vdc, Max. 36W	Single pole	Rocke r	2	USB port: C+C
AA3336M W	AA3336M B	AA3336M T	-	-	-	13A 250V~ USB: 5Vdc - 20Vdc, Max. 36W	Single pole	Rocke r	2	USB port: C+C PCBA with micro switch
AA3333M W	AA3333M B	AA3333M T	AA3333C H	AA3333D B	AA3333R S	13A 250V~ USB: 5Vdc - 20Vdc, Max. 36W	Double pole	Rocke r	2	USB port: C+C


Cover plates

Commercial ref										
Matt White	Matt Titanium	Matt Black	Frosted White	Frosted Black	Dark Aluminium	Brushed Stainless Steel	Night Blue	Solid Aluminium		Designation
AA11 15M W	AA111 5MT	AA11 15M B	AA1115 FW	AA1115FB	AA1115 DA	AA1115BS	AA11 15NB	AA1115 SA		2G BS PLATE 2X13A SW SKT +2USB
Commercial ref										
Cham pagne	Dark Bronze	Rose	Brushed Bronze	Brushed Antique Brass	Solid Dark Bronze	Solid Sand	Solid Black	Solid Rose	Solid Cham pagne	Designation
AA11 15CH	AA111 5DB	AA11 15RS	AA1115 BB	AA1115AB	AA1115 SZ	AA1115SD	AA11 15SB	AA1115 SR	AA11 15SC	2G BS PLATE 2X13A SW SKT +2USB



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 19/06/2025

Signature:  Jérôme REYSSON
Certification Officer



ANNEX

standard Sheet:	BS 1363-2
rated current (A)	13A
rated load (W)	-
rated voltage (V)	250V~
household voltage (V)	-
degree of protection	IP20
provision for earthing	with earthing contact
method of connecting the cable	rewirable
type of terminals	screw-type
type of connections	-
socket-outlets	
multiple socket-outlets	13A: 2
number of socket-outlets	
degree of protection against electric shock	normal protection
existence of shutters	with shutters
method of application - mounting	flush-type
method of installation	design A
plugs:	
class of equipment	-
entry of cable	-

type of components	manufacturer	Certification
USB charger	LEGRAND FRANCE	LCIE test report No.: ARLI-ESH-P25030267



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 19/06/2025

Signature:  Jérôme REYSSON
Certification Officer

