



Ref. Certif. No.

FR_719315/M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Combined socket-outlet and switch
Switched socket-outlets for fixed installations

Name and address of the applicant

Legrand Intelligent Electrical (Huizhou) Co., Ltd.
Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech
Industrial Development Zone, Huizhou 516001,
Guangdong - CHINA

Name and address of the manufacturer

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

Note: When more than one factory, please report on page 2

☒ Additional Information on page 2

Ratings and principal characteristics

13A 250V~
See Annex

Trademark / Brand (if any)

 **legrand** (for all models exclude 838018, 838019,
838028 and 838029)
2) tenby (for model 838018, 838019, 838028 and 838029)

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

See Annex

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC FR_719315 dated 21/06/2024.
Addition of components
Addition of factory(ies)

☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60884-1:2022
IEC 60884-2-3:2006

As shown in the Test Report Ref. No. which forms part of this Certificate

ARLI-ESH-P25120023

This CB Test Certificate is issued by the National Certification Body



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 25/02/2026

Signature:  **Julien GAUTHIER**



ANNEX

Name and address of the factories:

Legrand Intelligent Electrical (Huizhou) Co., Ltd.

Bldg. B1-B3, East No. 39 Hechang 6th Rd., HZZK Hi-tech Industrial Development Zone, Huizhou 516001, Guangdong - CHINA

Homelan (Huizhou)electrical Co., Ltd.

Jinhu Industrial Park, Baitang Town, Boluo County, Huizhou City, Guang Dong Province – CHINA

NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PVT. LTD

A-2, MIDC AREA, MALEGAON VILLAGE, SINNAR, DIST. - NASHIK - 422113, MAHARASHTRA - INDIA

RATING AND MAIN CHARACTERISTICS

All the commercial references listed below may be supplemented with a prefix of type LG-, BT-, ...(to indicate the brand) and/or suffix of type 0, 1, 2, 3, 4, FI, EX,-IN ...In this case, the products are technically the same.

Reference	Description	Color of enclosure
618041	1G 13A SP switched socket	White
618042	1G 13A SP switched socket + neon indicator	White
838018	1G 13A SP switched socket	White
838019	1G 13A SP switched socket + neon indicator	White
618046	2G 13A SP switched socket	White
618047	2G 13A SP switched socket + neon indicator	White
618049	2G 13A SP switched socket + neon indicator	Red
838028	2G 13A SP switched socket	White
838029	2G 13A SP switched socket + neon indicator	White
281111MW	1G BS 13A SP SW SOCKET	Matt White
281111MB	1G BS 13A SP SW SOCKET	Matt Black
281111DS	1G BS 13A SP SW SOCKET	Dark Silver
281111CH	1G BS 13A SP SW SOCKET	Champagne
281111DB	1G BS 13A SP SW SOCKET	Dark Bronze
281111BA	1G BS 13A SP SW SOCKET	Brush Aluminum
281111BB	1G BS 13A SP SW SOCKET	Brush Black
281114MW	1G BS 13A SP SW SOCKET+LED	Matt White
281114MB	1G BS 13A SP SW SOCKET+LED	Matt Black
281114DS	1G BS 13A SP SW SOCKET+LED	Dark Silver
281114CH	1G BS 13A SP SW SOCKET+LED	Champagne
281114DB	1G BS 13A SP SW SOCKET+LED	Dark Bronze
281114BA	1G BS 13A SP SW SOCKET+LED	Brush Aluminum



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE

33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE

www.lcie.fr

Date: 25/02/2026

Signature:



ANNEX

Reference	Description	Color of enclosure
281114BB	1G BS 13A SP SW SOCKET+LED	Brush Black
281111MWSG	1G BS 13A SP SW SOCKET	Matt White
281111MBSG	1G BS 13A SP SW SOCKET	Matt Black
281111DSSG	1G BS 13A SP SW SOCKET	Dark Silver
281111CHSG	1G BS 13A SP SW SOCKET	Champagne
281111DBSG	1G BS 13A SP SW SOCKET	Dark Bronze
281111BASG	1G BS 13A SP SW SOCKET	Brush Aluminum
281111BBSG	1G BS 13A SP SW SOCKET	Brush Black
281114MWSG	1G BS 13A SP SW SOCKET+LED	Matt White
281114MBSG	1G BS 13A SP SW SOCKET+LED	Matt Black
281114DSSG	1G BS 13A SP SW SOCKET+LED	Dark Silver
281114CHSG	1G BS 13A SP SW SOCKET+LED	Champagne
281114DBSG	1G BS 13A SP SW SOCKET+LED	Dark Bronze
281114BASG	1G BS 13A SP SW SOCKET+LED	Brush Aluminum
281114BBSG	1G BS 13A SP SW SOCKET+LED	Brush Black
617641	1G BS 13A SP SW SOCKET	Gloss White
617741	1G BS 13A SP SW SOCKET	Gloss Grey
617841	1G BS 13A SP SW SOCKET	Gloss Ivory
617642	1G BS 13A SP SW SOCKET+LED	Gloss White
617742	1G BS 13A SP SW SOCKET+LED	Gloss Grey
617842	1G BS 13A SP SW SOCKET+LED	Gloss Ivory
281113MW	2G BS 13A SINGLE POLE SW SOCKET	Matt White
281113MB	2G BS 13A SINGLE POLE SW SOCKET	Matt Black
281113DS	2G BS 13A SINGLE POLE SW SOCKET	Dark Silver
281113CH	2G BS 13A SINGLE POLE SW SOCKET	Champagne
281113DB	2G BS 13A SINGLE POLE SW SOCKET	Dark Bronze
281113BA	2G BS 13A SINGLE POLE SW SOCKET	Brush Aluminum
281113BB	2G BS 13A SINGLE POLE SW SOCKET	Brush Black
281115MW	2G BS 13A SINGLE POLE SW SOCKET +LED	Matt White
281115MB	2G BS 13A SINGLE POLE SW SOCKET +LED	Matt Black
281115DS	2G BS 13A SINGLE POLE SW SOCKET +LED	Dark Silver
281115CH	2G BS 13A SINGLE POLE SW SOCKET +LED	Champagne
281115DB	2G BS 13A SINGLE POLE SW SOCKET +LED	Dark Bronze
281115BA	2G BS 13A SINGLE POLE SW SOCKET +LED	Brush Aluminum
281115BB	2G BS 13A SINGLE POLE SW SOCKET +LED	Brush Black



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 25/02/2026

Signature:



ANNEX

Reference	Description	Color of enclosure
281113MWSG	2G BS 13A SINGLE POLE SW SOCKET	Matt White
281113MBSG	2G BS 13A SINGLE POLE SW SOCKET	Matt Black
281113DSSG	2G BS 13A SINGLE POLE SW SOCKET	Dark Silver
281113CHSG	2G BS 13A SINGLE POLE SW SOCKET	Champagne
281113DBSG	2G BS 13A SINGLE POLE SW SOCKET	Dark Bronze
281113BASG	2G BS 13A SINGLE POLE SW SOCKET	Brush Aluminum
281113BBSG	2G BS 13A SINGLE POLE SW SOCKET	Brush Black
281115MWSG	2G BS 13A SINGLE POLE SW SOCKET +LED	Matt White
281115MBSG	2G BS 13A SINGLE POLE SW SOCKET +LED	Matt Black
281115DSSG	2G BS 13A SINGLE POLE SW SOCKET +LED	Dark Silver
281115CHSG	2G BS 13A SINGLE POLE SW SOCKET +LED	Champagne
281115DBSG	2G BS 13A SINGLE POLE SW SOCKET +LED	Dark Bronze
281115BASG	2G BS 13A SINGLE POLE SW SOCKET +LED	Brush Aluminum
281115BBSG	2G BS 13A SINGLE POLE SW SOCKET +LED	Brush Black
617646	2G BS 13A SP SW SOCKET	Gloss White
617746	2G BS 13A SP SW SOCKET	Gloss Grey
617846	2G BS 13A SP SW SOCKET	Gloss Ivory
617647	2G BS 13A SP SW SOCKET+LED	Gloss White
617747	2G BS 13A SP SW SOCKET+LED	Gloss Grey
617847	2G BS 13A SP SW SOCKET+LED	Gloss Ivory
617649	2G BS 13A SP SW SOCKET+LED +RED plate	Gloss White + Red
617749	2G BS 13A SP SW SOCKET+LED +RED plate	Gloss Grey + Red
617849	2G BS 13A SP SW SOCKET+LED +RED plate	Gloss Ivory + Red
MEC32034WH	1G BS 13A SP SW SOCKET	White
MEC32034SL	1G BS 13A SP SW SOCKET	Silver
MEC32034CH	1G BS 13A SP SW SOCKET	Champagne
MEC32034BL	1G BS 13A SP SW SOCKET	Black
MEC32034RG	1G BS 13A SP SW SOCKET	Rose Gold
MEC32035WH	1G BS 13A SP SW SOCKET +LED	White
MEC32035SL	1G BS 13A SP SW SOCKET +LED	Silver
MEC32035CH	1G BS 13A SP SW SOCKET +LED	Champagne
MEC32035BL	1G BS 13A SP SW SOCKET +LED	Black
MEC32035RG	1G BS 13A SP SW SOCKET +LED	Rose Gold
MEC32036WH	2G BS 13A SP SW SOCKET	White
MEC32036SL	2G BS 13A SP SW SOCKET	Silver



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 25/02/2026

Signature:



ANNEX

Reference	Description	Color of enclosure
MEC32036CH	2G BS 13A SP SW SOCKET	Champagne
MEC32036BL	2G BS 13A SP SW SOCKET	Black
MEC32036RG	2G BS 13A SP SW SOCKET	Rose Gold
MEC32037WH	2G BS 13A SP SW SOCKET +LED	White
MEC32037SL	2G BS 13A SP SW SOCKET +LED	Silver
MEC32037CH	2G BS 13A SP SW SOCKET +LED	Champagne
MEC32037BL	2G BS 13A SP SW SOCKET +LED	Black
MEC32037RG	2G BS 13A SP SW SOCKET +LED	Rose Gold

CLASSIFICATION

standard Sheet:	standard sheet of BS 1363-2
rated current (A)	13A
rated voltage (V)	250V
degree of protection	IP20
provision for earthing	with earthing contact
method of connecting the cable	rewirable
type of terminals	screw-type
colour	See table above
socket-outlets	
multiple socket-outlets	
number of socket-outlets	13A : 1 or 2
degree of protection against electric shock	normal protection
existence of shutters	with shutters
method of application - mounting	flush-type
method of installation	design A
Intended for circuits where	a single earthing circuit provides protective earthing
Switched socket-outlets without interlock	
According to the method of actuating the switch	rocker
According to the switching of the neutral	unswitched neutral



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 25/02/2026

Signature


LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
92260 Fontenay-aux-Roses
33 avenue du Général Leclerc
92260 FONTENAY-AUX-ROSES

Certification Officer