

C A T A L O G U E   G U I D E



H E L L O  
H O M E

P U T   T H E   M A G I C   O F   I O T   I N T O   Y O U R   H O M E

L I V E   T H E  
A D V A N T A G E





The pace of life today demands continuous upgrades in efficiency and ways to live smarter. At Legrand, we anticipate your needs with technologically advanced products, investing as much as 5% on R&D to deliver superior electrical and digital building infrastructure.

As global specialists, we make things that are not just essential but actually desirable. Our engineering is exacting, and is fueled by design thinking which we call Designeering. We understand that your home demands the latest in cutting-edge technology and innovation, and our solutions offer a sophisticated blend of both.

Such expertise helps us fulfil your needs. It also ensures that we keep introducing products that change the way you look at form and function.






# CONNECTED LIVING

MAKE YOUR HOME TRULY YOURS

## Arteor™

Increasing digitalization and network solutions are making our lives ever simpler and more convenient, as technology transforms the way we work, communicate, travel and live at home. But greater possibilities also bring greater complexity. That is why Legrand, in developing the Arteor range, has sought to make networked digital technology as easy as possible, for designers, installers and users of living space.

The result is the radio solution for Arteor that enhances individual comfort and security in the connected home. It is really quick and easy to install and it will flexibly adapt to changing habits, aspirations and needs over time.







Arteor, as a part of Legrand's ELIOT program, is dedicated to developing sustainable connected solutions that are easy to use and maintain, accessible for everybody and customisable to the users' needs, desires and habits. To enhance the value of any home and make everyday life just that little bit more comfortable and secure.

## Connected home

### connected gateway pack

Must be ordered for any  
connected installation



#### Step 1: Gateway pack for a connected home



5742 09

Used to create the radio network and the Wi-Fi connection of the connected installation  
Enables remote control of your home (lighting, roller blinds and electrical appliances) using a smartphone via the Home + Control App and/or voice control with a voice assistant  
Must be ordered to start any connected installation  
To be completed by adding individual connected products  
2.4 GHz Wi-Fi connection required

| Pack | Cat.Nos | Connected gateway pack Arteor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |         | Used to create the radio network and the Wi-Fi connection<br>Composition:<br>- 1 flush-mounted ZigBee/Wi-Fi gateway<br>Mechanisms supplied with cover plates, to be equipped with support frames and plates<br>Allows the connection of the installation to the Wi-Fi network and enables control through the Home + Control App and voice assistants (Google Assistant, Amazon Alexa, Apple Siri)*<br>Enables Home + Control service on IFTTT<br>Can be installed in place of an existing product<br>Suitable for flush-mounting box min. depth 35mm<br>- 1 Home/Away wireless master switch with preset life scenes<br>Supplied with cover plate and support frame<br>To be equipped with plates<br>Used to create the radio network and to control light scenes<br>Life scenes can be customised in the Home + Control App<br>Supplied with CR2032 3 V long-life battery for power supply and 4 removable stickers for fixing the control unit on any substrate<br>LED function for low battery indication |
| 1/4  | 5742 09 | <div> <div>○ White</div> <div>● Magnesium</div> <div>● Champagne</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 1/4  | 5742 27 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 1/4  | 5742 36 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|      |         | MRP*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|      |         | 15860                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|      |         | 18238                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|      |         | 18238                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

## Connected home

### connected light switches



#### Step 2: Connected products



5742 01



5742 21



5742 43

Used to create your connected installation, require prior installation of a gateway pack for connected installation

| Pack | Cat.Nos | Connected light switches Arteor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |         | <b>Switch with neutral, wired, 1 module</b><br>Mechanisms supplied with cover plates, to be equipped with support frames and plates<br>For local or remote control of lighting<br>Can be controlled by one or more wireless light switches or mechanical 2-way switches<br>Compatible with all loads<br>Can be installed in place of an existing switch in a flush-mounting box 35 mm deep<br>Locator and indicator LED function<br>Kindly refer load table on page 18                                                                                                                         |
| 1/24 | 5742 01 | <div> <div>○ White</div> <div>● Magnesium</div> <div>● Champagne</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 1/24 | 5742 20 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 1/24 | 5742 29 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|      |         | MRP*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|      |         | 7020                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|      |         | 8072                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|      |         | 8072                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|      |         | <b>Switch without neutral, with dimmer option, wired, 2 modules</b><br>Mechanisms supplied with cover plates, to be equipped with support frames and plates<br>For local or remote control of lighting<br>Can be controlled by one or more wireless light switches<br>Compatible with all loads (dimnable LEDs strongly recommended)<br>Supplied with a bleeder<br>Dimmer mode can be activated from the Home + Control App.<br>Can be installed in place of an existing switch in a flush-mounting box 35 mm deep<br>Locator and indicator LED function<br>Kindly refer load table on page 18 |
| 1/12 | 5742 02 | <div> <div>○ White</div> <div>● Magnesium</div> <div>● Champagne</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 1/12 | 5742 21 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 1/12 | 5742 30 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|      |         | MRP*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|      |         | 9360                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|      |         | 10764                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|      |         | 10764                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|      |         | <b>Micro module switch with neutral, 300 W</b><br>Used to connect lights with a ceiling box installation<br>Can be controlled by one or more wireless light switches or mechanical push-buttons<br>Paired by tapping the wireless control on the micromodule                                                                                                                                                                                                                                                                                                                                   |
| 1/24 | 5742 43 | MRP*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|      |         | 5492                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## Connected home

### connected outlets



## Connected home

### connected curtain/roller blind switches



#### Step 2: Connected products



5742 00



5757 20 + 5734 73 + 5742 00

Used to complete your connected installation, require prior installation of a gateway pack for connected installation

| Pack | Cat.Nos | Connected socket outlet module Arteur - 16A - 240V~ - 3680 W, 1 module                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |         | <p>Mechanisms supplied with cover plates, to be equipped with support frames and plates</p> <p>Allows to create a connected socket outlet for integration into the connected installation</p> <p>To be wired to a traditional socket outlet</p> <p>The connected socket outlet can be paired with one or more wireless light switches</p> <p>Connected socket outlets allow to</p> <ul style="list-style-type: none"> <li>- remotely control electrical appliances</li> <li>- measure instantaneous power</li> <li>- monitor daily and monthly consumption</li> <li>- send notifications in case of abnormal use (overconsumption etc.)</li> </ul> <p>Can be installed in place of an existing socket outlet in a flush-mounting box 40 mm min. depth</p> <p>Indicator LED function</p> <p>Kindly refer load table on page 18</p> |
| 1/12 | 5742 00 | White<br>Magnesium<br>Champagne                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 1/12 | 5742 28 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 1/12 | 5742 37 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|      |         | MRP*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|      |         | 7280                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|      |         | 8372                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|      |         | 8372                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

#### Step 2: Connected products



5742 04

Used to complete your connected installation, require prior installation of a gateway pack for connected installation

| Pack | Cat.Nos | Connected curtain/roller blind switch Arteur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |         | <p>Mechanisms supplied with cover plates, to be equipped with support frames and plates</p> <p>For local and remote control of a 240 V~ roller blind (raise/lower/stop functions and level management)</p> <p>Compatible with roller blinds with mechanical or electronic stop, not compatible with radio-controlled roller blinds</p> <p>Can be paired with one or more roller blind wireless switches</p> <p>Can be installed in place of an existing roller blind switch in a flush-mounting box 35 mm deep</p> <p>1 module - with neutral</p> <p>Kindly refer load table on page 18</p> |
| 1/24 | 5742 04 | White<br>Magnesium<br>Champagne                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 1/24 | 5742 22 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 1/24 | 5742 31 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|      |         | MRP*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|      |         | 7800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|      |         | 8970                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|      |         | 8970                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |



## Step 2: Connected products



5742 05

Used to complete your connected installation. Require a prior connected installation including a gateway pack

| Pack | Cat.Nos | Wireless light switch - 1-gang Arteor                                                                                                                                                                                                                                                                                                                                                                                        |              |
|------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
|      |         | Supplied with cover plate and support frame<br>To be equipped with plates<br>Used to add an extra lighting control<br>Easy pairing by tapping the wired product<br>Controls up to 20 wired products: switches, micromodules, socket outlets<br>Supplied with CR2032 3 V long-life battery for power supply and 4 removable stickers for fixing the control unit on any substrate.<br>LED function for low battery indication |              |
| 1/10 | 5742 05 |                                                                                                                                                                                                                                                                                                                                                                                                                              | MRP*<br>3378 |
| 1/10 | 5742 23 | ○ White                                                                                                                                                                                                                                                                                                                                                                                                                      | 3886         |
| 1/10 | 5742 32 | ● Magnesium                                                                                                                                                                                                                                                                                                                                                                                                                  | 3886         |
|      |         | ● Champagne                                                                                                                                                                                                                                                                                                                                                                                                                  |              |

## Step 2: Connected products



5742 33



5742 08



5742 25

| Pack | Cat.Nos | Home/Away wireless master switch Arteor                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |
|------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
|      |         | Supplied with cover plate and support frame<br>To be equipped with plates<br>Used to add an extra Home/Away wireless master switch<br>Works in the same way as the Home/Away wireless master switch included in the gateway pack<br>Home/Away life scenes can be customised in the Home + Control App.<br>Supplied with CR2032 3 V long-life battery for power supply and 4 removable stickers for fixing the control unit on any substrate<br>LED function for low battery indication |              |
| 1/10 | 5742 06 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | MRP*<br>3900 |
| 1/10 | 5742 24 | ○ White                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 4486         |
| 1/10 | 5742 33 | ● Magnesium                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4486         |
|      |         | ● Champagne                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |
| Pack | Cat.Nos | Wake up/Sleep wireless switch Arteor                                                                                                                                                                                                                                                                                                                                                                                                                                                   |              |
|      |         | Supplied with cover plate and support frame<br>To be equipped with plates<br>Used to add 2 extra scenes to a connected installation<br>Preset Wake up/Sleep life scenes which can be customised in the Home + Control App.<br>Supplied with CR2032 3 V long-life battery for power supply and 4 removable stickers for fixing the control unit on any substrate<br>LED function for low battery indication                                                                             |              |
| 1/10 | 5742 08 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | MRP*<br>3900 |
| 1/10 | 5742 26 | ○ White                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 4486         |
| 1/10 | 5742 35 | ● Magnesium                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4486         |
|      |         | ● Champagne                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |
| Pack | Cat.Nos | Curtain/roller blind wireless switch Arteor                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |
|      |         | Supplied with cover plate and support frame<br>To be equipped with plates<br>Used for remote control or centralization of up to 20 wired roller blind switches<br>Pair by tapping on the selected roller blind switch(es)<br>Supplied with CR2032 3 V long-life battery for power supply and 4 removable stickers for fixing the control unit on any substrate<br>LED function for low battery indication<br>2 modules                                                                 |              |
| 1/10 | 5742 07 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | MRP*<br>3900 |
| 1/10 | 5742 25 | ○ White                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 4486         |
| 1/10 | 5742 34 | ● Magnesium                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4486         |
|      |         | ● Champagne                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |

**Arteor™**

cover plates with frame


**Arteor™**

cover plates with frame



5758 99



5759 94



5757 21

| Pack   | Cat.Nos | White plates with over moulded frame |                     |                |      |
|--------|---------|--------------------------------------|---------------------|----------------|------|
|        |         |                                      |                     | Dimension (mm) | MRP* |
| 10/100 | 5758 98 |                                      | PL+FR 1M SQ white   | 92 x 92        | 216  |
| 10/100 | 5758 99 |                                      | PL+FR 2M SQ white   | 92 x 92        | 226  |
| 10/100 | 5759 60 |                                      | PL+FR 3M SQ white   | 129 x 92       | 262  |
| 5/50   | 5759 65 |                                      | PL+FR 4M SQ white   | 157 x 92       | 300  |
| 5/30   | 5759 94 |                                      | PL+FR 6M SQ white   | 237.5 x 92     | 412  |
| 5/30   | 5759 95 |                                      | PL+FR 8M SQ white   | 252.5 x 92     | 488  |
| 2/20   | 5759 96 |                                      | PL+FR 2X4M SQ white | 157 x 178      | 714  |
| 2/16   | 5759 97 |                                      | PL+FR 2X6M SQ white | 237.5 x 178    | 948  |
| 2/16   | 5759 98 |                                      | PL+FR 2X8M SQ white | 237.5 x 178    | 1042 |
| 2/12   | 5759 99 |                                      | PL+FR 3X6M SQ white | 237.5 x 246    | 1228 |

| Pack   | Cat.Nos | Pearl aluminium cover plates with frame |            |                |      |
|--------|---------|-----------------------------------------|------------|----------------|------|
|        |         |                                         |            | Dimension (mm) | MRP* |
| 10/100 | 5757 01 |                                         | 1 module   | 92 x 92        | 258  |
| 10/100 | 5757 11 |                                         | 2 module   | 92 x 92        | 272  |
| 10/100 | 5757 21 |                                         | 3 module   | 129 x 92       | 290  |
| 5/50   | 5757 31 |                                         | 4 module   | 157 x 92       | 328  |
| 5/30   | 5757 41 |                                         | 6 module   | 237.5 x 92     | 562  |
| 5/30   | 5757 51 |                                         | 8 module   | 252.5 x 92     | 620  |
| 2/20   | 5757 61 |                                         | 2x4 module | 157 x 178      | 788  |
| 2/16   | 5757 71 |                                         | 2x6 module | 237.5 x 178    | 1024 |
| 2/16   | 5757 81 |                                         | 2x8 module | 237.5 x 178    | 1158 |
| 2/12   | 5757 91 |                                         | 3x6 module | 237.5 x 246    | 1354 |
| 2/12   | 5758 01 |                                         | 3x8 module | 237.5 x 246    | 1542 |

\*MRP figures are valid till 31/03/2020



5757 22

5757 42

| Pack   | Cat.Nos | Graphite cover plates with frame |            |                |      |  |
|--------|---------|----------------------------------|------------|----------------|------|--|
| 10/100 | 5757 02 |                                  | 1 module   | Dimension (mm) | MRP* |  |
|        |         |                                  |            | 92 x 92        | 258  |  |
| 10/100 | 5757 12 |                                  | 2 module   | 92 x 92        | 272  |  |
| 10/100 | 5757 22 |                                  | 3 module   | 129 x 92       | 290  |  |
| 5/50   | 5757 32 |                                  | 4 module   | 157 x 92       | 328  |  |
| 5/30   | 5757 42 |                                  | 6 module   | 237.5 x 92     | 562  |  |
| 5/30   | 5757 52 |                                  | 8 module   | 252.5 x 92     | 620  |  |
| 2/20   | 5757 62 |                                  | 2x4 module | 157 x 178      | 788  |  |
| 2/16   | 5757 72 |                                  | 2x6 module | 237.5 x 178    | 1024 |  |
| 2/16   | 5757 82 |                                  | 2x8 module | 237.5 x 178    | 1158 |  |
| 2/12   | 5757 92 |                                  | 3x6 module | 237.5 x 246    | 1354 |  |
| 2/12   | 5758 02 |                                  | 3x8 module | 237.5 x 246    | 1542 |  |



5758 12

5758 14

| Pack   | Cat.Nos | Magnesium cover plates with frame |            |                |      |  |
|--------|---------|-----------------------------------|------------|----------------|------|--|
| 10/100 | 5758 11 |                                   | 1 module   | Dimension (mm) | MRP* |  |
|        |         |                                   |            | 92 x 92        | 258  |  |
| 10/100 | 5758 12 |                                   | 2 module   | 92 x 92        | 272  |  |
| 10/100 | 5758 13 |                                   | 3 module   | 129 x 92       | 290  |  |
| 5/50   | 5758 14 |                                   | 4 module   | 157 x 92       | 326  |  |
| 5/30   | 5758 15 |                                   | 6 module   | 237.5 x 92     | 560  |  |
| 5/30   | 5758 16 |                                   | 8 module   | 252.5 x 92     | 620  |  |
| 2/20   | 5758 17 |                                   | 2x4 module | 157 x 178      | 788  |  |
| 2/16   | 5758 18 |                                   | 2x6 module | 237.5 x 178    | 1024 |  |
| 2/16   | 5758 19 |                                   | 2x8 module | 237.5 x 17     | 1158 |  |
| 2/12   | 5758 20 |                                   | 3x6 module | 237.5 x 246    | 1354 |  |



## Arteor™

cover plates with frame



## Arteor™

cover plates with frame



5758 23

5758 24



5758 34

5758 35

| Pack   | Cat.Nos | Champagne cover plates with frame |            |                           |             |
|--------|---------|-----------------------------------|------------|---------------------------|-------------|
| 10/100 | 5758 22 |                                   | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>258 |
| 10/100 | 5758 23 |                                   | 2 module   | 92 x 92                   | 272         |
| 10/100 | 5758 24 |                                   | 3 module   | 129 x 92                  | 290         |
| 5/50   | 5758 25 |                                   | 4 module   | 157 x 92                  | 326         |
| 5/30   | 5758 26 |                                   | 6 module   | 237.5 x 92                | 560         |
| 5/30   | 5758 27 |                                   | 8 module   | 252.5 x 92                | 620         |
| 2/20   | 5758 28 |                                   | 2x4 module | 157 x 178                 | 788         |
| 2/16   | 5758 29 |                                   | 2x6 module | 237.5 x 178               | 1024        |
| 2/16   | 5758 30 |                                   | 2x8 module | 237.5 x 178               | 1158        |
| 2/12   | 5758 31 |                                   | 3x6 module | 237.5 x 246               | 1354        |

| Pack   | Cat.Nos | Dark bronze cover plates with frame |            |                           |             |
|--------|---------|-------------------------------------|------------|---------------------------|-------------|
| 10/100 | 5758 33 |                                     | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>258 |
| 10/100 | 5758 34 |                                     | 2 module   | 92 x 92                   | 272         |
| 10/100 | 5758 35 |                                     | 3 module   | 129 x 92                  | 290         |
| 5/50   | 5758 36 |                                     | 4 module   | 157 x 92                  | 326         |
| 5/30   | 5758 37 |                                     | 6 module   | 237.5 x 92                | 560         |
| 5/30   | 5758 38 |                                     | 8 module   | 252.5 x 92                | 620         |
| 2/20   | 5758 39 |                                     | 2x4 module | 157 x 178                 | 788         |
| 2/16   | 5758 40 |                                     | 2x6 module | 237.5 x 178               | 1024        |
| 2/16   | 5758 41 |                                     | 2x8 module | 237.5 x 178               | 1158        |
| 2/12   | 5758 42 |                                     | 3x6 module | 237.5 x 246               | 1354        |

\*MRP figures are valid till 31/03/2020

## Arteor™

cover plates with frame



5757 13



5757 53

| Pack   | Cat.Nos | Mirror black finish cover plates with frame |            |                           |              |
|--------|---------|---------------------------------------------|------------|---------------------------|--------------|
| 1/5/30 | 5757 03 |                                             | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>1488 |
| 1/5/30 | 5757 13 |                                             | 2 module   | 92 x 92                   | 1592         |
| 1/20   | 5757 23 |                                             | 3 module   | 129 x 92                  | 1706         |
| 1/20   | 5757 33 |                                             | 4 module   | 157 x 92                  | 1812         |
| 1/5    | 5757 43 |                                             | 6 module   | 237.5 x 92                | 3300         |
| 1/5    | 5757 53 |                                             | 8 module   | 252.5 x 92                | 3630         |
| 1/10   | 5757 63 |                                             | 2x4 module | 157 x 178                 | 4600         |
| 1/8    | 5757 73 |                                             | 2x6 module | 237.5 x 178               | 5660         |

## Arteor™

cover plates with frame



5757 14



5757 74

| Pack   | Cat.Nos | Mirror white finish cover plates with frame |            |                           |              |
|--------|---------|---------------------------------------------|------------|---------------------------|--------------|
| 1/5/30 | 5757 04 |                                             | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>1488 |
| 1/5/30 | 5757 14 |                                             | 2 module   | 92 x 92                   | 1592         |
| 1/20   | 5757 24 |                                             | 3 module   | 129 x 92                  | 1706         |
| 1/20   | 5757 34 |                                             | 4 module   | 157 x 92                  | 1812         |
| 1/5    | 5757 44 |                                             | 6 module   | 237.5 x 92                | 3300         |
| 1/5    | 5757 54 |                                             | 8 module   | 252.5 x 92                | 3630         |
| 1/10   | 5757 64 |                                             | 2x4 module | 157 x 178                 | 4690         |
| 1/8    | 5757 74 |                                             | 2x6 module | 237.5 x 178               | 5660         |

# Arteor™

cover plates with frame




# Arteor™

cover plates with frame



5758 45



5758 46



5763 31

| Pack   | Cat.Nos | Mirror green apple finish cover plates with frame                                   |            |                           |              |
|--------|---------|-------------------------------------------------------------------------------------|------------|---------------------------|--------------|
| 1/5/30 | 5758 44 |    | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>1488 |
| 1/5/30 | 5758 45 |    | 2 module   | 92 x 92                   | 1592         |
| 1/20   | 5758 46 |    | 3 module   | 129 x 92                  | 1706         |
| 1/20   | 5758 47 |    | 4 module   | 157 x 92                  | 1812         |
| 1/5    | 5758 48 |   | 6 module   | 237.5 x 92                | 3300         |
| 1/5    | 5758 49 |  | 8 module   | 252.5 x 92                | 3630         |
| 1/10   | 5758 50 |  | 2x4 module | 157 x 178                 | 4688         |
| 1/8    | 5758 51 |  | 2x6 module | 237.5 x 178               | 5660         |

| Pack   | Cat.Nos                                                                                      | Graphic casual cover plates with frame                                                |            |                           |              |
|--------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------|---------------------------|--------------|
| 1/5/30 | 5762 91                                                                                      |    | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>1806 |
| 1/5/30 | 5763 11                                                                                      |    | 2 module   | 92 x 92                   | 1946         |
| 1/5/20 | 5763 31                                                                                      |    | 3 module   | 129 x 92                  | 2090         |
| 1/20   | 5763 51                                                                                      |    | 4 module   | 157 x 92                  | 2230         |
| 1/5    | 5763 81                                                                                      |   | 6 module   | 237.5 x 92                | 4034         |
| 1/5    | 5764 01                                                                                      |  | 8 module   | 252.5 x 92                | 4450         |
| 1/10   |  5758 89 |  | 2x4 module | 157 x 178                 | 5606         |
| 1/8    | 5758 90                                                                                      |  | 2x6 module | 237.5 x 178               | 6942         |

\*MRP figures are valid till 31/03/2020





5758 54



5758 55



5758 63



5758 64

| Pack   | Cat.Nos | Silver baroque cover plates with frame |            |                           |              |
|--------|---------|----------------------------------------|------------|---------------------------|--------------|
| 1/5/30 | 5758 53 |                                        | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>1806 |
| 1/5/30 | 5758 54 |                                        | 2 module   | 92 x 92                   | 1946         |
| 1/20   | 5758 55 |                                        | 3 module   | 129 x 92                  | 2090         |
| 1/20   | 5758 56 |                                        | 4 module   | 157 x 92                  | 2230         |
| 1/5    | 5758 57 |                                        | 6 module   | 237.5 x 92                | 4034         |
| 1/5    | 5758 58 |                                        | 8 module   | 252.5 x 92                | 4450         |
| 1/10   | 5758 59 |                                        | 2x4 module | 157 x 178                 | 5606         |
| 1/8    | 5758 60 |                                        | 2x6 module | 237.5 x 178               | 6942         |

| Pack   | Cat.Nos | Dark baroque cover plates with frame |            |                           |              |
|--------|---------|--------------------------------------|------------|---------------------------|--------------|
| 1/5/30 | 5758 62 |                                      | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>1806 |
| 1/5/30 | 5758 63 |                                      | 2 module   | 92 x 92                   | 1946         |
| 1/20   | 5758 64 |                                      | 3 module   | 129 x 92                  | 2090         |
| 1/20   | 5758 65 |                                      | 4 module   | 157 x 92                  | 2230         |
| 1/5    | 5758 66 |                                      | 6 module   | 237.5 x 92                | 4034         |
| 1/5    | 5758 67 |                                      | 8 module   | 252.5 x 92                | 4450         |
| 1/10   | 5758 68 |                                      | 2x4 module | 157 x 178                 | 5606         |
| 1/8    | 5758 69 |                                      | 2x6 module | 237.5 x 178               | 6942         |

## Arteor™

### cover plates with frame



5762 90



5763 30

| Pack   | Cat.Nos | Metal gold brass cover plates with frame                                            |          |                           |              |  |
|--------|---------|-------------------------------------------------------------------------------------|----------|---------------------------|--------------|--|
| 1/5/30 | 5762 90 |    | 1 module | Dimension (mm)<br>92 x 92 | MRP*<br>2426 |  |
| 1/5/30 | 5763 10 |    | 2 module | 92 x 92                   | 2596         |  |
| 1/20   | 5763 30 |    | 3 module | 129 x 92                  | 2792         |  |
| 1/20   | 5763 50 |    | 4 module | 157 x 92                  | 2964         |  |
| 1/5    | 5763 80 |   | 6 module | 237.5 x 92                | 5392         |  |
| 1/5    | 5764 00 |  | 8 module | 252.5 x 92                | 5928         |  |

## Arteor™

### cover plates with frame



5757 16




5757 36

| Pack   | Cat.Nos | Metal stainless steel cover plates with frame                                         |            |                           |              |  |
|--------|---------|---------------------------------------------------------------------------------------|------------|---------------------------|--------------|--|
| 1/5/30 | 5757 06 |    | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>2426 |  |
| 1/5/30 | 5757 16 |    | 2 module   | 92 x 92                   | 2596         |  |
| 1/20   | 5757 26 |    | 3 module   | 129 x 92                  | 2792         |  |
| 1/20   | 5757 36 |    | 4 module   | 157 x 92                  | 2964         |  |
| 1/5    | 5757 46 |   | 6 module   | 237.5 x 92                | 5392         |  |
| 1/10   | 5757 66 |  | 2x4 module | 252.5 x 92                | 7496         |  |
| 1/5    | 5757 56 |  | 8 module   | 157 x 178                 | 5928         |  |
| 1/8    | 5757 76 |  | 2x6 module | 237.5 x 178               | 9238         |  |



5758 81

5758 82



5758 72

5758 73

| Pack   | Cat.Nos | Wood grey oak cover plates with frame |            |                           |              |  |
|--------|---------|---------------------------------------|------------|---------------------------|--------------|--|
| 1/5/30 | 5758 80 |                                       | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>1422 |  |
| 1/5/30 | 5758 81 |                                       | 2 module   | 92 x 92                   | 1506         |  |
| 1/20   | 5758 82 |                                       | 3 module   | 129 x 92                  | 1862         |  |
| 1/20   | 5758 83 |                                       | 4 module   | 157 x 92                  | 2064         |  |
| 1/5    | 5758 84 |                                       | 6 module   | 237.5 x 92                | 3064         |  |
| 1/5    | 5758 85 |                                       | 8 module   | 252.5 x 92                | 3690         |  |
| 1/10   | 5758 86 |                                       | 2x4 module | 157 x 178                 | 4374         |  |
| 1/8    | 5758 87 |                                       | 2x6 module | 237.5 x 178               | 5864         |  |

| Pack   | Cat.Nos | Signature cube cover plates with frame |            |                           |              |  |
|--------|---------|----------------------------------------|------------|---------------------------|--------------|--|
| 1/5/30 | 5758 71 |                                        | 1 module   | Dimension (mm)<br>92 x 92 | MRP*<br>4650 |  |
| 1/5/30 | 5758 72 |                                        | 2 module   | 92 x 92                   | 4734         |  |
| 1/20   | 5758 73 |                                        | 3 module   | 129 x 92                  | 5412         |  |
| 1/20   | 5758 74 |                                        | 4 module   | 157 x 92                  | 5592         |  |
| 1/5    | 5758 75 |                                        | 6 module   | 237.5 x 92                | 7286         |  |
| 1/5    | 5758 76 |                                        | 8 module   | 252.5 x 92                | 7650         |  |
| 1/10   | 5758 77 |                                        | 2x4 module | 157 x 178                 | 11428        |  |
| 1/8    | 5758 78 |                                        | 2x6 module | 237.5 x 178               | 12660        |  |

# Arteor™

## cover plates without frame



5758 99PL



5758 23PL



5758 34PL

| Pack | Cat.Nos   | Plate without frame*                                                                     |                             |  | Dimension (mm) | MRP* |
|------|-----------|------------------------------------------------------------------------------------------|-----------------------------|--|----------------|------|
| 5/50 | 5757 10PL |                                                                                          | Plate 2M SQ white           |  | 92 x 92        | 106  |
| 5/50 | 5757 11PL |                                                                                          | Plate 2M SQ pearl aluminium |  | 92 x 92        | 210  |
| 5/50 | 5757 12PL |                                                                                          | Plate 2M SQ graphite        |  | 92 x 92        | 210  |
| 5/50 | 5758 12PL |                                                                                          | Plate 2M SQ magnesium       |  | 92 x 92        | 210  |
| 5/50 | 5758 23PL |                                                                                          | Plate 2M SQ champagne       |  | 92 x 92        | 210  |
| 5/50 | 5758 34PL |                                                                                          | Plate 2M SQ dark bronze     |  | 92 x 92        | 210  |
| 1/25 | 0648 71   | <b>Accessory</b><br>Pack of 3 x 4 extra removable stickers for fixing a wireless control |                             |  |                | 570  |

\*Suitable only for wireless switch



## Connected home

### table of loads

#### Electrical characteristics

##### Micro module switch with neutral, 300 W

Cat.Nos 5742 43

|         |      | R     | L         |       |        |        |
|---------|------|-------|-----------|-------|--------|--------|
|         |      |       | LED       |       |        |        |
|         |      |       |           |       |        |        |
| 240 VAC | Max. | 300 W | (*) 100 W | 250 W | 250 VA | 250 VA |

##### Connected curtain/roller blind switch Arteor

Cat.Nos 5742 04/22/31

|              |                         |                                                                             |
|--------------|-------------------------|-----------------------------------------------------------------------------|
|              |                         |                                                                             |
|              | 100-240 VAC<br>50/60 Hz | Rolling shutter motor<br>1 x 2.5 mm <sup>2</sup><br>2 x 1.5 mm <sup>2</sup> |
| 240 VAC max. |                         | 1 x 500 VA                                                                  |

##### Switch without neutral, with dimmer option, wired, 2 modules Arteor

Cat.Nos 5742 02/21/30

|         |      | R     | L        |      |        |        |
|---------|------|-------|----------|------|--------|--------|
|         |      |       | LED      |      |        |        |
|         |      |       |          |      |        |        |
| 240 VAC | Max. | 300 W | (*) 60 W | 60 W | 300 VA | 300 VA |
|         | Min. | 7 W   | 5 W      | 9 W  | 10 VA  | 35 VA  |

##### Switch with neutral, wired, 1 module Arteor

Cat.Nos 5742 01/20/29

|                         |                         |       |           |       |        |        |
|-------------------------|-------------------------|-------|-----------|-------|--------|--------|
|                         |                         |       | LED       |       |        |        |
| 100-240 VAC<br>50/60 Hz | 1 x 2.5 mm <sup>2</sup> |       |           |       |        |        |
| 240 VAC                 | Max.                    | 500 W | (*) 100 W | 100 W | 250 VA | 250 VA |

^ Or 10 lamps max. For comfortable lighting, we recommend using bulb of the same type and brand.

^^ The ferromagnetic transformers must be charged to more than 60% of their power. When calculating the permissible power, the ferromagnetic transformer efficiency must be taken into account. A load must be connected before programming and using the product.

## INTEROPERABILITY

### VOICE ASSISTANTS

**Arteor™**

compatible with the  
main voice assistants.




### AN OPEN SYSTEM

**Arteor™**

is an open system for everyone  
in the connected home.





### Head office

- 61 & 62, 6th Floor,  
Kalpataru Square, Kondivita Road,  
Off Andheri-Kurla Road, Andheri (E),  
**MUMBAI** – 400 059.  
Tel : (022) 3041 6200  
Fax : (022) 3041 6201  
Website : [www.legrand.co.in](http://www.legrand.co.in)

### Regional sales offices

- A-25, Mohan Co-operative  
Industrial Estate, Mathura Road,  
**NEW DELHI** – 110 044.  
Tel : (011) 3990 2200, 2699 0046,  
(011) 2699 0028 / 29 / 30 / 31  
Fax : (011) 2699 0047
- Bhakta Towers, 2nd & 3rd Floor,  
Plot No. KB 22, Sector-III, Saltlake,  
**KOLKATA** – 700 098.  
Tel : (033) 4021 3535 / 36  
Fax : (033) 4021 3537
- C/203, Corporate Avenue, Atul Projects,  
Near Mirador Hotel, Chakala,  
Andheri Ghatkopar Link Road,  
Andheri – East, **MUMBAI** – 400 099.  
Tel : (022) 3385 6200 / 62301000 **INNOVAL**
- Ferozes Manor,  
Situated at 58 Hospital Road,  
Shivaji Nagar,  
**BANGALORE** – 560 001.  
Tel : (080) 6822 0000 **INNOVAL**
- 205-208, 2nd Floor,  
Block - II, White House,  
Kundan Bagh, Begumpet,  
**HYDERABAD** – 500 016.  
Tel : (040) 2341 4398 / 67, 4567 1717  
Fax : (040) 4567 1730

### Branch offices

- Unit No. 203 Tower B, Bestech Business  
Towers, Sector 66, Mohali,  
**CHANDIGARH** – 160 017.  
Telefax : (0172) 305 8631 / 32 / 34 / 35  
Fax : (0172) 501 9008 **INNOVAL**
- 507-510, Vth Floor, Soni Paris Point,  
Jai Singh Highway, Banipark,  
**JAIPUR** – 302 016.  
Telefax : (0141) 511 3129, 510 1179
- 209-A, 2nd Floor, Cyber Heights,  
Opp. Indira Gandhi Pratishthan,  
Vibhuti Khand, Gomti Nagar  
**LUCKNOW** – 226 010.  
Tel : (522) 319 2031 / 32 / 33 **INNOVAL**
- 202 & 203, 2nd Floor, Sunrise,  
Forum 100, Burdwan Compound, Lalpur,  
**RANCHI** – 834 001.  
Tel : (651) 660 5400
- A 101-102, Mondeal Heights,  
Besides Novotel Hotel, Sarkhej  
Gandhinagar Highway (S G Highway),  
**AHMEDABAD** – 380 015.  
Tel : (079) 6134 0555 **INNOVAL**
- 402, Swastik Chambers,  
Near Ashwamegh Marriage Hall,  
Behind HP Petrol Pump,  
Off Karve Road, Erandwane,  
**PUNE** – 411 004.  
Tel : (020) 6729 5601 / 602  
Fax : (020) 6729 5604
- Plot No.95, II Floor, Shreyash Heights,  
VIP Road, Ramdaspath,  
**NAGPUR** – 440 010.  
Tel : (0712) 662 7857 / 858  
Fax : (0712) 662 7859
- 10 B, (10th Floor), Prestige Center Court  
Office Block Vijaya Forum Mall, #183,  
N.S.K. Salai, Vadapalani  
**CHENNAI** – 600 026.  
Tel : (044) 6612 2800 / 2362 3125 / 35 / 45  
Fax : (044) 2362 3165 **INNOVAL**
- J. B. Manjooran Estate, Door No 50/1107A9,  
3rd Floor, Bye Pass Junction, Edappally,  
**COCHIN** – 682 024.  
Tel : (0484) 280 1921 / 2921, 658 0921  
Fax : (0484) 280 1921 / 2921 **INNOVAL**
- B-5, 1st Floor, Thirumalai Towers,  
723, Avanashi Road,  
**COIMBATORE** – 641 018.  
Tel : (0422) 222 3634 / 0283  
Fax : (0422) 222 3164 **INNOVAL**

- 204-205, Megapolis Square,  
579, M G Road,  
**INDORE** – 452 001.  
Tel : (0731) 4999 891 / 892
- MF-2, Datta's Lords House,  
Jammi Chettu Street, Mogalrajapuram,  
**VIJAYAWADA** – 520 010.  
Tel : (0866) 248 2393/6393/5393
- Plot No. 359,  
Saheed Nagar, 2nd Floor,  
**BHUBANESWAR** – 751 007.  
Tel : (0674) 254 0623
- Unit - 1 & 2, Vijay Park,  
Main Chakrata Road,  
**DEHRADUN** – 248 001.  
Uttarakhand.  
Tel : (0135) 661 6100 **INNOVAL**
- House No. 97, Ground Floor,  
Rajgarh Main Road,  
Opp. City Heart Nursing Home,  
**GUWAHATI** – 781 007.  
Tel : (0361) 245 8498

### Area offices

- Cabin No. 9,  
Second Floor,  
Madhok Trade Centre,  
Madhok Complex,  
Ferozpur Road,  
**LUDHIANA** – 141 001.  
Tel : (0161) 277 0301 / 2 / 3 / 4
- 94, Udham Singh Sarani,  
Ground Floor, Ashrampara,  
**SILIGURI** – 734 001.  
Tel : (0353) 264 1067
- 405, City Centre, Sosyo Circle,  
Udhana Magdalla Road,  
**SURAT** – 395 002.  
Tel : (0261) 263 3861
- Aparna Towers, 1st Floor,  
2/3, Bypass Road,  
**MADURAI** – 625 010.  
Telefax : (0452) 230 8414
- 404, Eshwar Plaza,  
Dwaraka Nagar, Main Road,  
Beside Bata Show Room,  
**VISHAKHAPATNAM** – 530 016.  
Tel : (0891) 663 5652  
Fax : (0891) 663 9363

### Technical assistance from Legrand

Telephonic technical assistance for selection of products, technical information, guidance, wiring diagrams and estimation is now made available to you at each Regional Office. Contact the Technical Officer of Legrand at the following telephone numbers

**New Delhi** : Tel.: (011) 2699 0028, 3990 2200

**Kolkata** : Tel.: (033) 4021 3535 / 36

**Mumbai** : Tel.: (022) 3385 6200

**Bangalore** : Tel.: (080) 6822 0000

**Hyderabad** : Tel.: (040) 2341 4398 / 67, 4567 1717

For other places, contact the nearest  
Regional / Branch / Area offices

[customer.care@legrand.co.in](mailto:customer.care@legrand.co.in)



**LIVE THE ADVANTAGE**