

128 av. du Maréchal-de-Lattre-de-Tassigny 87045 Limoges Cedex France Tel. +33 (0) 555068787 Fax. +33 (0) 555068888

Your usual Sales office www.legrand.com

Product Environmental Profile

Nereya[™]

Telephone Socket RJ11 - 4x2 - 1M - White





■ LEGRAND'S ENVIRONMENTAL COMMITMENTS

- Incorporate environmental management into our industrial sites
- Of all Legrand sites worldwide, over 85% are ISO 14001-certified (sites belonging to the Group for more than five years).
- Offer our customers environmentally friendly solutions

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.

• Involve the environment in product design and provide informations in compliance with ISO 14025

Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



■ REFERENCE PRODUCT ■

Function	Make available for 20 years a point of connection to the voice data network, type RJ11, with a passive continuous operation (100% of time) during 20 years (household or similar purposes) at 30% of rated load.
Reference Product	Cat. No 6 631 72 Telephone Socket RJ11 - 4x2

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.



■ PRODUCTS CONCERNED

The environmental data is representative of the following products:

Complete product	RJ11	Support 3M - 4x2	Sal plate
• 6 631 72	• 6 630 71 - 4 wires mechanism • 6 630 72 - 2 wires mechanism	• 6 632 99	• 6 632 10



128 av. du Maréchal-de-Lattre-de-Tassigny 87045 Limoges Cedex France Tel. +33 (0) 555068787 Fax. +33 (0) 555068888



Product Environmental Profile

Nereya™







■ CONSTITUENT MATERIALS I

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It respects the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/EU.

Total weight of	
Reference Product	69 g (with unit packaging)

Plastics as % of weight		Metals as % of weight		Packaging as % of weight		
PS	54.5 %	Steel	5.5 %	Wood (packaging)	22.7 %	
ABS	2.0 %	Copper alloys	0.6 %	Paper (packaging)	11.2 %	
		Other metal	0.2 %	PE (packaging)	3.2 %	
				PP (packaging)	0.1 %	
		Al	< 0.1 %			
Total plastics	56.5 %	Total metals	6.3 %	Total other and packaging	37.02 %	

Estimated recycled material content: 10 % by mass.



MANUFACTURE

This Reference Product comes from sites that observe the applicable legislation for industrial sites.



■ DISTRIBUTION ■

Products are distributed from logistics centres located with a view to optimize transport efficiency. The Reference Product is therefore transported over a maximum distance of 4800 km by road from our warehouse to the local point of distribution into the market in Brazil.

Packaging is compliant with applicable regulation. At their end of life, its recyclability rate is 88 % (in % of the mass of the packaging).



■ INSTALLATION ■

For the installation of the product, only standard tools are needed.



USE I

Under normal conditions of use, this product requires no servicing, no maintenance or additional products.



128 av. du Maréchal-de-Lattre-de-Tassigny 87045 Limoges Cedex France Tel. +33 (0) 555068787 Fax. + 33 (0) 555068888



Your usual Sales office www.legrand.com

Product Environmental Profile

Nereya™

Telephone Socket RJ11 - 4x2 - 1M - White





■ END OF LIFE I

The product end-of-life factors are taken into account during the design phase. Dismantling and sorting of components or materials is made as easy as possible with a view to recycling or failing that, another form of reuse.

• Recyclability rate:

Calculated using the method described in technical report IEC/TR 62635, the recyclability rate of the product is estimated at 93 %. This value is based on data collected from a technological channel using industrial procedures. It does not pre-validate the effective use of this channel for end-of-life electrical and electronic products.

Separated into:

- plastic materials (excluding packaging) : 54 % - metal materials (excluding packaging) : 6% : 33 % - packaging (all types of materials)



■ ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use and end-of-life. It is representative from products marketed and used in Brazil.

For each phase, the following modelling elements were taken in account:

Manufacture	Materials and components of the product, all transport for the manufacturing, the packaging and the waste generated by the manufacturing.					
Distribution	Transport between the last Group distribution centre and the farest delivery point in the sales area.					
Installation	The end of life of the packaging.					
Use	 Product category: passive product. Use scenario: continuous operation (100% of the time) for 20 years at 30% of rated load of the time. This modelling duration does not constitute a minimum durabilty requirement. Energy model: Electricity Mix; Brazil - 2009. 					
End of life	The default end of life scenario maximizing the environmental impacts.					
Software and database used	EIME V5 and its database «CODDE-2015-04»					



128 av. du Maréchal-de-Lattre-de-Tassigny 87045 Limoges Cedex France Tel. +33 (0) 555068787 Fax. +33 (0) 555068888

Your usual Sales office www.legrand.com

Product Environmental Profile

Nereya™







■ SELECTION OF ENVIRONMENTAL IMPACTS

	Total for I	Life cycle	Raw material a manufact		Distributi	on	Installatio	on	Use		End of life	.
Global warming	3.13E-01	kgCO ₂ eq.	2.90E-01	93%	1.62E-02	5%	1.54E-03	< 1%	7.34E-04	< 1%	4.96E-03	2%
Ozone depletion	2.07E-08	kgCFC-11 eq.	2.05E-08	99%	3.29E-11	< 1%	1.20E-11	< 1%	9.27E-11	< 1%	1.21E-10	< 1%
Acidification of soils and water	4.29E-04	kgSO ₂ eq.	3.29E-04	77%	7.30E-05	17%	6.92E-06	2%	5.42E-07	< 1%	1.90E-05	4%
Water eutrophication	1.53E-04	kg(PO ₄)³- eq.	1.09E-04	71%	1.68E-05	11%	4.56E-06	3%	1.45E-07	< 1%	2.23E-05	15%
Photochemical ozone formation	6.69E-05	kgC ₂ H ₄ eq.	5.96E-05	89%	5.18E-06	8%	4.98E-07	< 1%	1.47E-07	< 1%	1.48E-06	2%
Depletion of abiotic resources - elements	2.38E-04	kgSb eq.	2.38E-04	100%	6.50E-10	< 1%	7.00E-11	< 1%	5.31E-11	< 1%	3.13E-10	< 1%
Total use of primary energy	7.76E+00	МЛ	7.41E+00	95%	2.30E-01	3%	2.22E-02	< 1%	2.45E-02	< 1%	7.61E-02	< 1%
Net use of fresh water	2.51E-03	m³	2.50E-03	100%	1.45E-06	< 1%	4.66E-07	< 1%	1.00E-06	< 1%	4.19E-06	< 1%
Depletion of abiotic resources - fossil fuels	5.68E+00	MJ	5.35E+00	94%	2.28E-01	4%	2.16E-02	< 1%	7.37E-03	< 1%	7.05E-02	1%
Water pollution	1.34E+01	m³	9.94E+00	74%	2.67E+00	20%	2.34E-01	2%	3.06E-02	< 1%	5.69E-01	4%
Air pollution	3.57E+01	m³	3.43E+01	96%	6.66E-01	2%	1.26E-01	< 1%	4.83E-02	< 1%	5.71E-01	2%

The values of the 27 impacts defined in the PCR-ed3-EN-2015 04 02 are available in the digital database of pep-ecopassport.org website.

The environmental impacts refer to a complete configuration composed by a mechanism, a support and a plate. For products covered by the PEP other than the Reference product, the environmental impacts of each phase of the lifecycle are obtained by multiplying those of the Reference Product by the following coefficients:

	1	Manufacturin	g						
ADPe	AP	WP	Use freswater	Others indicators	Distribution	Installation	Use	End of life	
2.1	1.3	1	.4	1.1	1	1	1.9	1	

Registration N°: LGRP-00091-V01-01-EN	04 02» 2 11»	
Verifier accreditation N°: VH23	ww.pep-ecopassport.org	
Date of issue: 09-2016	Validity period: 5 years	
Independent verification of the declaration and data, in compliant Internal ☑ External ☐ The PCR review was conducted by a panel of experts chaired by	PEP	
The elements of the present PEP cannot be compared with elem	PASS	
Document in compliance with ISO 14025 : 2010: «Environmental declarations»	PORT	
Environmental data in alignment with EN 15804 : 2012 + A1 : 20	13	