128 av. du Maréchal-de-Lattre-de-Tassigny
87045 Limoges Cedex France
Tel. +33 (0) 5 55 06 87 87
Fax. +33 (0) 5 55 06 88 88

Your usual Sales office
www.legrand.com

Product Environmental Profile

RJ45 Category 6 FTP Mosaic 2 Module Socket - White

LEGRAND'S ENVIRONMENTAL COMMITMENTS

• Incorporate environmental management into our industrial sites

Of all Legrand sites worldwide, over 85% are ISO 14001-certified (sites belonging to the Group for more than five years).

• Offer our customers environmentally friendly solutions

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.

• Involve the environment in product design and provide informations in compliance with ISO 14025

Reduce the environmental impact of products over their whole life cycle.
Provide our customers with all relevant information (composition, consumption, end of life, etc.).

REFERENCE PRODUCT

Function	Protect, link by a connection point for 10 years (reference service life) with a 25% use rate for an application LAN : Tertiaire, as defined in the table given in section 3.11.1.2.
Reference Product	
	Cat No LG-076565 + LG-080251+ LG-078802L
	RJ45 Category 6 FTP Mosaic Socket, 2 Modules, White

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.

PRODUCTS CONCERNED

The environmental data is representative of the following products:

Catalogue Numbers

LG-076565 + LG-080251+ LG-078802L ; LG-079465 + LG-080251 + 079302L ; LG-079165L + LG-080251 + LG-079042L ;
LG-076595 + LG-080251 + LG-078722L ; LG-076505 + LG-080251 + LG-078802L ; LG-076592 + LG-080251 + LG-078802L ;
LG-079492 + LG-080251 + LG-079302L ; LG-076562 + LG-080250 + LG-078801L ; LG-079462 + LG-080250 + LG-079301L ;
LG-079162L + LG-080250 + LG-079041L ; LG-076582 + LG-080250 + LG-078801L ; LG-076505 + LG-080251 + LG-078802L ;
LG-076506 + LG-080251 + LG-078802L ; LG-076507 + LG-080251+ LG-078802L ; LG-076522 + LG-080251 + LG-078802L ;
LG-076523 + LG-080251 + LG-078802L ; LG-076533 + LG-080252 + LG-078814L ; LG-076546 + LG-080259 + LG-078803L ;
LG-076561 + LG-080250 + LG-078801L ; LG-076563 + LG-080250 +LG-078801L ; LG-076566 + LG-080251 + LG-078802L ;
LG-076581 + LG-080250 + LG-078801L ; LG-076583 + LG-080250 + LG-078801L ; LG-076591 + LG-080251 + LG-078802L ;
LG-076593 + LG-080251 + LG-078802L ; LG-076594 + LG-080251 + LG-078802L ; LG-076596 + LG-080251 + LG-078802L ;
LG-078622 + LG-080251 + LG-078802L ; LG-078623 + LG-080251 + LG-078802L ; LG-078626 + LG-080251 + LG-079302L ;
LG-078627 + LG-080251 + LG-079302L ; LG-079164L + LG-080251 +LG-079042L ; LG-079433 + LG-080252 + LG-079314L ;
LG-079461 + LG-080250 + LG-079301L ; LG-079461L + LG-080250 + LG-079041L ; LG-079462 + LG-080250 + LG-079301L ;
LG-079464 + LG-080251 + LG-079302L ; LG-099205 ; LG-099452 + LG-080251 + LG-099480 ;
LG-099453 + LG-080251 + LG-099480 ; LG-099627 + LG-080251 + LG-078802L ; LG-099645 + LG-080250 + LG-078801L ;
LG-099646 + LG-080251 + LG-078802L

128 av. du Maréchal-de-Lattre-de-Tassigny
87045 Limoges Cedex France
Tel. +33 (0) 5 55 06 87 87
Fax. +33 (0) 5 55 06 88 88

Your usual Sales office
www.legrand.com

Product Environmental Profile

RJ45 Category 6 FTP Mosaic 2 Module Socket - White

CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market.

Compliance with the 2011/65/EU Directive (RoHS), as modified by the 2015/863/EU Delegated Directive, on the restriction of the use of certain hazardous substances in electrical and electronic equipment.
The substances identified as SVHC (Substances of Very High Concern) according to the REACH Regulation (1907/2006), if present in the products at a concentration above 0.1% weight by weight, are declared inside the European SCIP database. At the date of publication of this document none of the substance listed in the annex XIV is found in this product.

Total weight of the Reference Product		0,09 kg (all packaging included)			
Total plastics : 0,04 kg	45,7%	**Total metals : 0,02 kg**	23,1%	**Total others : 0,03 kg**	31,1%

Product alone weight : 0,058 kg		Recycled content*, product alone (excluding packaging) : 27 %			
Plastics as % of weight		**Metals as % of weight**		**Other as % of weight**	
PC	24,3%	Steel	21,9%	Electronic board	0,3%
ABS	10,2%	Copper and copper alloys	1,2%		
PA	8,3%	Gold	<0,1%		
PBT	1,4%				
PE	0,9%				
PP	0,6%				

Packaging (alone) : 0,027 kg		Recycled content*, packaging only: 59 %			
Plastics as % of weight		**Metals as % of weight**		**Other as % of weight**	
				Cardboard	21,7%
				wood	8,7%
				Paper	0,4%

(*) At the date of publication of this document

128 av. du Maréchal-de-Lattre-de-Tassigny
87045 Limoges Cedex France
Tel. +33 (0) 5 55 06 87 87
Fax. +33 (0) 5 55 06 88 88

Your usual Sales office
www.legrand.com

Product Environmental Profile

RJ45 Category 6 FTP Mosaic 2 Module Socket - White

MANUFACTURE

This Reference Product comes from sites that have received ISO14001 certification.

The final assembly site is located in France

DISTRIBUTION

Products are distributed from logistics centres located with a view to optimize transport efficiency

Thus the Reference Product is mainly transported in Truck over an average distance of 378 km representative of a commercialization in France.

Packaging is compliant with Decree 98-638 of 20/07/98 and European Directive 94/62/CE

INSTALLATION

For the installation of the product, only standard tools are needed.

USE

Under normal conditions of use, this product requires no servicing, no maintenance or additional products.

END OF LIFE

The product end of life factors are taken into account during the design phase. Dismantling and sorting of components or materials is made as easy as possible with a view to recycling or failing that, another form of reuse.

This product falls within the scope of the WEEE directive (2012/19/EU). Therefore it must be processed through local WEEE recycling/recovery channels.

Extended producer responsability.

In accordance with the requirements of this directive, the following components must be removed and sent to specific channels for processing which comply with the WEEE Directive 2012/19/EU:

WEEE Directive (2012/19/EU): the sale of this product includes a contribution to a designated environmental organisation in France, responsible for the end-of-life management of products covered by the EU Directive on Waste Electrical and Electronic Equipment.

ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle : manufacturing, distribution, installation, use and end of life. It is representative of products marketed and used in France in an electrical installation in compliance with NF C 15100 and associated product standards

All the data collected in this PEP is representative of the year 2026.

For each phase, the following modelling elements were taken in account :

System Limit	**Manufacturing [A1-A3]**	Materials and components of the product, all transport for the manufacturing, the packaging and the waste generated by the manufacturing.
	Distribution [A4]	Transport between the last Group distribution centre and an average delivery point in the sales area
	Installation [A5]	The end of life of the packaging
	Use [B1-B7]	Product category : Copper telecommunications accessories - PSR-0005-ed3.1-2023 12 08 Use scenario: tertiary LAN network, non-continuous operation for 10 years, cat. 6 for 25% of the time. Energy model : France 2022.
	End of life [C1-C4]	Choice of end-of-life by default model for PCR-ed4-EN-2021 09 06
D Module		Module D is calculated according to PCR-ed4-EN-2021 09 06 based on the materials recycled and the modelled end-of-life scenario. It expresses the net benefits and loads beyond the boundaries of the system, and are not to be included in the life cycle totals.
Software and data-base used		EIME V6 & its database 2026-04-15 The set of indicators used is Indicators for PEF EF 3.1 (Compliance: PEP ed.4, EN15804+A2) v2.0

Unless otherwise indicated the modelling energetic mix are those integrated in the data modules used from the aforementioned database.

128 av. du Maréchal-de-Lattre-de-Tassigny
87045 Limoges Cedex France
Tel. +33 (0) 5 55 06 87 87
Fax. +33 (0) 5 55 06 88 88

Your usual Sales office
www.legrand.com

Product Environmental Profile

RJ45 Category 6 FTP Mosaic 2 Module Socket - White

ENVIRONMENTAL IMPACTS

Impact values referred to the Functional Unit. (1/3)

	Total Life Cycle		Manufacturing [A1-A3]	Distribution [A4]	Installation [A5]	Use (1)			End of life	D Module
						Total B1-B7	B2	B6	C1-C4	
Climate change - total	**2,96E-01**	**kg CO_2 eq.**	2,10E-01	1,18E-03	4,79E-02	0,00E+00	0,00E+00	0,00E+00	3,68E-02	5,63E-03
Climate change - fossil fuels	**2,89E-01**	**kg CO_2 eq.**	2,43E-01	1,18E-03	8,04E-03	0,00E+00	0,00E+00	0,00E+00	3,65E-02	2,77E-02
Climate change - biogenics	**7,06E-03**	**kg CO_2 eq.**	-3,31E-02	1,86E-06	3,99E-02	0,00E+00	0,00E+00	0,00E+00	2,30E-04	-2,21E-02
Climate change - land use and land use transformation	**2,24E-05**	**kg CO_2 eq.**	2,24E-05	0*	0*	0,00E+00	0,00E+00	0,00E+00	1,15E-08	4,60E-06
Ozone depletion	**9,67E-09**	**kg CFC-11 eq.**	7,11E-09	1,32E-11	3,22E-10	0,00E+00	0,00E+00	0,00E+00	2,23E-09	1,12E-09
Acidification (AP)	**1,33E-03**	**mole of H+ eq.**	1,05E-03	1,85E-06	4,88E-05	0,00E+00	0,00E+00	0,00E+00	2,30E-04	-2,97E-05
Freshwater eutrophication	**3,18E-06**	**kg P eq.**	3,10E-06	4,33E-09	1,19E-08	0,00E+00	0,00E+00	0,00E+00	6,55E-08	2,01E-06
Marine aquatic eutrophication	**2,15E-04**	**kg of N eq.**	1,60E-04	3,56E-07	1,22E-05	0,00E+00	0,00E+00	0,00E+00	4,26E-05	3,57E-05
Terrestrial eutrophication	**2,61E-03**	**mole of N eq.**	1,90E-03	3,91E-06	1,65E-04	0,00E+00	0,00E+00	0,00E+00	5,48E-04	3,01E-04
Photochemical ozone formation	**7,96E-04**	**kg NMVOC eq.**	6,31E-04	1,25E-06	3,42E-05	0,00E+00	0,00E+00	0,00E+00	1,30E-04	4,69E-05
Depletion of abiotic resources - elements	**2,91E-05**	**kg Sb eq.**	2,91E-05	0*	6,00E-09	0,00E+00	0,00E+00	0,00E+00	2,03E-08	-1,62E-05
Depletion of abiotic resources - fossil fuels	**1,59E+01**	**MJ**	1,51E+01	2,06E-02	1,58E-01	0,00E+00	0,00E+00	0,00E+00	6,42E-01	-1,62E+00
Water requirement	**3,95E-01**	**m^3 deprivation worldwide eq.**	3,90E-01	4,18E-05	4,41E-04	0,00E+00	0,00E+00	0,00E+00	4,78E-03	-1,41E-02
Emission of fine particles	**1,53E-08**	**incidence of diseases**	1,35E-08	1,63E-11	3,43E-10	0,00E+00	0,00E+00	0,00E+00	1,51E-09	8,03E-11

* represents less than 0.01% of the total life cycle of the reference flow
(1) For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table
In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

128 av. du Maréchal-de-Lattre-de-Tassigny
87045 Limoges Cedex France
Tel. +33 (0) 5 55 06 87 87
Fax. +33 (0) 5 55 06 88 88

Your usual Sales office
www.legrand.com

ENVIRONMENTAL IMPACTS

Impact values referred to the Functional Unit. (2/3)

	Total Life Cycle		Manufacturing [A1-A3]	Distribution [A4]	Installation [A5]	Use (1)			End of life	D Module
						Total B1-B7	B2	B6	C1-C4	
Ionizing radiation, human health	**1,35E+00**	**kBq of U235 eq.**	1,33E+00	0*	3,74E-03	0,00E+00	0,00E+00	0,00E+00	1,24E-02	7,09E-03
Ecotoxicity (fresh water)	**2,89E+01**	**CTUe**	2,78E+01	3,23E-02	8,04E-03	0,00E+00	0,00E+00	0,00E+00	8,01E-01	1,43E+02
Human toxicity, carcinogenic effects	**2,21E-09**	**CTUh**	2,19E-09	0*	3,99E-02	0,00E+00	0,00E+00	0,00E+00	1,37E-11	2,75E-09
Human toxicity, non-carcinogenic effects	**6,92E-09**	**CTUh**	6,41E-09	4,55E-12	0*	0,00E+00	0,00E+00	0,00E+00	4,41E-10	-1,57E-09
Impacts related to land use/soil quality	**2,42E-01**	**-**	2,31E-01	0*	3,22E-10	0,00E+00	0,00E+00	0,00E+00	7,82E-03	1,28E-02
Use of renewable primary energy, excluding renewable primary energy resources used as raw materials	**1,81E+00**	**MJ**	1,68E+00	0*	4,88E-05	0,00E+00	0,00E+00	0,00E+00	9,76E-02	-5,28E-02
Use of renewable primary energy resources used as raw materials	**2,52E-01**	**MJ**	2,52E-01	0,00E+00	1,19E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,84E-01
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials)	**2,06E+00**	**MJ**	1,93E+00	0*	1,22E-05	0,00E+00	0,00E+00	0,00E+00	9,76E-02	2,32E-01
Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials	**1,49E+01**	**MJ**	1,41E+01	2,06E-02	1,65E-04	0,00E+00	0,00E+00	0,00E+00	6,42E-01	-1,82E+00
Use of non-renewable primary energy resources used as raw materials	**1,04E+00**	**MJ**	1,04E+00	0,00E+00	3,42E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,02E-01
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials)	**1,59E+01**	**MJ**	1,51E+01	2,06E-02	6,00E-09	0,00E+00	0,00E+00	0,00E+00	6,42E-01	-1,62E+00

* represents less than 0.01% of the total life cycle of the reference flow
(1) For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table
In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

128 av. du Maréchal-de-Lattre-de-Tassigny
87045 Limoges Cedex France
Tel. +33 (0) 5 55 06 87 87
Fax. +33 (0) 5 55 06 88 88

Your usual Sales office
www.legrand.com

ENVIRONMENTAL IMPACTS

Impact values referred to the Functional Unit. (3/3)

	Total Life Cycle		Manufacturing [A1-A3]	Distribution [A4]	Installation [A5]	Use (1)			End of life	D Module
						Total B1-B7	B2	B6	C1-C4	
Use of secondary materials	**3,47E-02**	**kg**	3,47E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	**0,00E+00**	**MJ**	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of non-renewable secondary fuels	**0,00E+00**	**MJ**	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Net use of fresh water	**9,26E-03**	**m^3**	9,11E-03	9,74E-07	1,01E-05	0,00E+00	0,00E+00	0,00E+00	1,36E-04	-3,28E-04
Hazardous waste disposed of	**6,66E-01**	**kg**	5,80E-01	0*	9,95E-03	0,00E+00	0,00E+00	0,00E+00	7,58E-02	-3,13E-01
Non-hazardous waste disposed of	**1,03E-01**	**kg**	8,03E-02	1,05E-04	1,12E-03	0,00E+00	0,00E+00	0,00E+00	2,12E-02	1,88E-02
Radioactive waste disposed of	**4,05E-05**	**kg**	3,78E-05	8,29E-08	4,97E-07	0,00E+00	0,00E+00	0,00E+00	2,15E-06	8,68E-06
Components for re-use	**0,00E+00**	**kg**	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	**2,24E-02**	**kg**	5,15E-03	0*	0*	0,00E+00	0,00E+00	0,00E+00	1,73E-02	0,00E+00
Materials for energy recovery	**0,00E+00**	**MJ by energy vector**	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy	**0,00E+00**	**MJ**	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Total use of primary energy during the life cycle	**1,80E+01**	**MJ**	1,71E+01	2,07E-02	1,90E-01	0,00E+00	0,00E+00	0,00E+00	7,40E-01	-1,39E+00
Biogenic carbon content of the product	**0,00E+00**	**kg of C**	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Biogenic carbon content of the associated packaging	**1,23E-02**	**kg of C**	1,23E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	6,75E-03

For biogenic carbon storage, the methodology use is -1/1

* represents less than 0.01% of the total life cycle of the reference flow

(1) For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

The values of the indicators defined in the PCR-ed4-EN-2021 09 06 are available in the digital database of pep-ecopassport.org website.

ENVIRONMENTAL IMPACTS

To determine the environmental impact values for products other than the Reference Product, take the environmental impact values for the Reference Product and multiply them by the values in the coefficient table below.

Coefficient of extrapolation of environnemental indicators

Associated references		Total Life Cycle	Manufacturing	Distribution	Installation	Use	End of life
LG-076565 + LG-080251+ LG-078802L	RJ45 Category 6 FTP Mosaic Socket, 2 Modules, White	1,0	1,0	1,0	1,0	1,0	1,0
LG-079465 + LG-080251 +079302L	RJ45 Category 6 FTP Mosaic Socket, 2 Modules, Aluminium	1,1	1,1	1,0	1,0	1,0	1,0
LG-079165L + LG-080251 + LG-079042L	RJ45 Category 6 FTP Mosaic Socket, 2 Modules, Matte Black	1,0	1,0	1,0	1,0	1,0	1,0
LG-076595 + LG-080251 + LG-078722L	RJ45 Category 6 FTP Mosaic Socket, 2 Modules, Antimicrobial White	1,1	1,1	1,1	1,3	1,0	0,9
LG-076505 + LG-080251 + LG-078802L	RJ45 Category 6 FTP Mosaic Socket, 45° Angled, 2 Modules, White	1,0	1,0	1,2	1,3	1,0	1,0
LG-076592 + LG-080251 + LG-078802L	RJ45 Category 6 FTP Mosaic Socket, 90° Angled, 2 Modules, White	1,0	1,0	1,0	1,0	1,0	1,0
LG-079492 + LG-080251 + LG-079302L	RJ45 Category 6 FTP Mosaic Socket, 90° Angled, 2 Modules, Aluminium	1,1	1,1	1,0	1,0	1,0	1,0
LG-076562 + LG-080250 + LG-078801L	RJ45 Category 6 FTP Mosaic Socket, 1 Module, White	1,0	1,0	1,0	1,3	1,0	1,0
LG-079462 + LG-080250 + LG-079301L	RJ45 Category 6 FTP Mosaic Socket, 1 Module, Aluminium	1,1	1,1	1,0	1,3	1,0	1,0
LG-079162L + LG-080250 + LG-079041L	RJ45 Category 6 FTP Mosaic Socket, 1 Module, Matte Black	1,1	1,1	1,0	1,3	1,0	1,0
LG-076582 + LG-080250 + LG-078801L	RJ45 Category 6 FTP Mosaic Socket, 1 Module, Antimicrobial White	1,0	1,0	1,1	1,3	1,0	0,9
LG-076505 + LG-080251 + LG-078802L	RJ45 Category 6 FTP Outlet, 45° Angled, Mosaic, 2 Modules, White	1,0	1,0	1,2	1,3	1,0	1,0
LG-076506 + LG-080251 + LG-078802L	Double RJ45 Category 6 FTP Outlet, 45° Angled, Mosaic, 2 Modules, White	1,3	1,3	1,3	1,4	1,0	1,1
LG-076507 + LG-080251+ LG-078802L	RJ45 Category 6 STP Outlet, 45° Angled, Mosaic, 2 Modules, White	1,4	1,4	1,4	1,4	1,0	1,2
LG-076522 + LG-080251 + LG-078802L	RJ45 Category 6 FTP Outlet with Green Shutter, Mosaic, 2 Modules, White	1,0	1,0	1,0	1,0	1,0	1,0
LG-076523 + LG-080251 + LG-078802L	RJ45 Category 6 FTP Outlet with Orange Shutter, Mosaic, 2 Modules, White	1,0	1,0	1,0	1,0	1,0	1,0
LG-076561 + LG-080250 + LG-078801L	RJ45 Category 6 UTP Outlet, Mosaic, 1 Module, White	1,0	1,0	1,0	1,3	1,0	1,0
LG-076563 + LG-080250 +LG-078801L	Shielded RJ45 Category 6 STP Outlet, Mosaic, 1 Module, White	1,3	1,3	1,1	1,0	1,0	1,1

Associated references		Total Life Cycle	Manufacturing	Distribution	Installation	Use	End of life
LG-076566 + LG-080251 + LG-078802L	Shielded RJ45 Category 6 STP Outlet, Mosaic, 2 Modules, White	1,4	1,4	1,2	0,9	1,0	1,0
LG-076581 + G-080250 + LG-078801L	Antimicrobial RJ45 Category 6 UTP Outlet, Mosaic, 1 Module, White	1,0	1,0	1,0	1,3	1,0	1,0
LG-076583 + LG-080250 + LG-078801L	Antimicrobial Shielded RJ45 Category 6 STP Outlet, Mosaic, 1 Module, White	1,4	1,4	1,3	1,2	1,0	1,0
LG-076591 + LG-080251 + LG-078802L	RJ45 Category 6 UTP Outlet, 90° Angled, Mosaic, 2 Modules, White	1,0	1,0	1,0	1,0	1,0	0,9
LG-076593 + LG-080251 + LG-078802L	Shielded RJ45 Category 6 STP Outlet, 90° Angled, Mosaic, 2 Modules, White	1,4	1,4	1,3	1,1	1,0	1,0
LG-076594 + LG-080251 + LG-078802L	Controlled-Access RJ45 Category 6 UTP Outlet with Red Shutter, Mosaic, 2 Modules, White	1,0	1,0	1,1	1,3	1,0	1,0
LG-076596 + LG-080251 + LG-078802L	Controlled-Access Shielded RJ45 Category 6 STP Outlet with Red Shutter, Mosaic, 2 Modules, White	1,4	1,4	1,4	1,3	1,0	1,0
LG-078622 + LG-080251 + LG-078802L	Category 6 UTP Copper Feed-Through Outlet, Mosaic, 2 Modules, White	1,0	1,0	1,0	1,0	1,0	1,0
LG-078623 + LG-080251 + LG-078802L	Category 6 FTP Copper Feed-Through Outlet, Mosaic, 2 Modules, White	1,0	1,0	1,0	1,0	1,0	1,0
LG-078626 + LG-080251 + LG-079302L	Category 6 UTP Copper Feed-Through Outlet, Mosaic, 2 Modules, Aluminium	1,0	1,0	1,0	1,0	1,0	1,0
LG-078627 + LG-080251 + LG-079302L	Category 6 FTP Copper Feed-Through Outlet, Mosaic, 2 Modules, Aluminium	1,0	1,0	1,0	1,0	1,0	0,9
LG-079164L + LG-080251 G-079042L	RJ45 Category 6 UTP Outlet, Mosaic, 2 Modules, Matt Black	1,0	1,0	1,1	1,3	1,0	1,0
LG-079461 + LG-080250 + LG-079301L	RJ45 Category 6 UTP Outlet, Mosaic, 1 Module, Aluminium	1,1	1,1	1,0	1,3	1,0	1,1
LG-079461L + LG-080250 + LG-079041L	RJ45 Category 6 UTP Outlet, Mosaic, 1 Module, Matt Black	1,1	1,1	1,0	1,3	1,0	1,2
LG-079462 + LG-080250 + LG-079301L	RJ45 Category 6 FTP Outlet, Mosaic, 1 Module, Aluminium	1,1	1,1	1,0	1,3	1,0	1,0
LG-079464 + LG-080251 + LG-079302L	RJ45 Category 6 UTP Outlet, Mosaic, 2 Modules, Aluminium	1,1	1,1	1,0	1,0	1,0	1,0
LG-099205	RJ45 Multimedia Outlet, Category 6 FTP, Mosaic, with Plate and Screw Fixing	1,0	1,0	1,0	1,0	1,0	1,0
LG-099452 + LG-080251 + LG-099480	RJ45 Multimedia Outlet, Category 6 F/UTP, Mosaic, 2 Modules, Matt Black	1,0	1,0	1,0	1,0	1,0	1,1
LG-099645 + LG-080250 + LG-078801L	RJ45 Multimedia Outlet, Category 6 F/UTP, Mosaic, 1 Module, White	1,0	1,0	1,0	1,0	1,0	1,2
LG-099646 + LG-080251 + LG-078802L	RJ45 Multimedia Outlet, Category 6 F/UTP, Mosaic, 2 Modules, White	1,0	1,0	1,0	1,0	1,0	1,0

Registration number: LGRP-00945-V03.01-EN	**Drafting rules: «PEP-PCR-ed4-EN-2021 09 06»**
	Supplemented by PSR-0005-ed3.1-2023 12 08
Verifier accreditation N° : VH08	Information and reference documents : www.pep-ecopassport.org
Date of issue : **07/2026**	Validity period : 5 years
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006	
Internal : **External X**	
The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)	
PEP are compliant with NF C08-100-1 :2016 and EN 50693 :2019 or NF E38-500 :2022 The elements of the present PEP cannot be compared with elements from another program	
Document in compliance with ISO 14025 : 2006: «Environmental labels and declarations, Type III environmental declarations»	

Environmental data in alignment with EN 15804: 2012 + A2 : 2019