

# Product Environmental Profile

## RJ45 SOCKET ARTEOR Cat6 Cat5e FTP UTP 1 MOD



### LEGRAND'S ENVIRONMENTAL COMMITMENTS

**• Incorporate environmental management into our industrial sites**

Of all Legrand sites worldwide, over 85% are ISO 14001-certified (sites belonging to the Group for more than five years).

**• Offer our customers environmentally friendly solutions**

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.


**• Involve the environment in product design and provide informations in compliance with ISO 14025**

Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



### REFERENCE PRODUCT

<b>Function</b>	To connect a connection point during 10 years (Reference Life) with a 25% use rate for a copper telecom accessory for a Tertiary LAN application.
<b>Reference Product</b>	<div style="text-align: center;">  </div> <p>Cat.No 572322 - 576003 - 575200</p> <p>RJ45 SOCKET ARTEOR Cat6 Cat5e FTP UTP 1 MOD</p>

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.



### PRODUCTS CONCERNED

The environmental data is representative of the following products:

<p><b>Catalogue Numbers</b></p> <p><b>Mecanism</b> : 570057 - 570058 - 571057 - 571058 - 572302 - 572302/6 - 572302B - 572303 - 572303B - 572314 - 572315 - 572316 - 572317 - 572323 - 572353 - 572354 - 572355 - 572823 - 572823CH - 572824 - 572854 - 572855 - 573428 - 573428PA - 573429 - 573628 - 573629 - 572803 - 572803B - 572803CH - 572804 - 572802 - 572802B - 572802CH - 572822 - 572304 - 572814 - 572814CH - 572815 - 572815CH - 572816 ; 573629PA ; 573628MB ; 572315-PJPJ</p> <p><b>Support</b> : 576003</p> <p><b>Plate</b> : 575200 - 571301 - 571311 - 571321 - 572210 - 571302 - 575612 - 571312</p>
--

# Product Environmental Profile

RJ45 SOCKET ARTEOR Cat6 Cat5e FTP UTP 1 MOD



## ■ CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It respects the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/EU amended by delegated directive (EU) 2015/863, and its amendment 2017/2102/EU.

<b>Total weight of Reference Product</b>	<b>183 g</b> (all packaging included)				
Plastics as % of weight		Metals as % of weight		Other as % of weight	
PC	<b>22.6%</b>	Steel	<b>18.4%</b>		
PP	<b>3.8%</b>	Copper alloys	<b>0.5%</b>		
PET	<b>1.6%</b>	Other metals	<b>&lt;0.1%</b>		
PE	<b>1.0%</b>				
PBT	<b>0.7%</b>				
PA	<b>0.3%</b>				
Packaging as % of weight					
PP	<b>0.5%</b>			Wood	<b>33.5%</b>
PE	<b>0.1%</b>			Paper	<b>17.1%</b>
<b>Total plastics</b>	<b>30.5%</b>	<b>Total metals</b>	<b>18.9%</b>	<b>Total others</b>	<b>50.6%</b>

Estimated recycled material content: 16% by mass.



## ■ MANUFACTURE

This Reference Product comes from sites that have received ISO14001 certification.



## ■ DISTRIBUTION

The Reference Product is therefore transported over an average distance of 11.24 km by road - 1267.81 km by boat - 4426.76 km by plane from our warehouse to the local point of distribution into the market all around the world.

Packaging is compliant with applicable regulation concerning packaging and packaging waste. At their end of life, its recyclability rate is 95% (in % of packaging weight).



## ■ INSTALLATION

For the installation of the product, only standard tools are needed.



## ■ USE

Under normal conditions of use, this product requires no servicing, no maintenance or additional products.

# Product Environmental Profile

RJ45 SOCKET ARTEOR Cat6 Cat5e FTP UTP 1  
MOD



## END OF LIFE

The product end of life factors are taken into account during the design phase. Dismantling and sorting of components or materials is made as easy as possible with a view to recycling or failing that, another form of reuse. For European market this product falls within the scope of the WEEE directive (2012/19/EU). Therefore it must be processed through local WEEE recycling/recovery channels.

**• Extended producer responsibility:**

In France, the sale of products covered by the field of application of the European Directive on Waste Electronic and Electrical Equipment (WEEE) is subject to a contribution to a certified eco-organisation.

**• Recyclability rate:**

Calculated using the method described in technical report IEC/TR 62635, the recyclability rate of the product is estimated at 96%. This value is based on data collected from a technological channel operating on an industrial basis. It does not pre-validate the effective use of this channel for the end of life of this product.

Separated into:

- plastic materials (excluding packaging) : 28%
- metal materials (excluding packaging) : 19%
- other materials (excluding packaging) : 0%
- packaging (all types of materials) : 49%



## ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use and end of life. It is representative from worldwide marketed products.

For each phase, the following modelling elements were taken in account:

Unless otherwise specified, the energy models are those integrated in the modules used from the EIME database	
<b>Manufacture</b>	Materials and components of the product, all transport for the manufacturing, the packaging and the waste generated by the manufacturing.
<b>Distribution</b>	Transport between the last Group distribution centre and an average delivery point in the sales area.
<b>Installation</b>	The end of life of the packaging.
<b>Use</b>	<ul style="list-style-type: none"> <li>• Product category: Socket RJ45 - PSR-0005-ed2-EN-2016 03 29 - 3.8.2.2..</li> <li>• Use scenario: LAN tertiary, non continuous operation for 10 years, cat 6 for 25% of the time . This time modeling is not requirement of minimum durability.</li> <li>No EIME module available for the world wide electricity mix, so China Electricity mix used.</li> <li>• Energy model: Electricity Mix; China - 2009.</li> </ul>
<b>End of life</b>	The default end of life scenario maximizing the impacts.
<b>Software and database used</b>	EIME & database CODDE-2018-11

# Product Environmental Profile

RJ45 SOCKET ARTEOR Cat6 Cat5e FTP UTP 1 MOD



## SELECTION OF ENVIRONMENTAL IMPACTS

	Total for Life cycle		Raw material and manufacture		Distribution		Installation		Use		End of life	
	Value	Unit	Value	%	Value	%	Value	%	Value	%	Value	%
<b>Global warming</b>	2.28E+00	kg CO <sub>2</sub> eq.	5.22E-01	23%	1.69E+00	74%	5.86E-03	< 1%	5.12E-02	2%	8.71E-03	< 1%
<b>Ozone depletion</b>	2.92E-08	kg CFC-11 eq.	2.59E-08	89%	2.59E-09	9%	4.27E-11	< 1%	4.08E-10	1%	1.80E-10	< 1%
<b>Acidification of soils and water</b>	6.39E-03	kg SO <sub>2</sub> eq.	1.13E-03	18%	5.14E-03	80%	2.86E-05	< 1%	5.55E-05	< 1%	3.41E-05	< 1%
<b>Water eutrophication</b>	3.48E-03	kg (PO <sub>4</sub> ) <sup>3-</sup> eq.	2.26E-03	65%	1.13E-03	32%	3.08E-05	< 1%	1.47E-05	< 1%	4.39E-05	1%
<b>Photochemical ozone formation</b>	4.79E-04	kg C <sub>2</sub> H <sub>4</sub> eq.	1.13E-04	24%	3.55E-04	74%	2.02E-06	< 1%	6.56E-06	1%	2.63E-06	< 1%
<b>Depletion of abiotic resources - elements</b>	2.37E-05	kg Sb eq.	2.37E-05	100%	6.76E-08	< 1%	2.58E-10	< 1%	2.25E-10	< 1%	5.12E-10	< 1%
<b>Total use of primary energy</b>	3.64E+01	MJ	1.15E+01	32%	2.39E+01	66%	8.01E-02	< 1%	8.38E-01	2%	9.86E-02	< 1%
<b>Net use of fresh water</b>	4.16E-02	m <sup>3</sup>	4.14E-02	99%	1.58E-04	< 1%	1.91E-06	< 1%	5.72E-05	< 1%	6.29E-06	< 1%
<b>Depletion of abiotic resources - fossil fuels</b>	3.11E+01	MJ	6.36E+00	20%	2.38E+01	77%	7.77E-02	< 1%	7.74E-01	2%	9.04E-02	< 1%
<b>Water pollution</b>	4.28E+02	m <sup>3</sup>	1.45E+02	34%	2.79E+02	65%	9.00E-01	< 1%	2.55E+00	< 1%	1.05E+00	< 1%
<b>Air pollution</b>	8.61E+01	m <sup>3</sup>	4.54E+01	53%	3.38E+01	39%	7.39E-01	< 1%	5.31E+00	6%	8.96E-01	1%

The values of the 27 impacts defined in the PCR-ed3-EN-2015 04 02 are available in the digital database of pep-ecopassport.org website.

For all products concerned (see § «products concerned»), take these impacts values.

# Product Environmental Profile

## RJ45 SOCKET ARTEOR Cat6 Cat5e FTP UTP 1 MOD



The reference product : 572322 + 576003 + 575200						
RJ45 socket Arteor - category 6 FTP - 1 module - white						
+ Support frame Arteor						
+ Plate British standard Arteor - square - 1 module - white						
Coefficient of extrapolation of environmental indicators						
Associated References	Manufacturing	Distribution	Installation	Use	End of life	
570057 RJ45 CAT6 UTP 1 MOD. LCS SQUARE CHAMPAGNE + 576003 Support frame Arteor + 571321 Plate Arteor - B S - square - 1 mod - Champagne	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
570058 RJ45 CAT5E UTP 1 MOD. LCS SQUARE CHAMPAGNE + 576003 Support frame Arteor + 571321 Plate Arteor - B S - square - 1 mod - Champagne	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
571057 RJ45 CAT6 UTP 1 MOD. LCS SQUARE SOFT ALU + 576003 Support frame Arteor + 571301 Plate Arteor - B S square - 1 mod Soft Alu	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
571058 RJ45 CAT5E UTP 1 MOD. LCS SQUARE SOFT ALU + 576003 Support frame Arteor + 571301 Plate Arteor - B S square - 1 mod Soft Alu	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572302 RJ45 CAT6 UTP 1 MOD. LCS SQUARE WHITE + 576003 Support frame Arteor + 575200 Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572302/6 RJ45 CAT6 UTP 1 MOD. LCS SQUARE WHITE + 576003 Support frame Arteor + 575200 Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572302B RJ45 CAT6 UTP 1 MOD. LCS SQUARE WHITE + 576003 Support frame Arteor + 575200 Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						

Coefficient of extrapolation of environmental indicators						
Associated References	Manufacturing	Distribution	Installation	Use	End of life	
572303 RJ45 CAT5E UTP 1 MOD. LCS SQUARE WHITE + 576003 Support frame Arteor + 575200 Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572303B RJ45 CAT5E UTP 1 MOD. LCS SQUARE WHITE + 576003 Support frame Arteor + 575200 Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572314 RJ45 CAT6 UTP 2 MOD. LCS SQUARE WHITE + 576003 Support frame Arteor + 575210 Plate Arteor - B S square 1 mod White	GWP	1.1	0.9	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572315 RJ45 CAT5E UTP 2 MOD. LCS SQUARE WHITE + 576003 Support frame Arteor + 575210 Plate Arteor - B S square 1 mod White	GWP	1.1	0.9	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572316 RJ45 CAT6 FTP 2 MOD. LCS SQUARE WHITE + 576003 Support frame Arteor + 575210 Plate Arteor - B S square 1 mod White	GWP	1.0	0.8	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572317 RJ45 socket Arteor - category 6 STP 2 modules - white + 576003 Support frame Arteor + 575210 Plate Arteor - B S square 1 mod White	GWP	1.3	1.0	0.8	1.0	1.1
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572323 RJ45 socket Arteor - category 6 STP 1 module - white + 576003 Support frame Arteor + 575200 Plate Arteor - B S square 1 mod White	GWP	1.4	1.0	0.9	1.0	1.1
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						
572315PJPJ RJ45 CAT5E UTP 2 MOD. LCS SQUARE WHITE + 576003 Support frame Arteor + 575210 Plate Arteor - B S square 1 mod White	GWP	1.1	0.9	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPFI					
	WP					
AP						

# Product Environmental Profile

## RJ45 SOCKET ARTEOR Cat6 Cat5e FTP UTP 1 MOD



Coefficient of extrapolation of environmental indicators						
Associated References	Manufacturing	Distribution	Installation	Use	End of life	
<b>572353</b> RJ 45 socket Arteor - category 6 UTP + controlled access - 2 modules + <b>576003</b> Support frame Arteor + <b>575210</b> Plate Arteor - B S square 1 mod White	GWP	1.1	0.9	0.9	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>572354</b> RJ 45 socket Arteor - category 6 UTP - 1 module - white, orange shutter + <b>576003</b> Support frame Arteor + <b>575200</b> Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>572355</b> RJ45 SOCKET CAT 6 UTP GREEN SHUTTER 1 M WHITE ARTEOR + <b>576003</b> Support frame Arteor + <b>575200</b> Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>572823</b> RJ45 socket Arteor - category 6 STP - 1 module - magnesium + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.4	1.0	0.8	1.0	1.1
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>572823CH</b> RJ45 socket Arteor - category 6 STP - 1 module - magnesium + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.4	1.0	0.8	1.0	1.1
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>572824</b> RJ45 CAT6 UTP 2 MODULES ROUND MAGNESIUM + <b>576003</b> Support frame Arteor + <b>575612</b> Plate Arteor - Round version square 2 mod Champagne	GWP	1.0	0.9	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>572854</b> RJ45 SOCKET CAT 6 UTP ORANGE SHUTTER 1 M MAGNESIUM ARTEOR + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						

Coefficient of extrapolation of environmental indicators						
Associated References	Manufacturing	Distribution	Installation	Use	End of life	
<b>572855</b> RJ45 SOCKET CAT 6 UTP GREEN SHUTTER 1 M MAGNESIUM ARTEOR + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>573428</b> RJ45 CAT6 UTP 1M. BL LCS + <b>576003</b> Support frame Arteor + <b>575200</b> Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>573428PA</b> RJ45 CAT6 UTP 1M. BL LCS + <b>576003</b> Support frame Arteor + <b>575200</b> Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>573429</b> RJ45 CAT5E UTP 1M. BL LCS + <b>576003</b> Support frame Arteor + <b>575200</b> Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>573628</b> RJ45 CAT6 UTP 1M.MAGNESIUM LCS + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>573629</b> RJ45 CAT5E UTP 1M.MAGNESIUM LCS + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						
<b>572803</b> RJ45 socket Arteor category 5e UTP 8 contacts 1 module - magnesium + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPF					
	WP					
AP						

# Product Environmental Profile

## RJ45 SOCKET ARTEOR Cat6 Cat5e FTP UTP 1 MOD



Coefficient of extrapolation of environmental indicators						
Associated References	Manufacturing	Distribution	Installation	Use	End of life	
<b>572803B</b> RJ45 socket Arteor category 5e UTP 8 contacts 1 module - magnesium + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572803CH</b> RJ45 socket Arteor category 5e UTP 8 contacts 1 module - magnesium + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572804</b> RJ45 CAT5E FTP1M.MAGNESIUM LCS + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572802</b> RJ45 socket Arteor - category 6 UTP - 8 contacts - 1 module - magnesium + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572802B</b> RJ45 socket Arteor - category 6 UTP - 8 contacts - 1 module - magnesium + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572802CH</b> RJ45 socket Arteor - category 6 UTP - 8 contacts - 1 module - magnesium + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572822</b> RJ45 socket Arteor - category 6 FTP - 1 module - magnesium + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					

Coefficient of extrapolation of environmental indicators						
Associated References	Manufacturing	Distribution	Installation	Use	End of life	
<b>572304</b> RJ45 socket Arteor - category 5e FTP - 9 contacts - 1 module - white + <b>576003</b> Support frame Arteor + <b>575200</b> Plate Arteor - B S square 1 mod White	GWP	1.0	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572814</b> RJ45 socket Arteor - category 6 UTP - 8 contacts - 2 modules - magnesium + <b>576003</b> Support frame Arteor + <b>571312</b> Plate Arteor - B S - square - 2 mod - Magnesium	GWP	1.1	0.9	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572814CH</b> RJ45 socket Arteor - category 6 UTP - 8 contacts - 2 modules - magnesium + <b>576003</b> Support frame Arteor + <b>571312</b> Plate Arteor - B S - square - 2 mod - Magnesium	GWP	1.1	0.9	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572815</b> RJ45 socket Arteor - category 5e UTP - 8 contacts - 2 modules - magnesium + <b>576003</b> Support frame Arteor + <b>571312</b> Plate Arteor - B S - square - 2 mod - Magnesium	GWP	1.1	0.9	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572815CH</b> RJ45 socket Arteor - category 5e UTP - 8 contacts - 2 modules - magnesium + <b>576003</b> Support frame Arteor + <b>571312</b> Plate Arteor - B S - square - 2 mod - Magnesium	GWP	1.1	0.9	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>572816</b> RJ45 socket Arteor - category 6 FTP - 8 contacts - 2 modules - magnesium + <b>576003</b> Support frame Arteor + <b>571312</b> Plate Arteor - B S - square - 2 mod - Magnesium	GWP	1.1	0.9	0.8	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>573629PA</b> RJ45 CAT5E UTP1M.MAGNESIUM LCS + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					
<b>573628MB</b> RJ45 CAT6 UTP 1M.MAGNESIUM LCS + <b>576003</b> Support frame Arteor + <b>571311</b> Plate Arteor - B S - square - 1 mod - Magnesium	GWP	1.1	1.0	1.0	1.0	1.0
	ODP					
	A					
	EP					
	POCP					
	ADPe					
	PE					
	FW					
	ADPfi					
	WP					

# Product Environmental Profile

**RJ45 SOCKET ARTEOR Cat6 Cat5e FTP UTP 1 MOD**



Contact Legrand if you have any questions regarding the calculation of coefficients for impacts others than those presented in this PEP

Registration number: LGRP-01108-V02.01-EN	Drafting rules: PEP-PCR-ed3-2015 04 02 Supplemented by PSR-0005-ed2-2016 03 29
Verifier accreditation N°: VH18	Information and reference documents: <a href="http://www.pep-ecopassport.org">www.pep-ecopassport.org</a>
Date of issue: 06-2022	Validity period: 5 years
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006 Internal <input type="checkbox"/> External <input checked="" type="checkbox"/>	
The PCR review was conducted by a panel of experts chaired by Philippe Osset (SOLINNEN)	
PEP are compliant with XP C08-100-1 : 2016 The elements of the present PEP cannot be compared with elements from another program	
Document in compliance with ISO 14025 : 2006: «Environmental labels and declarations. Type III environmental declarations»	
Environmental data in alignment with EN 15804: 2012 + A1 : 2013	