

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



LEGRAND'S ENVIRONMENTAL COMMITMENTS

• **Incorporate environmental management into our industrial sites**

Of all Legrand sites worldwide, over 85% are ISO 14001-certified (sites belonging to the Group for more than five years).

• **Offer our customers environmentally friendly solutions**

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.


• **Involve the environment in product design and provide informations in compliance with ISO 14025**

Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



REFERENCE PRODUCT

| | |
|--------------------------|---|
| Function | Protect, link by a connection point for 10 years (reference service life) with a 25% use rate for an application LAN: Tertiary, as defined in the table given in section 3.11.1.2.. |
| Reference Product |  |
| | Cat.No 600375 + 600801 |
| | RJ45 socket Dooxie category 6 STP white + 1 Gang White Plate |

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.



PRODUCTS CONCERNED

The environmental data is representative of the following products:

| Catalogue Numbers |
|---|
| <ul style="list-style-type: none"> • RJ45 : 600376 ; 095225 ; 095285 ; 600776 ; 095255 ; 600476 ; 600475 plate : 600801 ; 600891 ; 600851 |

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



■ CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It respects the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/EU amended by delegated directive (EU) 2015/863, and its amendment 2017/2102/EU.

| | |
|--|---|
| Total weight of Reference Product | 0.09 kg (all packaging included) |
|--|---|

| Product alone weight 0.06 kg | | | | | |
|------------------------------|-------|--------------------------|-------|-------------------------|------|
| Plastics as % of weight | | Metals as % of weight | | Other as % of weight | |
| PC | 19.2% | Zamak | 18.2% | PWB < 10cm ² | 0.9% |
| ABS | 18.0% | Copper and copper alloys | 1.1% | | |
| PET | 2.3% | Steel | 0.8% | | |
| PP | 1.5% | | | | |
| PBT | 1.3% | | | | |
| PA | 0.5% | | | | |
| PS | <0.1% | | | | |

| Packaging (alone) : 0.03 kg | | | | | |
|-----------------------------|------|--|--|-----------------------|-------|
| PE (packaging) | 0.1% | | | Cardboard (packaging) | 21.0% |
| | | | | wood (packaging) | 14.5% |
| | | | | Paper (packaging) | 0.6% |

| | | | | | |
|---------------------------------|---------------|-------------------------------|---------------|-------------------------------|---------------|
| Total plastics : 0.04 kg | 43.0 % | Total metals : 0.02 kg | 20.1 % | Total others : 0.03 kg | 36.9 % |
|---------------------------------|---------------|-------------------------------|---------------|-------------------------------|---------------|

At the date of edition of this document, the content of recycled material(s) is :

- Product alone (excluding packaging): 1% by mass
- Packaging only: 51% by mass



■ MANUFACTURE

This Reference Product comes from sites that have received ISO14001 certification.



■ DISTRIBUTION

Products are distributed from logistics centres located with a view to optimize transport efficiency. The Reference Product is therefore transported over an average distance of 741,23 km by planes and 493,87 km by trucks and 109,84km by boats from our warehouse to the local point of distribution into the market in Europe.

Packaging is compliant with European directive 2004/12/EU concerning packaging and packaging waste and french decree 98-638



■ INSTALLATION

For the installation of the product, only standard tools are needed.



■ USE

Under normal conditions of use, this product requires no servicing, no maintenance or additional products.

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



END OF LIFE

The product end of life factors are taken into account during the design phase. Dismantling and sorting of components or materials is made as easy as possible with a view to recycling or failing that, another form of reuse. This product falls within the scope of the WEEE directive (2012/19/EU). Therefore it must be processed through local WEEE recycling/recovery channels.

Extended producer responsibility:

In France, the sale of products covered by the field of application of the European Directive on Waste Electronic and Electrical Equipment (WEEE) is subject to a contribution to a certified eco-organisation.



ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use and end of life.

For each phase, the following modelling elements were taken in account:

| | | |
|------------------------------------|--------------------------|---|
| System Limit | Manufacture A1-A3 | Materials and components of the product, all transport for the manufacturing, the packaging and the waste generated by the manufacturing. |
| | Distribution A4 | Transport between the last Group distribution centre and an average delivery point in the sales area. |
| | Installation A5 | The end of life of the packaging. |
| | Use B1-B7 | <ul style="list-style-type: none"> Product category: Copper telecom accessories. Use scenario: Tertiary LAN, non-continuous operation for 10 years, Cat 6 for 25% of the time. This modelling duration does not constitute a minimum durability requirement. Energy model: Electricity Mix_Low voltage_2018_Europe_EU-27 - 2018. |
| | End of life C1-C4 | Choice of end-of-life by default model for PCR-ed4-EN-2021 09 06 |
| D Module | | Module D is calculated according to PCR-ed4-EN-2021 09 06 based on the materials recycled and the modelled end-of-life scenario. It expresses the net benefits and burdens beyond the boundaries of the system, and are not to be included in the life cycle totals. |
| Software and data-base used | | The indicators set used is « Indicators for PEF EF 3.0 (compliance: PEF ed.4, EN15804+A2) v2.0 » EIME V6 & its database CODDE-2023-02 |

Unless otherwise indicated the modelling energetic mix are those integrated in the data modules used from the aforementioned database.

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



ENVIRONMENTAL IMPACTS

| | Total Life Cycle | | Manufacturing | Distribution | Installation | Use ⁽¹⁾ | | | End of Life | Module D |
|---|------------------|--|---------------|--------------|--------------|--------------------|----|----------|-------------|-----------|
| | | | A1-A3 | A4 | A5 | Total B1-B7 | B2 | B6 | C1-C4 | |
| Climate change - total | 8.35E-01 | kg CO ₂ eq. | 5.37E-01 | 1.47E-01 | 2.91E-03 | 2.07E-02 | 0* | 2.07E-02 | 1.27E-01 | -1.71E-02 |
| Climate change - fossil fuels | 8.26E-01 | kg CO ₂ eq. | 5.29E-01 | 1.47E-01 | 2.91E-03 | 2.06E-02 | 0* | 2.06E-02 | 1.27E-01 | -1.68E-02 |
| Climate change - biogenics | 8.17E-03 | kg CO ₂ eq. | 8.01E-03 | 0* | 0* | 2.76E-05 | 0* | 2.76E-05 | 1.32E-04 | -3.46E-04 |
| Climate change - land use and land use transformation | 2.41E-05 | kg CO ₂ eq. | 2.41E-05 | 0* | 0* | 0* | 0* | 0* | 3.75E-09 | 1.11E-09 |
| Ozone depletion | 2.87E-08 | kg CFC-11 eq. | 2.69E-08 | 1.71E-10 | 5.33E-11 | 8.83E-11 | 0* | 8.83E-11 | 1.45E-09 | -5.27E-10 |
| Acidification (AP) | 4.79E-03 | mole of H ⁺ eq. | 3.94E-03 | 6.21E-04 | 2.49E-05 | 1.18E-04 | 0* | 1.18E-04 | 8.64E-05 | -1.58E-04 |
| Freshwater eutrophication | 7.21E-06 | kg P eq. | 2.98E-06 | 5.19E-08 | 6.82E-09 | 5.65E-08 | 0* | 5.65E-08 | 4.11E-06 | -5.81E-08 |
| Marine aquatic eutrophication | 7.34E-04 | kg of N eq. | 4.12E-04 | 2.78E-04 | 1.17E-05 | 1.34E-05 | 0* | 1.34E-05 | 1.81E-05 | -1.31E-05 |
| Terrestrial eutrophication | 8.04E-03 | mole of N eq. | 4.44E-03 | 3.05E-03 | 1.22E-04 | 2.01E-04 | 0* | 2.01E-04 | 2.35E-04 | -1.37E-04 |
| Photochemical ozone formation | 2.56E-03 | kg NMVOC eq. | 1.68E-03 | 7.46E-04 | 2.98E-05 | 4.30E-05 | 0* | 4.30E-05 | 5.69E-05 | -4.88E-05 |
| Depletion of abiotic resources - elements | 3.04E-05 | kg Sb eq. | 3.03E-05 | 5.79E-09 | 0* | 0* | 0* | 0* | 9.63E-08 | -4.20E-06 |
| Depletion of abiotic resources - fossil fuels | 1.26E+01 | MJ | 9.73E+00 | 2.05E+00 | 3.13E-02 | 5.26E-01 | 0* | 5.26E-01 | 2.98E-01 | -5.39E-01 |
| Water requirement | 1.36E-01 | m ³ deprivation worldwide eq. | 1.15E-01 | 5.83E-04 | 3.09E-03 | 7.31E-04 | 0* | 7.31E-04 | 1.62E-02 | -9.32E-03 |
| Emission of fine particles | 2.94E-08 | incidence of diseases | 2.39E-08 | 3.88E-09 | 1.31E-10 | 9.14E-10 | 0* | 9.14E-10 | 5.74E-10 | -9.85E-10 |

* represents less than 0.01% of the total life cycle of the reference flow

(¹) For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



| | Total Life Cycle | | Manufacturing | Distribution | Installation | Use ⁽¹⁾ | | | End of Life | Module D |
|---|------------------|-----------------|---------------|--------------|--------------|--------------------|----|----------|-------------|-----------|
| | | | A1-A3 | A4 | A5 | Total B1-B7 | B2 | B6 | C1-C4 | |
| Ionizing radiation, human health | 1.48E+00 | kBq of U235 eq. | 1.44E+00 | 2.72E-04 | 0* | 3.07E-02 | 0* | 3.07E-02 | 1.92E-03 | -1.81E-01 |
| Ecotoxicity (fresh water) | 1.90E+01 | CTUe | 1.80E+01 | 9.57E-02 | 2.01E-01 | 2.22E-01 | 0* | 2.22E-01 | 4.33E-01 | -3.19E-01 |
| Human toxicity, carcinogenic effects | 2.26E-08 | CTUh | 2.23E-08 | 0* | 2.66E-10 | 2.41E-12 | 0* | 2.41E-12 | 1.18E-11 | -1.22E-08 |
| Human toxicity, non-carcinogenic effects | 4.54E-08 | CTUh | 4.46E-08 | 1.19E-10 | 9.30E-11 | 9.55E-11 | 0* | 9.55E-11 | 4.74E-10 | -1.63E-09 |
| Impacts related to land use/soil quality | 9.68E-02 | - | 8.17E-02 | 0* | 0* | 4.11E-04 | 0* | 4.11E-04 | 1.47E-02 | 2.26E-06 |
| Use of renewable primary energy, excluding renewable primary energy resources used as raw materials | 3.60E-01 | MJ | 2.50E-01 | 2.31E-03 | 0* | 1.01E-01 | 0* | 1.01E-01 | 6.08E-03 | -8.89E-03 |
| Use of renewable primary energy resources used as raw materials | 3.82E-01 | MJ | 3.82E-01 | 0* | 0* | 0* | 0* | 0* | 0* | 3.06E-04 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 7.42E-01 | MJ | 6.32E-01 | 2.31E-03 | 0* | 1.01E-01 | 0* | 1.01E-01 | 6.08E-03 | -8.59E-03 |
| Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials | 1.12E+01 | MJ | 8.27E+00 | 2.05E+00 | 3.13E-02 | 5.26E-01 | 0* | 5.26E-01 | 2.98E-01 | -3.93E-01 |
| Use of non-renewable primary energy resources used as raw materials | 1.46E+00 | MJ | 1.46E+00 | 0* | 0* | 0* | 0* | 0* | 0* | -1.46E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.26E+01 | MJ | 9.73E+00 | 2.05E+00 | 3.13E-02 | 5.26E-01 | 0* | 5.26E-01 | 2.98E-01 | -5.39E-01 |

* represents less than 0.01% of the total life cycle of the reference flow

(¹) For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



| | Total Life Cycle | | Manufacturing | Distribution | Installation | Use ⁽¹⁾ | | | End of Life | Module D |
|---|------------------|---------------------|---------------|--------------|--------------|--------------------|----|----------|-------------|-----------|
| | | | A1-A3 | A4 | A5 | Total B1-B7 | B2 | B6 | C1-C4 | |
| Use of secondary materials | 1.80E-02 | kg | 1.80E-02 | 0* | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Use of renewable secondary fuels | 0.00E+00 | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Use of non-renewable secondary fuels | 0.00E+00 | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Net use of fresh water | 3.44E-03 | m³ | 2.96E-03 | 1.36E-05 | 7.20E-05 | 1.70E-05 | 0* | 1.70E-05 | 3.78E-04 | -2.17E-04 |
| Hazardous waste disposed of | 5.95E-01 | kg | 5.36E-01 | 0* | 0* | 3.86E-04 | 0* | 3.86E-04 | 5.88E-02 | -8.57E-02 |
| Non-hazardous waste disposed of | 3.43E-01 | kg | 2.59E-01 | 4.36E-03 | 3.35E-02 | 2.97E-03 | 0* | 2.97E-03 | 4.29E-02 | -4.58E-03 |
| Radioactive waste disposed of | 1.79E-04 | kg | 1.68E-04 | 2.79E-06 | 6.12E-08 | 6.22E-07 | 0* | 6.22E-07 | 6.80E-06 | -3.05E-06 |
| Components for re-use | 0.00E+00 | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Materials for recycling | 9.06E-03 | kg | 4.15E-03 | 0* | 0* | 0* | 0* | 0* | 4.91E-03 | 0.00E+00 |
| Materials for energy recovery | 0.00E+00 | MJ by energy vector | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Exported energy | 0.00E+00 | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Total use of primary energy during the life cycle | 1.34E+01 | MJ | 1.04E+01 | 2.06E+00 | 3.13E-02 | 6.27E-01 | 0* | 6.27E-01 | 3.04E-01 | -5.47E-01 |

| | | | | | | | | | | |
|---|----------|---------|----------|----|----|----|----|----|----|----------|
| Biogenic carbon content of the product | 0.00E+00 | kg of C | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Biogenic carbon content of the associated packaging | 1.09E-02 | kg of C | 1.09E-02 | 0* | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |

For biogenic carbon storage, the methodology use is 0/0

* represents less than 0.01% of the total life cycle of the reference flow

(¹) For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

The values of the indicators defined in the PCR-ed4-EN-2021 09 06 are available in the digital database of pep-ecopassport.org website.

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



To find out the environmental impact values of products other than the Reference Product. The coefficients below are to be multiplied by the values of the reference product

| Associated references | Coefficient of extrapolation of environmental indicators | | | | | | |
|---|---|------------------|---------------|--------------|--------------|-----|-------------|
| | | Total life Cycle | Manufacturing | Distribution | Installation | Use | End of life |
| 095225 + 600801 RJ45 socket Dooxie category 6 STP full media white composable + 1 Gang White Plate | Climate change - total | 1.1 | 1.0 | 1.3 | 1.7 | 1.0 | 1.0 |
| | Climate change - fossil fuels | 1.1 | 1.0 | 1.3 | 1.7 | 1.0 | 1.0 |
| | Climate change - biogenics | 1.0 | 1.0 | 0.0 | 1.8 | 1.0 | 1.0 |
| | Climate change - land use and land use transformation | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Ozone depletion | 1.1 | 1.1 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Acidification (AP) | 1.0 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Freshwater eutrophication | 1.0 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Marine aquatic eutrophication | 1.1 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Terrestrial eutrophication | 1.1 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Photochemical ozone formation | 1.1 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Depletion of abiotic resources - elements | 1.0 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Depletion of abiotic resources - fossil fuels | 1.1 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Water requirement | 1.0 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Emission of fine particles | 1.0 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Ionizing radiation, human health | 1.0 | 1.0 | 1.3 | 1.7 | 1.0 | 1.0 |
| | Ecotoxicity (fresh water) | 1.0 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Human toxicity, carcinogenic effects | 1.0 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Human toxicity, non-carcinogenic effects | 1.0 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Impacts related to land use/soil quality | 1.0 | 1.0 | 0.0 | 0.0 | 1.0 | 1.0 |
| | Use of renewable primary energy, excluding renewable primary energy resources used as raw materials | 1.0 | 1.0 | 1.3 | 1.7 | 1.0 | 1.0 |
| | Use of renewable primary energy resources used as raw materials | 2.3 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.7 | 1.8 | 1.3 | 1.7 | 1.0 | 1.0 |
| | Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials | 1.1 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Use of non-renewable primary energy resources used as raw materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.1 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Use of secondary materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of non-renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Net use of fresh water | 1.0 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Hazardous waste disposed of | 1.0 | 1.0 | 0.0 | 1.8 | 1.0 | 1.0 |
| | Non-hazardous waste disposed of | 1.1 | 1.0 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Radioactive waste disposed of | 1.0 | 1.0 | 1.3 | 1.7 | 1.0 | 1.0 |
| | Components for re-use | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Materials for recycling | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Materials for energy recovery | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Exported energy | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of primary energy during the life cycle | 1.1 | 1.1 | 1.3 | 1.8 | 1.0 | 1.0 |
| | Biogenic carbon content of the product | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Biogenic carbon content of the associated packaging | 1.9 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 |

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



| Associated references | Coefficient of extrapolation of environmental indicators | | | | | | |
|--|---|------------------|---------------|--------------|--------------|-----|-------------|
| | | Total life Cycle | Manufacturing | Distribution | Installation | Use | End of life |
| 095255 + 600851 RJ45 socket Dooxie category 6 STP full media alu composable+ 1 Gang Aluminium Plate | Climate change - total | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Climate change - fossil fuels | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Climate change - biogenics | 1.1 | 1.1 | 0.0 | 1.9 | 1.0 | 1.0 |
| | Climate change - land use and land use transformation | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.6 |
| | Ozone depletion | 1.1 | 1.1 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Acidification (AP) | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Freshwater eutrophication | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Marine aquatic eutrophication | 1.2 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Terrestrial eutrophication | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Photochemical ozone formation | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Depletion of abiotic resources - elements | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Depletion of abiotic resources - fossil fuels | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Water requirement | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Emission of fine particles | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Ionizing radiation, human health | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Ecotoxicity (fresh water) | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Human toxicity, carcinogenic effects | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Human toxicity, non-carcinogenic effects | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Impacts related to land use/soil quality | 1.0 | 1.0 | 0.0 | 0.0 | 1.0 | 0.8 |
| | Use of renewable primary energy, excluding renewable primary energy resources used as raw materials | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Use of renewable primary energy resources used as raw materials | 2.6 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.8 | 1.9 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Use of non-renewable primary energy resources used as raw materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Use of secondary materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of non-renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Net use of fresh water | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Hazardous waste disposed of | 1.0 | 1.0 | 0.0 | 1.9 | 1.0 | 1.0 |
| | Non-hazardous waste disposed of | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Radioactive waste disposed of | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Components for re-use | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Materials for recycling | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Materials for energy recovery | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Exported energy | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of primary energy during the life cycle | 1.1 | 1.1 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Biogenic carbon content of the product | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Biogenic carbon content of the associated packaging | 2.1 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 |

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



| Associated references | Coefficient of extrapolation of environmental indicators | | | | | | |
|---|---|------------------|---------------|--------------|--------------|-----|-------------|
| | | Total life Cycle | Manufacturing | Distribution | Installation | Use | End of life |
| 095285 + 600891 RJ45 socket Dooxie category 6 STP full media black composable + 1 Gang Black Plate | Climate change - total | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Climate change - fossil fuels | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Climate change - biogenics | 1.1 | 1.1 | 0.0 | 1.9 | 1.0 | 1.0 |
| | Climate change - land use and land use transformation | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.6 |
| | Ozone depletion | 1.1 | 1.1 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Acidification (AP) | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Freshwater eutrophication | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Marine aquatic eutrophication | 1.2 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Terrestrial eutrophication | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Photochemical ozone formation | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Depletion of abiotic resources - elements | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Depletion of abiotic resources - fossil fuels | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Water requirement | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Emission of fine particles | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Ionizing radiation, human health | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Ecotoxicity (fresh water) | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Human toxicity, carcinogenic effects | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Human toxicity, non-carcinogenic effects | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Impacts related to land use/soil quality | 1.0 | 1.0 | 0.0 | 0.0 | 1.0 | 0.8 |
| | Use of renewable primary energy, excluding renewable primary energy resources used as raw materials | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Use of renewable primary energy resources used as raw materials | 2.6 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.8 | 1.9 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Use of non-renewable primary energy resources used as raw materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Use of secondary materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of non-renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Net use of fresh water | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Hazardous waste disposed of | 1.0 | 1.0 | 0.0 | 1.9 | 1.0 | 1.0 |
| | Non-hazardous waste disposed of | 1.1 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Radioactive waste disposed of | 1.0 | 1.0 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Components for re-use | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Materials for recycling | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Materials for energy recovery | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Exported energy | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of primary energy during the life cycle | 1.1 | 1.1 | 1.3 | 1.9 | 1.0 | 1.0 |
| | Biogenic carbon content of the product | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Biogenic carbon content of the associated packaging | 2.1 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 |

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



| Associated references | Coefficient of extrapolation of environmental indicators | | | | | | |
|--|---|------------------|---------------|--------------|--------------|-----|-------------|
| | | Total life Cycle | Manufacturing | Distribution | Installation | Use | End of life |
| 6600376 + 600801 RJ45 socket Dooxie category 6 FTP white + 1 Gang White Plate | Climate change - total | 0.7 | 0.5 | 0.8 | 1.0 | 1.0 | 1.1 |
| | Climate change - fossil fuels | 0.7 | 0.5 | 0.8 | 1.0 | 1.0 | 1.1 |
| | Climate change - biogenics | 1.1 | 1.1 | 0.0 | 1.0 | 1.0 | 1.0 |
| | Climate change - land use and land use transformation | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Ozone depletion | 0.5 | 0.5 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Acidification (AP) | 0.4 | 0.3 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Freshwater eutrophication | 0.9 | 0.8 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Marine aquatic eutrophication | 0.6 | 0.5 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Terrestrial eutrophication | 0.6 | 0.4 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Photochemical ozone formation | 0.6 | 0.4 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Depletion of abiotic resources - elements | 0.9 | 0.9 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Depletion of abiotic resources - fossil fuels | 0.7 | 0.6 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Water requirement | 0.7 | 0.6 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Emission of fine particles | 0.5 | 0.4 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Ionizing radiation, human health | 1.0 | 1.0 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Ecotoxicity (fresh water) | 0.8 | 0.8 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Human toxicity, carcinogenic effects | 1.0 | 1.0 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Human toxicity, non-carcinogenic effects | 0.2 | 0.2 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Impacts related to land use/soil quality | 1.1 | 1.1 | 0.0 | 0.0 | 1.0 | 1.0 |
| | Use of renewable primary energy, excluding renewable primary energy resources used as raw materials | 1.0 | 1.0 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Use of renewable primary energy resources used as raw materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.0 | 1.0 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials | 0.7 | 0.6 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Use of non-renewable primary energy resources used as raw materials | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 0.7 | 0.6 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Use of secondary materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of non-renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Net use of fresh water | 0.7 | 0.7 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Hazardous waste disposed of | 0.9 | 1.0 | 0.0 | 1.0 | 1.0 | 0.8 |
| | Non-hazardous waste disposed of | 1.0 | 0.9 | 0.8 | 1.0 | 1.0 | 1.1 |
| | Radioactive waste disposed of | 0.9 | 0.9 | 0.8 | 1.0 | 1.0 | 1.0 |
| | Components for re-use | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Materials for recycling | 0.6 | 0.2 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Materials for energy recovery | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Exported energy | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of primary energy during the life cycle | 0.7 | 0.7 | 0.8 | 1.0 | 1.0 | 0.9 |
| | Biogenic carbon content of the product | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Biogenic carbon content of the associated packaging | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



| Associated references | Coefficient of extrapolation of environmental indicators | | | | | | |
|--|---|------------------|---------------|--------------|--------------|-----|-------------|
| | | Total life Cycle | Manufacturing | Distribution | Installation | Use | End of life |
| 6600475 + 600851 RJ45 socket Dooxie category 6 STP aluminium + 1 Gang Aluminium Plate | Climate change - total | 1.0 | 1.0 | 1.1 | 1.1 | 1.0 | 1.0 |
| | Climate change - fossil fuels | 1.0 | 1.0 | 1.1 | 1.1 | 1.0 | 1.0 |
| | Climate change - biogenics | 1.0 | 1.0 | 0.0 | 1.2 | 1.0 | 1.0 |
| | Climate change - land use and land use transformation | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.6 |
| | Ozone depletion | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Acidification (AP) | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Freshwater eutrophication | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Marine aquatic eutrophication | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Terrestrial eutrophication | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Photochemical ozone formation | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Depletion of abiotic resources - elements | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Depletion of abiotic resources - fossil fuels | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Water requirement | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Emission of fine particles | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Ionizing radiation, human health | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Ecotoxicity (fresh water) | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Human toxicity, carcinogenic effects | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Human toxicity, non-carcinogenic effects | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Impacts related to land use/soil quality | 1.0 | 1.0 | 0.0 | 0.0 | 1.0 | 0.8 |
| | Use of renewable primary energy, excluding renewable primary energy resources used as raw materials | 1.0 | 1.0 | 1.1 | 1.1 | 1.0 | 1.0 |
| | Use of renewable primary energy resources used as raw materials | 1.3 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.1 | 1.2 | 1.1 | 1.1 | 1.0 | 1.0 |
| | Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Use of non-renewable primary energy resources used as raw materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Use of secondary materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of non-renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Net use of fresh water | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Hazardous waste disposed of | 1.0 | 1.0 | 0.0 | 1.2 | 1.0 | 1.0 |
| | Non-hazardous waste disposed of | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Radioactive waste disposed of | 1.0 | 1.0 | 1.1 | 1.1 | 1.0 | 1.0 |
| | Components for re-use | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Materials for recycling | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Materials for energy recovery | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Exported energy | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of primary energy during the life cycle | 1.0 | 1.0 | 1.1 | 1.2 | 1.0 | 1.0 |
| | Biogenic carbon content of the product | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Biogenic carbon content of the associated packaging | 1.2 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 |

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



| Associated references | Coefficient of extrapolation of environmental indicators | | | | | | |
|--|---|------------------|---------------|--------------|--------------|-----|-------------|
| | | Total life Cycle | Manufacturing | Distribution | Installation | Use | End of life |
| 600476 + 600851 RJ45 socket Dooxie category 6 FTP aluminium + 1 Gang Aluminium Plate | Climate change - total | 0.7 | 0.5 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Climate change - fossil fuels | 0.7 | 0.5 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Climate change - biogenics | 1.1 | 1.1 | 0.0 | 1.2 | 1.0 | 1.0 |
| | Climate change - land use and land use transformation | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.6 |
| | Ozone depletion | 0.5 | 0.5 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Acidification (AP) | 0.4 | 0.3 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Freshwater eutrophication | 0.9 | 0.8 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Marine aquatic eutrophication | 0.7 | 0.4 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Terrestrial eutrophication | 0.7 | 0.4 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Photochemical ozone formation | 0.6 | 0.4 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Depletion of abiotic resources - elements | 0.9 | 0.9 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Depletion of abiotic resources - fossil fuels | 0.7 | 0.6 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Water requirement | 0.7 | 0.6 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Emission of fine particles | 0.5 | 0.4 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Ionizing radiation, human health | 1.0 | 1.0 | 0.9 | 1.2 | 1.0 | 0.8 |
| | Ecotoxicity (fresh water) | 0.8 | 0.8 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Human toxicity, carcinogenic effects | 1.0 | 1.0 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Human toxicity, non-carcinogenic effects | 0.2 | 0.2 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Impacts related to land use/soil quality | 1.1 | 1.1 | 0.0 | 0.0 | 1.0 | 0.8 |
| | Use of renewable primary energy, excluding renewable primary energy resources used as raw materials | 1.0 | 1.0 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Use of renewable primary energy resources used as raw materials | 1.2 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.1 | 1.2 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials | 0.7 | 0.6 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Use of non-renewable primary energy resources used as raw materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 0.7 | 0.6 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Use of secondary materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of non-renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Net use of fresh water | 0.7 | 0.7 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Hazardous waste disposed of | 0.9 | 1.0 | 0.0 | 1.2 | 1.0 | 0.7 |
| | Non-hazardous waste disposed of | 1.0 | 0.9 | 0.9 | 1.2 | 1.0 | 1.1 |
| | Radioactive waste disposed of | 0.9 | 0.9 | 0.9 | 1.2 | 1.0 | 1.0 |
| | Components for re-use | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Materials for recycling | 0.6 | 0.2 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Materials for energy recovery | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Exported energy | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of primary energy during the life cycle | 0.7 | 0.7 | 0.9 | 1.2 | 1.0 | 0.9 |
| | Biogenic carbon content of the product | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Biogenic carbon content of the associated packaging | 1.2 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 |

Product Environmental Profile

RJ45 Socket Category 6 DOOXIE FTP/STP



| Associated references | Coefficient of extrapolation of environmental indicators | | | | | | |
|--|---|------------------|---------------|--------------|--------------|-----|-------------|
| | | Total life Cycle | Manufacturing | Distribution | Installation | Use | End of life |
| 600776 RJ45 socket Dooxie One category 6 FTP complete white | Climate change - total | 0.7 | 0.5 | 1.1 | 1.8 | 1.0 | 1.1 |
| | Climate change - fossil fuels | 0.7 | 0.5 | 1.1 | 1.8 | 1.0 | 1.1 |
| | Climate change - biogenics | 1.1 | 1.1 | 0.0 | 1.8 | 1.0 | 1.0 |
| | Climate change - land use and land use transformation | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Ozone depletion | 0.5 | 0.5 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Acidification (AP) | 0.5 | 0.3 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Freshwater eutrophication | 0.9 | 0.8 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Marine aquatic eutrophication | 0.8 | 0.5 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Terrestrial eutrophication | 0.8 | 0.5 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Photochemical ozone formation | 0.7 | 0.4 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Depletion of abiotic resources - elements | 0.9 | 0.9 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Depletion of abiotic resources - fossil fuels | 0.8 | 0.7 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Water requirement | 0.7 | 0.6 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Emission of fine particles | 0.5 | 0.4 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Ionizing radiation, human health | 1.0 | 1.0 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Ecotoxicity (fresh water) | 0.8 | 0.8 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Human toxicity, carcinogenic effects | 1.0 | 1.0 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Human toxicity, non-carcinogenic effects | 0.2 | 0.2 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Impacts related to land use/soil quality | 1.1 | 1.1 | 0.0 | 0.0 | 1.0 | 1.0 |
| | Use of renewable primary energy, excluding renewable primary energy resources used as raw materials | 1.0 | 1.0 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Use of renewable primary energy resources used as raw materials | 2.3 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 1.7 | 1.8 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials | 0.7 | 0.6 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Use of non-renewable primary energy resources used as raw materials | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | 0.8 | 0.7 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Use of secondary materials | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Use of non-renewable secondary fuels | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Net use of fresh water | 0.8 | 0.7 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Hazardous waste disposed of | 0.9 | 1.0 | 0.0 | 1.8 | 1.0 | 0.8 |
| | Non-hazardous waste disposed of | 1.0 | 0.9 | 1.1 | 1.8 | 1.0 | 1.1 |
| | Radioactive waste disposed of | 0.9 | 0.9 | 1.1 | 1.8 | 1.0 | 1.0 |
| | Components for re-use | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Materials for recycling | 0.6 | 0.2 | 0.0 | 0.0 | 0.0 | 1.0 |
| | Materials for energy recovery | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Exported energy | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Total use of primary energy during the life cycle | 0.8 | 0.7 | 1.1 | 1.8 | 1.0 | 0.9 |
| | Biogenic carbon content of the product | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Biogenic carbon content of the associated packaging | 1.9 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 |

Registration number: **LGRP-01133-V02.01-EN**

Drafting rules: **PEP-PCR-ed4-2021 09 06**
Supplemented by PSR-0005-ed3-2022 06 06

Verifier accreditation N°: **VH43**

Information and reference documents: **www.pep-ecopassport.org**

Date of issue: **10-2023**

Validity period: **5 years**

Independent verification of the declaration and data, in compliance with ISO 14025 : 2006

Internal ☐ External ☒

The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)

PEP are compliant with XP C08-100-1 :2016 or EN 50693 :2019

The elements of the present PEP cannot be compared with elements from another program

Document in compliance with ISO 14025 : 2006: «Environmental labels and declarations.
Type III environmental declarations»



Environmental data in alignment with EN 15804: 2012 + A2 : 2019