

Product Environmental Profile

Patchcord optical fiber SC/SC & LC/SC & LC/LC OS2 & OM3 & OM4 UNIBOOT & DUPLEX



LEGRAND'S ENVIRONMENTAL COMMITMENTS

• Incorporate environmental management into our industrial sites

Of all Legrand sites worldwide, over 85% are ISO 14001-certified (sites belonging to the Group for more than five years).

• Offer our customers environmentally friendly solutions

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.


• Involve the environment in product design and provide informations in compliance with ISO 14025

Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



REFERENCE PRODUCT

Function	To connect 4 connections points on each end of a cable through acclAIM connectors and transmit a communication signal on 2 m during a 10 year typical lifetime and a 100% use rate according to TIA-568-C.3-2009.
Reference Product	
	Cat.No 032607
	PATCHCORD LC/LC OS2 2M CORE LSZH .

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.



PRODUCTS CONCERNED

The environmental data is representative of the following products:

Catalogue Numbers
032600 ; 032601 ; 032602 ; 032603 ; 032604 ; 032605 ; 032628 ; 032606 ; 032607 ; 032608 ; 032629 ; 132082 ; 132083 ; 132084 ; 132085 ; 132086 ; 132087 ; 132088 ; 132089 ; 132090 ; 132091 ; 132092 ; 032686 ; 032687 ; 032688 ; 032689 ; 032692 ; 132081 ; 032527 ; 032528 ; 032529 ; 032530 ; 032531 ; 032532 ; 032533 ; 032534 ; 032535 ; 032536 ; 032609 ; 032610 ; 032611 ; 032612 ; 032613 ; 032614 ; 032615 ; 032616 ; 032617 ; 032260 ; 032261 ; 032262 ; 032263 ; 032264 ; 032265 ; 032266 ; 032267 ; 032268 ; 032630 ; 032631 ; 032632 ; 032633 ; 032634 ; HVPC01 ; 032635 ; HVPC02 ; 032636 ; HVPC03 ; 032637 ; HVPC05 ; 032695 ; 032696 ; 032697 ; 032698

Product Environmental Profile

**Patchcord optical fiber SC/SC & LC/SC & LC/LC
OS2 & OM3 & OM4 UNIBOOT & DUPLEX**



■ CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It respects the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/EU amended by delegated directive (EU) 2015/863. and its amendment 2017/2102/EU.

Total weight of Reference Product	0.11 kg (all packaging included)
--	---

Product alone weight 0.02 kg				
Plastics as % of weight		Metals as % of weight		Other as % of weight
PP	8.1 %	Al	2.0 %	Glass fiber 3.6 %
PE	3.5 %	Steel	1.6 %	Ceramic 0.8 %
				Silica 0.2 %

Packaging (alone) : 0.09 kg				
PE	3.7 %			Cardboard 47.3 %
				wood 28.6 %
				Paper 0.6 %

Total plastics : 0.013 kg	15.3 %	Total metals : 0.004 kg	3.6 %	Total others : 0.09 kg	81.1 %
----------------------------------	---------------	--------------------------------	--------------	-------------------------------	---------------

At the date of edition of this document, the content of recycled material(s) is :

- Product alone (excluding packaging) : 1 % by mass
- Packaging only : 52 % by mass



■ MANUFACTURE

This Reference Product comes from sites that have received ISO14001 certification.



■ DISTRIBUTION

Products are distributed from logistics centres located with a view to optimize transport efficiency. The Reference Product is therefore transported over an average distance of 6038 km by plane, 551 km by truck and 256 km by boat from our warehouse to the local point of distribution all around the world.

Packaging is compliant with applicable regulation.



■ INSTALLATION

For the installation of the product, only standard tools are needed.



■ USE

Under normal conditions of use, this product requires no servicing, no maintenance or additional products.

Product Environmental Profile

**Patchcord optical fiber SC/SC & LC/SC & LC/LC
OS2 & OM3 & OM4 UNIBOOT & DUPLEX**



END OF LIFE

The product end of life factors are taken into account during the design phase. Dismantling and sorting of components or materials is made as easy as possible with a view to recycling or failing that, another form of reuse.



ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use and end of life. It is representative from worldwide marketed products.

For each phase, the following modelling elements were taken in account:

System Limit	Manufacture A1-A3	Materials and components of the product, all transport for the manufacturing, the packaging and the waste generated by the manufacturing.
	Distribution A4	Transport between the last Group distribution centre and an average delivery point in the sales area.
	Installation A5	The end of life of the packaging.
	Use B1-B7	<ul style="list-style-type: none"> • Product category: Optical fiber patch cord. • Use scenario: Continuous operation (100% of the time) for 10 years at 25% of rated load. This modelling period does not constitute a maximum durability requirement. • Energy model: Electricity Mix_Low voltage_2018_China_CN.
	End of life C1-C4	Choice of end-of-life by default model for PCR-ed4-EN-2021 09 06.
D Module	Module D is calculated according to PCR-ed4-EN-2021 09 06 based on the materials recycled and the modelled end-of-life scenario. It expresses the net benefits and loads beyond the boundaries of the system, and are not to be included in the life cycle totals.	
Software and data-base used	The indicators set used is « Indicators for PEF EF 3.0 (compliance: PEP ed.4, EN15804+A2) v2.0 » EIME V6 & its database CODDE-2023-02	

Unless otherwise indicated the modelling energetic mix are those integrated in the data modules used from the aforementioned database.

Product Environmental Profile

Patchcord optical fiber SC/SC & LC/SC & LC/LC OS2 & OM3 & OM4 UNIBOOT & DUPLEX



ENVIRONMENTAL IMPACTS

	Total Life Cycle		Manufacturing	Distribution	Installation	Use ⁽¹⁾			End of Life	Module D
			A1-A3	A4	A5	Total B1-B7	B2	B6	C1-C4	
Climate change - total	5.64E+00	kg CO ₂ eq.	1.41E-01	5.35E+00	1.13E-01	0*	0*	0*	3.35E-02	-3.56E-02
Climate change - fossil fuels	5.52E+00	kg CO ₂ eq.	1.31E-01	5.35E+00	7.46E-03	0*	0*	0*	3.35E-02	-3.51E-02
Climate change - biogenics	1.16E-01	kg CO ₂ eq.	1.03E-02	0*	1.06E-01	0*	0*	0*	1.53E-05	-5.23E-04
Climate change - land use and land use transformation	1.44E-08	kg CO ₂ eq.	2.93E-09	0*	0*	0*	0*	0*	1.15E-08	0.00E+00
Ozone depletion	1.75E-08	kg CFC-11 eq.	1.09E-08	6.20E-09	1.09E-10	0*	0*	0*	3.61E-10	-5.86E-09
Acidification (AP)	2.33E-02	mole of H ⁺ eq.	8.81E-04	2.23E-02	4.96E-05	0*	0*	0*	3.15E-05	-2.44E-04
Freshwater eutrophication	3.25E-06	kg P eq.	1.31E-06	1.89E-06	2.46E-09	0*	0*	0*	5.49E-08	-2.14E-07
Marine aquatic eutrophication	1.02E-02	kg of N eq.	1.70E-04	1.00E-02	2.18E-05	0*	0*	0*	7.55E-06	-2.43E-05
Terrestrial eutrophication	1.12E-01	mole of N eq.	1.79E-03	1.10E-01	2.61E-04	0*	0*	0*	8.99E-05	-2.67E-04
Photochemical ozone formation	2.75E-02	kg NMVOC eq.	5.69E-04	2.68E-02	5.84E-05	0*	0*	0*	2.55E-05	-8.66E-05
Depletion of abiotic resources - elements	4.62E-07	kg Sb eq.	3.37E-07	2.11E-07	0*	0*	0*	0*	0*	-1.07E-06
Depletion of abiotic resources - fossil fuels	7.82E+01	MJ	3.10E+00	7.47E+01	9.24E-02	0*	0*	0*	3.67E-01	-6.94E-01
Water requirement	1.41E-01	m ³ deprivation worldwide eq.	9.79E-02	2.12E-02	1.40E-02	0*	0*	0*	7.51E-03	-7.69E-03
Emission of fine particles	1.45E-07	incidence of diseases	6.27E-09	1.38E-07	2.81E-10	0*	0*	0*	2.14E-10	-3.42E-09

* represents less than 0.01% of the total life cycle of the reference flow

(¹) For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

Product Environmental Profile

Patchcord optical fiber SC/SC & LC/SC & LC/LC OS2 & OM3 & OM4 UNIBOOT & DUPLEX



	Total Life Cycle		Manufacturing	Distribution	Installation	Use ⁽¹⁾			End of Life	Module D
			A1-A3	A4	A5	Total B1-B7	B2	B6	C1-C4	
Ionizing radiation. human health	2.35E+00	kBq of U235 eq.	2.34E+00	9.87E-03	0*	0*	0*	0*	1.03E-03	-1.09E-02
Ecotoxicity (fresh water)	5.94E+00	CTUe	2.29E+00	3.48E+00	7.91E-02	0*	0*	0*	8.96E-02	-2.28E+00
Human toxicity. carcinogenic effects	1.81E-09	CTUh	1.73E-09	8.09E-11	7.14E-13	0*	0*	0*	1.38E-12	-3.04E-09
Human toxicity. non-carcinogenic effects	5.40E-09	CTUh	9.38E-10	4.24E-09	8.00E-11	0*	0*	0*	1.44E-10	-3.37E-10
Impacts related to land use/soil quality	3.03E-02	-	1.18E-02	0*	0*	0*	0*	0*	1.84E-02	5.61E-07
Use of renewable primary energy. excluding renewable primary energy resources used as raw materials	1.01E-01	MJ	1.97E-02	8.39E-02	0*	1.18E-05	1.18E-05	0*	6.68E-04	-2.09E-02
Use of renewable primary energy resources used as raw materials	8.26E-01	MJ	8.26E-01	0*	0*	0*	0*	0*	0*	8.11E-04
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials)	9.27E-01	MJ	8.45E-01	8.39E-02	0*	0*	0*	0*	6.68E-04	-2.01E-02
Use of non-renewable primary energy. excluding non-renewable primary energy resources used as raw materials	7.76E+01	MJ	2.49E+00	7.47E+01	9.24E-02	0*	0*	0*	3.67E-01	-6.05E-01
Use of non-renewable primary energy resources used as raw materials	6.12E-01	MJ	6.12E-01	0*	0*	0*	0*	0*	0*	-8.95E-02
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials)	7.82E+01	MJ	3.10E+00	7.47E+01	9.24E-02	0*	0*	0*	3.67E-01	-6.94E-01

* represents less than 0.01% of the total life cycle of the reference flow

(¹) For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

Product Environmental Profile

Patchcord optical fiber SC/SC & LC/SC & LC/LC OS2 & OM3 & OM4 UNIBOOT & DUPLEX



	Total Life Cycle		Manufacturing	Distribution	Installation	Use ⁽¹⁾			End of Life	Module D
			A1-A3	A4	A5	Total B1-B7	B2	B6	C1-C4	
Use of secondary materials	4.81E-02	kg	4.81E-02	0*	0*	0*	0*	0*	0*	0.00E+00
Use of renewable secondary fuels	0.00E+00	MJ	0*	0*	0*	0*	0*	0*	0*	0.00E+00
Use of non-renewable secondary fuels	0.00E+00	MJ	0*	0*	0*	0*	0*	0*	0*	0.00E+00
Net use of fresh water	3.28E-03	m ³	2.28E-03	4.94E-04	3.27E-04	0*	0*	0*	1.75E-04	-1.79E-04
Hazardous waste disposed of	5.22E-02	kg	3.04E-02	0*	0*	0*	0*	0*	2.19E-02	-7.98E-02
Non-hazardous waste disposed of	3.11E-01	kg	5.53E-02	1.58E-01	9.20E-02	0*	0*	0*	5.41E-03	-4.79E-02
Radioactive waste disposed of	1.33E-04	kg	2.90E-05	1.01E-04	1.74E-06	0*	0*	0*	1.22E-06	-3.76E-05
Components for re-use	0.00E+00	kg	0*	0*	0*	0*	0*	0*	0*	0.00E+00
Materials for recycling	6.78E-03	kg	1.33E-03	0*	0*	0*	0*	0*	5.46E-03	0.00E+00
Materials for energy recovery	0.00E+00	MJ by energy vector	0*	0*	0*	0*	0*	0*	0*	0.00E+00
Exported energy	0.00E+00	MJ	0*	0*	0*	0*	0*	0*	0*	0.00E+00
Total use of primary energy during the life cycle	7.92E+01	MJ	3.95E+00	7.48E+01	8.94E-02	0*	0*	0*	3.68E-01	-7.14E-01

Biogenic carbon content of the product	0.00E+00	kg of C	0*	0*	0*	0*	0*	0*	0*	0.00E+00
Biogenic carbon content of the associated packaging	2.75E-02	kg of C	2.75E-02	0*	0*	0*	0*	0*	0*	0.00E+00

For biogenic carbon storage, the methodology use is 0/0

* represents less than 0.01% of the total life cycle of the reference flow

(¹) For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

The values of the indicators defined in the PCR-ed4-EN-2021 09 06 are available in the digital database of pep-ecopassport.org website.

For all products concerned (see § «products concerned»), take these impacts values.

Product Environmental Profile

Patchcord optical fiber SC/SC & LC/SC & LC/LC OS2 & OM3 & OM4 UNIBOOT & DUPLEX



Associated references		Coefficient of extrapolation of environmental indicators					
		Total life Cycle	Manufacturing	Distribution	Installation	Use	End of life
032607	CORDON DUPLEX LC/LC OS2 2m	1.0	1.0	1.0	1.0	1.0	1.0
032600	CORDON DUPLEX SC/SC OS2 1M CORE LSZH	0.5	0.5	0.5	1.0	1.0	1.2
032601	CORDON DUPLEX SC/SC OS2 2M CORE LSZH	0.7	1.0	0.6	1.0	1.0	1.5
032602	CORDON DUPLEX SC/SC OS2 3M CORE LSZH	1.6	1.5	1.6	1.1	1.0	1.9
032603	CORDON DUPLEX LC/SC OS2 1M CORE LSZH	1.0	0.5	1.1	1.0	1.0	1.1
032604	CORDON DUPLEX LC/SC OS2 2M CORE LSZH	1.0	1.0	1.0	1.0	1.0	1.4
032605	CORDON DUPLEX LC/SC OS2 3M CORE LSZH	1.5	1.5	1.5	1.1	1.0	1.9
032628	CORDON DUPLEX LC/LC OS2 0.5M CORE LSZH	0.2	0.3	0.1	1.0	1.0	0.8
032606	CORDON DUPLEX LC/LC OS2 1M CORE LSZH	0.6	0.5	0.6	1.0	1.0	0.8
032608	CORDON DUPLEX LC/LC OS2 3M CORE LSZH	1.3	1.5	1.3	1.1	1.0	1.3
032629	CORDON DUPLEX LC/LC OS2 5M CORE LSZH	1.0	2.5	0.9	1.1	1.0	1.7
132082	CORE 1M 2MM OM5 LSZH DFX LM LC MDC AA	0.4	0.3	0.4	1.0	1.0	0.4
132083	CORE 1M 2MM OS2 LSZH DFX YL LC MDC AA	0.4	0.3	0.4	1.0	1.0	0.4
132084	CORE 1M 2MM OM4 LSZH DFX AQ MDC MDC AA	0.3	0.3	0.3	1.0	1.0	0.4
132085	CORE 2M 2MM OM4 LSZH DFX AQ MDC MDC AA	0.5	0.6	0.4	1.0	1.0	0.5
132086	CORE 3M 2MM OM4 LSZH DFX AQ MDC MDC AA	0.6	0.9	0.5	1.0	1.0	0.8
132087	CORE 5M 2MM OM4 LSZH DFX AQ MDC MDC AA	0.6	1.5	0.5	1.0	1.0	0.8
132088	CORE 1M 2MM OS2 LSZH DFX YL MDC MDC AA	0.4	0.3	0.4	1.0	1.0	0.4
132089	CORE 2M 2MM OS2 LSZH DFX YL MDC MDC AA	0.4	0.3	0.4	1.0	1.0	0.5
132090	CORE 3M 2MM OS2 LSZH DFX YL MDC MDC AA	0.5	0.9	0.5	1.0	1.0	0.6
132091	CORE 5M 2MM OS2 LSZH DFX YL MDC MDC AA	0.6	1.5	0.5	1.0	1.0	0.8
132092	CORE 1M 2MM OM5 LSZH DFX LM MDC MDC AA	0.4	0.3	0.4	1.0	1.0	0.4
032686	CORDON UNIBOOT LC/LC OS2 POLARITE REVERSIBLE ULTRA LSZH 1M	0.5	0.5	0.5	1.7	0.3	1.7
032687	CORDON UNIBOOT LC/LC OS2 POLARITE REVERSIBLE ULTRA LSZH 2M	0.6	1.0	0.5	1.0	0.3	2.1
032688	CORDON UNIBOOT LC/LC OS2 POLARITE REVERSIBLE ULTRA LSZH 3M	1.5	1.5	1.5	1.0	0.3	2.4
032689	CORDON UNIBOOT LC/LC OS2 POLARITE REVERSIBLE ULTRA LSZH 5M	0.4	2.5	0.1	2.7	0.3	3.0
032692	CORDON UNIBOOT LC/LC OS2 POLARITE REVERSIBLE ULTRA LSZH 10M	2.6	5.0	2.3	2.7	0.3	4.3
132081	CORE 1M 2MM OM4 LSZH DFX AQ LC MDC AA	0.4	0.3	0.4	1.0	0.3	0.4
032527	CORDON DUPLEX SC/SC OS2 1M ULTRA LSZH	0.1	0.5	0.1	1.0	0.3	1.2
032528	CORDON DUPLEX SC/SC OS2 2M ULTRA LSZH	0.2	1.0	0.1	1.0	0.3	1.4
032529	CORDON DUPLEX SC/SC OS2 3M ULTRA LSZH	0.3	1.5	0.1	1.1	0.3	1.9
032530	CORDON DUPLEX LC/SC OS2 1M ULTRA LSZH	2.7	0.5	3.0	1.0	0.3	1.1
032531	CORDON DUPLEX LC/SC OS2 2M ULTRA LSZH	3.1	1.0	3.4	1.0	0.3	1.3
032532	CORDON DUPLEX LC/SC OS2 3M ULTRA LSZH	0.6	1.5	0.5	1.1	0.3	1.8
032533	CORDON DUPLEX LC/LC OS2 1M ULTRA LSZH	2.2	0.5	2.4	1.0	0.3	0.7
032534	CORDON DUPLEX LC/LC OS2 2M ULTRA LSZH	2.5	1.0	2.7	1.0	0.3	0.9
032535	CORDON DUPLEX LC/LC OS2 3M ULTRA LSZH	3.1	1.5	3.4	1.1	0.3	1.2
032536	CORDON DUPLEX LC/LC OS2 5M ULTRA LSZH	3.8	2.5	4.0	1.1	0.3	1.6
032609	CORDON DUPLEX SC/SC OM3 1M CORE LSZH	0.7	0.5	0.7	1.0	2.1	1.3
032610	CORDON DUPLEX SC/SC OM3 2M CORE LSZH	0.9	1.0	0.9	1.0	2.1	1.6
032611	CORDON DUPLEX SC/SC OM3 3M CORE LSZH	1.9	1.5	1.9	1.1	2.1	1.9
032612	CORDON DUPLEX SC/LC OM3 1M CORE LSZH	0.5	0.5	0.5	1.0	2.1	1.2
032613	CORDON DUPLEX SC/LC OM3 2M CORE LSZH	0.7	1.0	0.6	1.0	2.1	1.7
032614	CORDON DUPLEX SC/LC OM3 3M CORE LSZH	1.3	1.5	1.3	1.1	2.1	1.8
032615	CORDON DUPLEX LC/LC OM3 1M CORE LSZH	0.7	0.5	0.7	1.0	2.1	1.2
032616	CORDON DUPLEX LC/LC OM3 2M CORE LSZH	1.0	1.0	1.0	1.0	2.1	1.0
032617	CORDON DUPLEX LC/LC OM3 3M CORE LSZH	1.2	1.5	1.2	1.1	2.1	1.3
032260	CORDON DUPLEX SC/SC OM4 1M CORE LSZH	0.6	0.5	0.6	1.0	2.1	1.2
032261	CORDON DUPLEX SC/SC OM4 2M CORE LSZH	0.2	1.0	0.1	1.0	2.1	1.5
032262	CORDON DUPLEX SC/SC OM4 3M CORE LSZH	0.3	1.5	0.1	1.1	2.1	1.8
032263	CORDON DUPLEX LC/SC OM4 1M CORE LSZH	0.1	0.5	0.1	1.0	2.1	1.1
032264	CORDON DUPLEX LC/SC OM4 2M CORE LSZH	0.2	1.0	0.1	1.0	2.1	1.3
032265	CORDON DUPLEX LC/SC OM4 3M CORE LSZH	1.1	1.5	1.0	1.1	2.1	1.7
032266	CORDON DUPLEX LC/LC OM4 1M CORE LSZH	0.1	0.5	0.1	1.0	2.1	0.8
032267	CORDON DUPLEX LC/LC OM4 2M CORE LSZH	0.2	1.0	0.1	1.0	2.1	0.9
032268	CORDON DUPLEX LC/LC OM4 3M CORE LSZH	0.3	1.5	0.1	1.1	2.1	1.3
032630	CORDON DUPLEX SC/SC OM4 1M ULTRA LSZH	0.2	0.5	0.1	1.0	2.1	1.2
032631	CORDON DUPLEX SC/SC OM4 2M ULTRA LSZH	0.8	1.0	0.8	1.0	2.1	1.4

Product Environmental Profile

Patchcord optical fiber SC/SC & LC/SC & LC/LC
OS2 & OM3 & OM4 UNIBOOT & DUPLEX



Associated references		Coefficient of extrapolation of environmental indicators					
		Total life Cycle	Manufacturing	Distribution	Installation	Use	End of life
032632	CORDON DUPLEX SC/SC OM4 3M ULTRA LSZH	0.5	1.5	0.4	1.1	2.1	1.8
032633	CORDON DUPLEX LC/LC OM4 0.5M ULTRA LSZH	0.2	0.3	0.1	1.0	2.1	0.7
032634	CORDON DUPLEX LC/LC OM4 1M ULTRA LSZH	0.4	0.5	0.4	1.0	2.1	0.8
HVPC01	CORDON ULTRA OM4 LC LC DUPLEX 1M	0.4	0.5	0.4	1.0	2.1	0.8
032635	CORDON DUPLEX LC/LC OM4 2M ULTRA LSZH	0.6	1.0	0.5	1.0	2.1	1.2
HVPC02	CORDON ULTRA OM4 LC LC DUPLEX 2M	0.6	1.0	0.5	1.0	2.1	1.2
032636	CORDON DUPLEX LC/LC OM4 3M ULTRA LSZH	0.9	1.5	0.8	1.1	2.1	1.3
HVPC03	CORDON ULTRA OM4 LC LC DUPLEX 3M	0.9	1.5	0.8	1.1	2.1	1.3
032637	CORDON DUPLEX LC/LC OM4 5M ULTRA LSZH	0.9	2.5	0.7	1.1	2.1	1.6
HVPC05	CORDON ULTRA OM4 LC LC DUPLEX 5M	0.9	2.5	0.7	1.1	2.1	1.6
032695	CORDON UNIBOOT LC/LC OM4 POLARITE REVERSIBLE ULTRA LSZH 1M	0.8	0.5	0.9	1.0	2.1	1.9
032696	CORDON UNIBOOT LC/LC OM4 POLARITE REVERSIBLE ULTRA LSZH 2M	1.0	1.0	1.0	1.0	2.1	2.2
032697	CORDON UNIBOOT LC/LC OM4 POLARITE REVERSIBLE ULTRA LSZH 3M	1.1	1.5	1.1	1.0	2.1	2.4
032698	CORDON UNIBOOT LC/LC OM4 POLARITE REVERSIBLE ULTRA LSZH 5M	1.0	2.5	0.8	2.7	2.1	3.0

Registration number: LGRP-01765-V01.01-EN	Drafting rules: « PEP-PCR-ed4-EN-2021 09 06 »
Verifier accreditation N°: VH02	Information and reference documents: www.pep-ecopassport.org
Date of issue: 10/2023	Validity period: 5 years
Independent verification of the declaration and data. in compliance with ISO 14025 : 2006	
Internal <input checked="" type="checkbox"/> External <input type="checkbox"/>	
The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)	
PEP are compliant with XP C08-100-1 :2016 or EN 50693 :2019 The elements of the present PEP cannot be compared with elements from another program	
Document in compliance with ISO 14025 : 2006: «Environmental labels and declarations. Type III environmental declarations»	

Environmental data in alignment with EN 15804: 2012 + A2 : 2019