

Your usual Sales office www.legrand.com

Product Environmental Profile

MCCB thermal magnetic DPX³ 250 for application up to 1000 V~





■ LEGRAND'S ENVIRONMENTAL COMMITMENTS

- Incorporate environmental management into our industrial sites
- Of all Legrand sites worldwide, over 85% are ISO 14001-certified (sites belonging to the Group for more than five years).
- Offer our customers environmentally friendly solutions

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.

• Involve the environment in product design and provide informations in compliance with ISO 14025 Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



■ REFERENCE PRODUCT ■

Function	Protect the installation from overloads and short circuits in a circuit with rated voltage 1000V~, rated current 250A, with 3 poles, a rated breaking capacity 20kA, in the Industrial application area, according to the appropriate use scenario, and during the reference service life of the product of 20 years
Reference Product	DP/250 1000V 2 200 A 2
	424905
	DPX ³ 250 - 1000V~, 3P 250A, 20kA

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.



■ PRODUCTS CONCERNED

The environmental data is representative of the following products:

Catalogue Numbers

424900, 424901, 424902, 424903, 424904, 424905, 424910, 424911, 424912, 424913, 424914, 424915





Product Environmental Profile

MCCB thermal magnetic DPX³ 250 for application up to 1000 V~





■ CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It respects the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/EU amended by delegated directive (EU) 2015/863, and its amendment 2017/2102/EU.

Total weight of	
Reference Product	2.76 kg (all packaging included)

Product alone weight : 2.22 kg								
Plastics as % of weight		Metals as % of weight		Other as % of weight				
Polycarbonate	30.3 %	Steel	15.1 %					
Other plastics	15.2 %	Copper and copper alloys	12.8 %					
Thermoset	2.7 %	Silver alloys	0.9 %					
Polyamide	2.7 %	Iron	0.2 %					
Polystyrene	0.7 %	Other metals	0.1 %					
POM	0.1 %							

Packaging (alone) : 0.54 kg							
Polyethylene (LDPE)	0.1 %			Wood	11.1 %		
				Cardboard	8.0 %		
Total plastics : 1.43 kg	51.8 %	Total metals : 0.80 kg	29.1 %	Total others : 0.53 kg	19.1 %		



■ MANUFACTURE ■

This Reference Product comes from a site that have received ISO14001 certification. The final assembly site is located in Korea.



■ DISTRIBUTION **■**

Products are distributed from logistics centres located with a view to optimize transport efficiency. The Reference Product is therefore transported over an average distance of 3500 km by road from our warehouse to the local point of distribution into the International market.

Packaging is compliant with European directive 2004/12/EU concerning packaging and packaging waste.



INSTALLATION I

For the installation of the product, only standard tools are needed.



USF

Under normal conditions of use, this product requires no servicing, no maintenance or additional products.



Your usual Sales office www.legrand.com

Product Environmental Profile

MCCB thermal magnetic DPX³ 250 for application up to 1000 V~





■ END OF LIFE I

The product end of life factors are taken into account during the design phase. Dismantling and sorting of components or materials is made as easy as possible with a view to recycling or failing that, another form of reuse.

This product falls within the scope of the WEEE directive (2012/19/EU). Therefore it must be processed through local WEEE recycling/recovery channels.

Extended producer responsability

The sale of this product is subject to a contribution to eco-organisations in each country responsible for managing end of life products in the field of application of the European Waste Electronic and Electrical Equipment Directive.



■ ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use and end of life. It is representative of products marketed and used worldwide, in compliance with the local current standards. The data collected for this PEP are representative of the year 2025.

For each phase, the following modelling elements were taken in account:

	Manufacture A1-A3	Materials and components of the product, all transport for the manufacturing, the packaging and the waste generated by the manufacturing.
	Distribution A4	Transport between the last Group distribution centre and an average delivery point in the sales area.
n Limit	Installation A5	The end of life of the packaging.
System	Use B1-B7	 Product category: PSR-0005-ed3.1-2023 12 08 - § 3.2 «Circuit breakers». Use scenario: non-continuous operation for 20 years at 50% of rated load, during 30% of the time. This modelling duration does not constitute a minimum durability requirement. Energy model: Electricity Mix; production mix; Low voltage; Global, GLO
	End of life C1-C4	Choice of end-of-life by default model for PCR-ed4-EN-2021 09 06
D Mc	odule	Module D is calculated according to PCR-ed4-EN-2021 09 06 based on the materials recycled and the modelled end-of-life scenario. It expresses the net benefits and burdens beyond the boundaries of the system, and are not to be included in the life cycle totals.
	ware and data- used	EIME V6 and its CODDE-2024-06 database The set of indicators used is Indicators for PEF EF 3.1 (compliance: PEP ed.4, EN15804+A2) v2.0

Unless otherwise indicated the modelling energetic mix are those integrated in the data modules used from the aformentioned database.



Your usual Sales office www.legrand.com

Product Environmental Profile

MCCB thermal magnetic DPX³ 250 for application up to 1000 V~





■ ENVIRONMENTAL IMPACTS

		it. Ola	Manufacturing	Distribution	Installation		Use ⁽¹⁾		End of Life
	Total	Life Cycle	A1-A3	A4	A5	Total B1-B7	B2	В6	C1-C4
Climate change - total	6.36E+02	kg CO ₂ eq.	1.56E+01	4.86E-01	1.06E+00	6.16E+02	0.00E+00	6.16E+02	2.13E+00
Climate change - fossil fuels	6.33E+02	kg CO ₂ eq.	1.40E+01	4.86E-01	2.12E-01	6.16E+02	0.00E+00	6.16E+02	2.08E+00
Climate change - biogenics	3.05E+00	kg CO ₂ eq.	1.67E+00	0.00E+00	8.45E-01	4.86E-01	0.00E+00	4.86E-01	4.57E-02
Climate change - land use and land use transformation	1.36E-03	kg CO ₂ eq.	1.36E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.37E-07
Ozone depletion	4.27E-06	kg CFC-11 eq.	1.28E-06	7.47E-10	6.79E-09	2.90E-06	0.00E+00	2.90E-06	8.15E-08
Acidification (AP)	4.04E+00	mole of H+ eq.	1.86E-01	3.08E-03	1.29E-03	3.84E+00	0.00E+00	3.84E+00	1.44E-02
Freshwater eutrophication	2.38E-03	kg P eq.	5.42E-04	0*	0*	4.45E-04	0.00E+00	4.45E-04	1.39E-03
Marine aquatic eutrophication	4.56E-01	kg of N eq.	2.00E-02	1.45E-03	3.49E-04	4.31E-01	0.00E+00	4.31E-01	2.61E-03
Terrestrial eutrophication	5.44E+00	mole of N eq.	2.16E-01	1.59E-02	4.43E-03	5.17E+00	0.00E+00	5.17E+00	3.31E-02
Photochemical ozone formation	1.51E+00	kg NMVOC eq.	6.97E-02	4.00E-03	9.80E-04	1.43E+00	0.00E+00	1.43E+00	8.33E-03
Depletion of abiotic resources - elements	3.01E-02	kg Sb eq.	2.99E-02	0*	0*	8.50E-05	0.00E+00	8.50E-05	4.52E-05
Depletion of abiotic resources - fossil fuels	1.17E+04	МЈ	4.20E+02	6.79E+00	3.81E+00	1.12E+04	0.00E+00	1.12E+04	9.14E+01
Water requirement	4.36E+01	m³ deprivation worldwide eq.	8.11E+00	0*	8.06E-03	3.39E+01	0.00E+00	3.39E+01	1.60E+00
Emission of fine particles	2.45E-05	incidence of diseases	1.15E-06	2.51E-08	9.13E-09	2.33E-05	0.00E+00	2.33E-05	8.44E-08

-1.86E+00 -4.26E-02

0.00E+00

Module D -1.90E+00

-1.41E-07 -4.21E-02 -9.36E-07

-1.36E-03 -1.54E-02

-7.49E-03 -2.92E-04

-1.18E+02

-2.45E+00

-2.48E-07

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

PEP ecopassport n° LGRP-02222-V01.01-EN

^{*}Represents less than 0.01% of the total life cycle of the reference flow

⁽¹⁾ For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table



Your usual Sales off www.legrand.com Your usual Sales office

Product Environmental Profile

MCCB thermal magnetic DPX³ 250 for application up to 1000 V~



	Total Life Cycle		Manufacturing	Distribution	Installation		Use ⁽¹⁾		End of Life
			A1-A3	A4	A5	Total B1-B7	B2	В6	C1-C4
Ionizing radiation, human health	1.77E+04	kBq of U235 eq.	1.75E+04	0*	0*	2.43E+02	0.00E+00	2.43E+02	0*
Ecotoxicity (fresh water)	2.12E+03	CTUe	9.44E+02	3.19E-01	4.64E+00	1.10E+03	0.00E+00	1.10E+03	6.47E+01
Human toxicity, carcinogenic effects	3.07E-07	CTUh	2.29E-07	0*	3.36E-11	7.59E-08	0.00E+00	7.59E-08	1.85E-09
Human toxicity, non-carcinogenic effects	4.25E-06	CTUh	1.54E-06	0*	1.39E-09	2.58E-06	0.00E+00	2.58E-06	1.25E-07
Impacts related to land use/soil quality	1.60E+01	-	5.37E+00	0.00E+00	3.62E-03	6.38E+00	0.00E+00	6.38E+00	4.21E+00
Use of renewable primary energy, excluding renewable primary energy resources used as raw materials	1.42E+03	МЈ	1.39E+01	0*	2.61E-01	1.40E+03	0.00E+00	1.40E+03	1.94E+00
Use of renewable primary energy resources used as raw materials	1.26E+01	МЈ	1.26E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials)	1.43E+03	МЈ	2.66E+01	0*	2.61E-01	1.40E+03	0.00E+00	1.40E+03	1.94E+00
Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials	1.16E+04	МЈ	3.77E+02	6.79E+00	3.81E+00	1.12E+04	0.00E+00	1.12E+04	9.14E+01
Use of non-renewable primary energy resources used as raw materials	4.37E+01	MJ	4.37E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials)	1.17E+04	MJ	4.20E+02	6.79E+00	3.81E+00	1.12E+04	0.00E+00	1.12E+04	9.14E+01

Module D -5.93E+01 -9.00E+00 -1.44E-08 -4.98E-07 -2.33E-03 -9.44E-01 0.00E + 00-9.44E-01 -1.18E+02 -1.62E-01 -1.18E+02

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

PEP ecopassport n° LGRP-02222-V01.01-EN

Page 5 / 7

^{*}Represents less than 0.01% of the total life cycle of the reference flow

⁽¹⁾ For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table



Your usual Sales office www.legrand.com

Product Environmental Profile

MCCB thermal magnetic DPX³ 250 for application up to 1000 V~



	Total Life Cycle		Manufacturing	Distribution	Installation		Use ⁽¹⁾		End of Life
			A1-A3	A4	A5	Total B1-B7	B2	В6	C1-C4
Use of secondary materials	0.00E+00	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	0.00E+00	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	0.00E+00	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water	1.02E+00	m³	1.89E-01	0*	3.15E-04	7.90E-01	0.00E+00	7.90E-01	3.77E-02
Hazardous waste disposed of	1.47E+02	kg	1.28E+02	0.00E+00	2.01E-01	1.54E+01	0.00E+00	1.54E+01	3.00E+00
Non-hazardous waste disposed of	1.12E+02	kg	7.48E+00	1.71E-02	2.81E-02	1.05E+02	0.00E+00	1.05E+02	1.30E-01
Radioactive waste disposed of	1.72E-02	kg	4.36E-03	1.22E-05	1.18E-05	1.27E-02	0.00E+00	1.27E-02	6.91E-05
Components for re-use	0.00E+00	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for recycling	7.49E-01	kg	1.80E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.68E-01
Materials for energy recovery	0.00E+00	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Exported energy	0.00E+00	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of primary energy during the life cycle	1.31E+04	MJ	4.47E+02	6.80E+00	4.07E+00	1.26E+04	0.00E+00	1.26E+04	9.34E+01
Biogenic carbon content of the product	0.00E+00	kg of C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the associated packaging	1.28E-01	kg of C	1.28E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Module D

0.00E+00
0.00E+00
0.00E+00
-5.70E-02
-2.68E+01
-1.75E-01
-4.27E-05
0.00E+00
0.00E+00
0.00E+00
0.00E+00
0.00E+00

In accordance with current PCR rules, the environmental indicator values in the «Module D» column must not be summed with the values in the «Total Life Cycle» column

The values of the indicators defined in the PCR-ed4-EN-2021 09 06 are available in the digital database of pep-ecopassport.org website.

PEP ecopassport n° LGRP-02222-V01.01-EN

^{*}Represents less than 0.01% of the total life cycle of the reference flow

⁽¹⁾ For the Use phase and according to the current PCR, the information modules B1, B3, B4, B5 and B7, all having indicator values equal to «0» (zero), are not listed in this table



Your usual Sales office www.legrand.com

Product Environmental Profile

MCCB thermal magnetic DPX³ 250 for application up to 1000 V~



To obtain the values of the environmental impacts of the products covered by the document and different from the Reference Product, apply the following extrapolation coefficients to the environmental impacts of the Reference Product.

Catalogue numbers	Total Life Cycle	Manufacturing and Distribution	Installation	Use	End of life
424900	0.9	1.0	1.0	0.4	1.0
424901	0.9	1.0	1.0	0.3	1.0
424902	0.9	1.0	1.0	0.4	1.0
424903	0.9	1.0	1.0	0.6	1.0
424904	1.0	1.0	1.0	0.7	1.0
424905	1.0	1.0	1.0	1.0	1.0
424910	1.1	1.3	1.3	0.6	1.2
424911	1.1	1.3	1.3	0.5	1.2
424912	1.1	1.3	1.3	0.5	1.2
424913	1.2	1.3	1.3	0.8	1.2
424914	1.2	1.3	1.3	0.9	1.2
424915	1.3	1.3	1.3	1.3	1.2

Registration number: LGRP-02222-V01.01-EN	Drafting rules: «PEP-PCR-ed4-EN-2021 09 06» Supplemented by «PSR-0005-ed3.1-EN-2023 12 08»
Verifier accreditation N°: VH23	Information and reference documents: www.pep-ecopassport.org
Date of issue: 10-2025	Validity period: 5 years
Independent verification of the declaration and data, in compliance	ce with ISO 14025 : 2006
Internal ⊠ External □	PEP
The PCR review was conducted by a panel of experts chaired by Julio	
PEP are compliant with XP C08-100-1:2016 or EN 50693:2019 The elements of the present PEP cannot be compared with elements	PASS
Document in compliance with ISO 14025 : 2006: «Environmental labe Type III environmental declarations»	

Environmental data in alignment with EN 15804: 2012 + A2: 2019