

Data Sheet



Excel Life™ Medical Range, Common Plate RCD Double Powerpoint, 10A – Antimicrobial* 30mA ELECTRESAFE

CAT NO. **EC777EL30CAWE**



EC777EL30CAWE

Cat No	EC777EL30CAWE
Description	Excel Life™ Medical Range, Common Plate, Double Powerpoint, 10A – Antimicrobial 30mA Electresafe
Supply voltage	230 – 240V a.c.
Frequency	50Hz
Maximum Current	10A
Maximum Tripping Current	30mA
Withstand Rating	3kA (with 20A HRC fuse)
Protection against solid bodies	IK04
IP rating	IP30
Power Available LED	Amber
Power Supplied LED	Red
Colours	White (WE)
Plate size	74mmW x 118mmH x 10mmD
Mounting centres	84mm
Operating temperature	5° to 35°C
Glass/tile cut out	56mm x 96mm
Standard	AS/NZS 3112, AS/NZS 3003, AS/NZS 3190

Excel Life™ Medical Range, Common Plate RCD Double Powerpoint, 10A – Antimicrobial*

30mA ELECTRESAFE

CAT NO. **EC777EL30CAWE**



- Chemical Resistant and Antimicrobial
- Internal safety shutters for extra safety
- High sensitivity 30mA tripping current
- Power Available LED (Amber) and Power Supplied LED (Red)
- Does not trip on Mains failure
- More fixing options – 4 corners
- Retained terminal screws
- Marked accordingly to AS/NZS3003-2011
- Colour - White

Single product		
Cat No	Dimensions	Barcode
EC777EL30CAWE	85mmW x 117mmH x 50mmD	9321001427995

Inner box (QTY 2)		
Cat No	Dimensions	Barcode
EC777EL30CAWE	175mmW x 165mmH x 125mmD	9321001428800

Outer box (QTY 24)		
Cat No	Dimensions	Barcode
EC777EL30CAWE	608mmW x 308mmH x 340mmD	9321001429616

*Antimicrobial Specifications			
Maintenance	Surface cleaning with cloth: Hospital-grade water-based cleaners only. Do not use any solvent based cleaner such as acetone, tar-remover or trichloroethylene.		
Antimicrobial Properties	Challenge Organism	Polycarbonate alloy in facia parts	Polycarbonate alloy in switch dolly
		Reduction Coefficient/Kill Rate	
Note: 5 Log = 99.9999% 4 Log = 99.99% 3 Log = 99.9% 2 Log = 99%	Escherichia Coli	2.55 Log / 99.72%	6.72 Log / 99.9999%
	Staphylococcus aureus	2.70 Log / 99.79%	5.22 Log / 99.9999%
<p>Tests performed according to JIS Z 2801:2010 (Antimicrobial products – Test for antimicrobial activity and efficacy). Test method is equivalent to procedure detailed in ISO 22196:2011 (Measurement of antibacterial activity on plastics and other non-porous surfaces). Test results available upon request.</p> <p>Not to be used as an alternative or substitute for standard hygienic practices, procedures, or protocols.</p> <p>This device has a long-term antimicrobial effect. Lifespan is dependent upon cleaning procedures and the use of recommended cleaning products.</p> <p>Product manufactured with antimicrobial material based on Ag+ ions. This technology limits the proliferation of bacteria on our devices without increasing antibiotic resistance.</p>			

HPM Legrand - AUS
1300 369 777
www.legrand.com.au
ABN 31 000 102 661

HPM Legrand - NZ
0800 476 009
www.legrand.co.nz

Refer to your group buying office, HPM Legrand Sales Representative or HPM Legrand Sales Office for pricing.

Please note: specifications are subject to change without prior notice.