


LIVING  
**now**
**Wireless light switch**

**1. USE**


It allows the ON/OFF control of one or more connected devices for the lighting control. Surface installation with repositionable stickers (supplied) or onto a flush mounting box. Integrated LED for low battery indication. Powered by battery 3V type CR2032 (supplied) with an autonomy of 8 years - 2 modules.

**2. RANGE**


Designation	Cat. Nos.	Related Cover code
Wireless lighting and socket control, for ON/OFF, dimmer, centralisation function. Supplied complete with battery. Equipped with an LED indicator (configuration) and a RESET button (hidden) used to return to factory settings. Repositionable self-adhesive fixings supplied.	K40003CW	<input type="checkbox"/> KW42M2 <input type="checkbox"/> KM42M2 <input type="checkbox"/> KG42M2

**Colours code:**

- White
- Sand
- Black

**3. DIMENSIONS**


A	B	C
73	76	9

**4. OPERATION**

**5. TECHNICAL CHARACTERISTICS**
**■ 5.1 Mechanical characteristics**

Protection against impacts: IK 02

Protection against solid bodies/liquids: IP 20 without plate or rocker plate

**■ 5.2 Material characteristics**

Mechanism casing with grid: Fibreglass-reinforced (10 %) PC

Mechanism functional cover : PC/ABS

Supporting base: fiberglass-reinforced PA (60%)

Halogen-free

UV resistant

Self-extinguishing: 650°C/30 s

**■ 5.3 Electrical characteristics**

Powered by a CR2032 - 3 V lithium battery (supplied)

Battery life: 8 years for 10 activations a day

**ZigBee radio technology** frequency: 2.4 GHz to 2.4835 GHz

Power level: REC 70-03: < 20 dBm

Wireless mesh network, self-adaptive and secure (AES 128), conforming to standard IEEE 802.15.4 (LR-WPAN)

**■ 5.4 Climate characteristics**

Usage temperature: +5°C to +45°C

Storage temperature: 0°C to +45°C

## Wireless light switch

---

### 6. CARE

Clean the surface with a cloth.  
Do not use acetone, tar-removing cleaning agents or trichloroethylene.

Resistant to the following products: Hexane (EN 60669-1), methylated spirit, soapy water, diluted ammonia, bleach diluted to 10%, window-cleaning products, pre-impregnated wipes.

**Caution:** Always test before using special cleaning products.

The plates must not be painted.



Take care to recycle the battery appropriately

### 8. STANDARDS AND APPROVALS

The undersigned, BTICINO, declares that the radio-electric equipment type (K4003CW) complies with directive 2014/53/EU.

The full text of the EU declaration of conformity is available on the following website: [www.bticino.it/red](http://www.bticino.it/red)