

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2145693-0
Report Reference E177464-19970530
Date 14-Jan-2022

Issued to: CABLOFIL INC
8319 ILLINOIS STATE RTE 4 MASCOUTAH, IL 62258
United States

This is to certify that
representative samples of CYNW7 - Cable Trays, Metal Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.


Standard(s) for Safety:

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2145693-0
 Report Reference E177464-19970530
 Date 14-Jan-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cat Nos. CDO100xx, where xx designates finish in either Black, Electrocoat, or Special Paint.	Dropouts for Wire Mesh Cable Trays
CF 105/100	Wire Mesh Cable Trays
CF 105/150	Wire Mesh Cable Trays
CF 105/200	Wire Mesh Cable Trays
CF 105/300	Wire Mesh Cable Trays
CF 105/400	Wire Mesh Cable Trays
CF 105/450	Wire Mesh Cable Trays
CF 105/500	Wire Mesh Cable Trays
CF 105/600	Wire Mesh Cable Trays
CF 150/150	Wire Mesh Cable Trays
CF 150/200	Wire Mesh Cable Trays
CF 150/250	Wire Mesh Cable Trays
CF 150/300	Wire Mesh Cable Trays
CF 150/400	Wire Mesh Cable Trays
CF 150/450	Wire Mesh Cable Trays
CF 150/500	Wire Mesh Cable Trays
CF 150/600	Wire Mesh Cable Trays
CF 150/900	Wire Mesh Cable Trays
CF 30/100	Wire Mesh Cable Trays
CF 30/150	Wire Mesh Cable Trays
CF 30/200	Wire Mesh Cable Trays
CF 30/50	Wire Mesh Cable Trays
CF 54/100	Wire Mesh Cable Trays
CF 54/150	Wire Mesh Cable Trays
CF 54/200	Wire Mesh Cable Trays
CF 54/300	Wire Mesh Cable Trays
CF 54/400	Wire Mesh Cable Trays
CF 54/450	Wire Mesh Cable Trays
CF 54/50	Wire Mesh Cable Trays
CF 54/500	Wire Mesh Cable Trays
CF 54/600	Wire Mesh Cable Trays
CFG 50/100	Wire Mesh Cable Trays
CFG 50/150	Wire Mesh Cable Trays
CFG 50/200	Wire Mesh Cable Trays
Coupling A	Wire Mesh Cable Tray Connector and Coupler Fittings
Coupling B	Wire Mesh Cable Tray Connector and Coupler Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2145693-0
 Report Reference E177464-19970530
 Date 14-Jan-2022

ED1100RSKIT, (may include suffixes designating size, material, and finish)	Wire Mesh Cable Tray Connector and Coupler Fittings
ED275RSKIT, (may include suffixes designating size, material, and finish)	Wire Mesh Cable Tray Connector and Coupler Fittings
EDRN	Wire Mesh Cable Tray Connector and Coupler Fittings
EDT	Wire Mesh Cable Tray Connector and Coupler Fittings
EZT 90	Wire Mesh Cable Tray Connector and Coupler Fittings
FT 100/100	Trough Type Cable Trays
FT 100/200	Trough Type Cable Trays
FT 100/300	Trough Type Cable Trays
FT 100/500	Trough Type Cable Trays
FT 100/600	Trough Type Cable Trays
FT 50/100	Trough Type Cable Trays
FT 50/200	Trough Type Cable Trays
FT 50/300	Trough Type Cable Trays
FT 50/50	Trough Type Cable Trays
G-Mini	Wire Mesh Cable Trays
RADT 90, (may include suffixes designating size, material, and finish).	Wire Mesh Cable Tray Connector and Coupler Fittings
RADT 9012, (may include suffixes designating size, material, and finish)	Wire Mesh Cable Tray Connector and Coupler Fittings
SWK B	Wire Mesh Cable Tray Connector and Coupler Fittings
UDO12xx, where xx designates finish in either Black, Electro zinc, or Special Paint.	Center Style Dropout
UDO18xx, where xx designates finish in either Black, Electro zinc, or Special Paint.	Center Style Dropout
UDO24xx, where xx designates finish in either Black, Electro zinc, or Special Paint.	Center Style Dropout
UDO8xx, where xx designates finish in either Black, Electro zinc, or Special Paint.	Center Style Dropout
VT 100/100	Trough Type Cable Trays
VT 100/200	Trough Type Cable Trays
VT 100/300	Trough Type Cable Trays
VT 100/500	Trough Type Cable Trays
VT 100/600	Trough Type Cable Trays
VT 50/100	Trough Type Cable Trays
VT 50/200	Trough Type Cable Trays
VT 50/300	Trough Type Cable Trays
VT 50/50	Trough Type Cable Trays
ZF 105/100	Wire Mesh Cable Trays
ZF 105/150	Wire Mesh Cable Trays
ZF 105/200	Wire Mesh Cable Trays

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>.



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2145693-0
Report Reference E177464-19970530
Date 14-Jan-2022

ZF 105/300	Wire Mesh Cable Trays
ZF 105/400	Wire Mesh Cable Trays
ZF 105/450	Wire Mesh Cable Trays
ZF 105/500	Wire Mesh Cable Trays
ZF 105/600	Wire Mesh Cable Trays
ZF 150/150	Wire Mesh Cable Trays
ZF 150/200	Wire Mesh Cable Trays
ZF 150/250	Wire Mesh Cable Trays
ZF 150/300	Wire Mesh Cable Trays
ZF 150/400	Wire Mesh Cable Trays
ZF 150/450	Wire Mesh Cable Trays
ZF 150/500	Wire Mesh Cable Trays
ZF 150/600	Wire Mesh Cable Trays
ZF 150/900	Wire Mesh Cable Trays
ZF 54/100	Wire Mesh Cable Trays
ZF 54/150	Wire Mesh Cable Trays
ZF 54/200	Wire Mesh Cable Trays
ZF 54/300	Wire Mesh Cable Trays
ZF 54/400	Wire Mesh Cable Trays
ZF 54/450	Wire Mesh Cable Trays
ZF 54/50	Wire Mesh Cable Trays
ZF 54/500	Wire Mesh Cable Trays
ZF 54/600	Wire Mesh Cable Trays



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2145693-1
Report Reference E177464-19970530
Date 14-Jan-2022

Issued to: CABLOFIL INC
8319 ILLINOIS STATE RTE 4 MASCOUTAH, IL 62258
United States

This is to certify that
representative samples of CYNW - Cable Trays, Metal
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.


Standard(s) for Safety: NEMA VE 1, 6th Ed., Issue Date: 2017-07-14, NFPA 70,
Edition 2020, Issue Date 2020-03-10

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2145693-1
Report Reference E177464-19970530
Date 14-Jan-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cat Nos. CDO100xx, where xx designates finish in either Black, Electrocoat, or Special Paint.	Dropouts for Wire Mesh Cable Trays
CF 100 - 3.94 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series , CF 100 – 3.94 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 105/150	Wire Mesh Cable Trays
CF 105/150 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 105/200	Wire Mesh Cable Trays
CF 105/200 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 105/300	Wire Mesh Cable Trays
CF 105/300 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 105/400	Wire Mesh Cable Trays
CF 105/400 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 105/450	Wire Mesh Cable Trays
CF 105/500	Wire Mesh Cable Trays
CF 105/500 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 105/550	Wire Mesh Cable Trays
CF 105/550 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 105/600	Wire Mesh Cable Trays
CF 105/600 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 105/750	Wire Mesh Cable Trays

B. Mahlenz

Bruce Mahlenz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2145693-1
Report Reference E177464-19970530
Date 14-Jan-2022

CF 105/750 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 105/900	Wire Mesh Cable Trays
CF 105/900 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series , CF 150 – 5.9 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 150 – 5.9 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/150	Wire Mesh Cable Trays
CF 150/150 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/200	Wire Mesh Cable Trays
CF 150/200 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/250	Wire Mesh Cable Trays
CF 150/250 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/300	Wire Mesh Cable Trays
CF 150/300 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/400	Wire Mesh Cable Trays
CF 150/400 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/450	Wire Mesh Cable Trays
CF 150/450 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/500	Wire Mesh Cable Trays
CF 150/500 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/550	Wire Mesh Cable Trays
CF 150/550 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/600	Wire Mesh Cable Trays

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2145693-1
Report Reference E177464-19970530
Date 14-Jan-2022

CF 150/600 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/750	Wire Mesh Cable Trays
CF 150/750 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 150/900	Wire Mesh Cable Trays
CF 150/900 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series , CF 200 – 7.87 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 200 – 7.87 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series , CF 250 – 9.84 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 250 – 9.84 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 30/300	Wire Mesh Cable Trays
CF 30/300 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series , CF 300 – 11.81 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 300 – 11.81 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series , CF 400 – 15.75 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 400 – 15.75 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series , CF 450 – 17.72 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 450 – 17.72 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series , CF 50 – 1.97 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 50 – 1.97 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2145693-1
Report Reference E177464-19970530
Date 14-Jan-2022

CF Series, CF 500 – 19.69 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 500 – 19.69 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 54/300	Wire Mesh Cable Trays
CF 54/300 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 54/300 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 54/400	Wire Mesh Cable Trays
CF 54/400 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 54/450	Wire Mesh Cable Trays
CF 54/450 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 54/500	Wire Mesh Cable Trays
CF 54/500 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 54/550	Wire Mesh Cable Trays
CF 54/550 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 54/600	Wire Mesh Cable Trays
CF 54/600 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 54/750	Wire Mesh Cable Trays
CF 54/750 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 54/900	Wire Mesh Cable Trays
CF 54/900 HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series, CF 550 – 21.65 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 550 – 21.65 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2145693-1
 Report Reference E177464-19970530
 Date 14-Jan-2022

CF Series, CF 600 – 23.62 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 600 – 23.62 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series, CF 750 – 29.53 in.	Wire Mesh Cable Trays - Custom Order Sizes
CF 750 – 29.53 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF 900 – 35.43 in. HR, HR for wire mesh cable trays with Zinc-Aluminum finish and may or may not be coated with black or special paint	Cable Trays
CF Series, CF 900 – 35.43 in.	Wire Mesh Cable Trays - Custom Order Sizes
Coupling A	Wire Mesh Cable Tray Connector and Coupler Fittings
Coupling B	Wire Mesh Cable Tray Connector and Coupler Fittings
ED1100RSKIT, (may include suffixes designating size, material, and finish)	Wire Mesh Cable Tray Connector and Coupler Fittings
ED275RSKIT, (may include suffixes designating size, material, and finish)	Wire Mesh Cable Tray Connector and Coupler Fittings
EDRN	Wire Mesh Cable Tray Connector and Coupler Fittings
EDT	Wire Mesh Cable Tray Connector and Coupler Fittings
EZ Clic	Ventilated Cable Tray Connection
EZT 90	Wire Mesh Cable Tray Connector and Coupler Fittings
FT 100/100	Trough Type Cable Trays
FT 100/200	Trough Type Cable Trays
FT 100/300	Trough Type Cable Trays
FT 100/500	Trough Type Cable Trays
FT 100/600	Trough Type Cable Trays
FT 50/100	Trough Type Cable Trays
FT 50/200	Trough Type Cable Trays
FT 50/300	Trough Type Cable Trays
FT 50/50	Trough Type Cable Trays
FTEC 100	Ventilated and Unventilated Cable Tray Corner Splices
FTEC 50	Ventilated and Unventilated Cable Tray Corner Splices
FTEF 100	Ventilated and Unventilated Cable Tray Corner Splices

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2145693-1
 Report Reference E177464-19970530
 Date 14-Jan-2022

FTEF 50	Ventilated and Unventilated Cable Tray Corner Splices
GBSM Series , GBSM 2 - 2 in.	Ventilated Cable Trays
GBSM Series , GBSM 4 - 4 in.	Ventilated Cable Trays
HBSP Series , HBSP 2/12	Ventilated Cable Trays
HBSP Series , HBSP 2/6	Ventilated Cable Trays
HBSP Series , HBSP 4/12	Ventilated Cable Trays
HBSP Series , HBSP 4/6	Ventilated Cable Trays
HBSM Series , HSBM 2 - 2 in.	Ventilated Cable Trays
HBSM Series , HSBM 4 - 4 in.	Ventilated Cable Trays
RADT 90, (may include suffixes designating size, material, and finish).	Wire Mesh Cable Tray Connector and Coupler Fittings
RADT 9012, (may include suffixes designating size, material, and finish)	Wire Mesh Cable Tray Connector and Coupler Fittings
SWK B	Wire Mesh Cable Tray Connector and Coupler Fittings
UDO12xx, where xx designates finish in either Black, Electro zinc, or Special Paint.	Center Style Dropout
UDO18xx, where xx designates finish in either Black, Electro zinc, or Special Paint.	Center Style Dropout
UDO24xx, where xx designates finish in either Black, Electro zinc, or Special Paint.	Center Style Dropout
UDO8xx, where xx designates finish in either Black, Electro zinc, or Special Paint.	Center Style Dropout
VT 100/100	Trough Type Cable Trays
VT 100/200	Trough Type Cable Trays
VT 100/300	Trough Type Cable Trays
VT 100/500	Trough Type Cable Trays
VT 100/600	Trough Type Cable Trays
VT 50/100	Trough Type Cable Trays
VT 50/200	Trough Type Cable Trays
VT 50/300	Trough Type Cable Trays
VT 50/50	Trough Type Cable Trays
ZF Series , ZF 100 – 3.94 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF 105/150	Wire Mesh Cable Trays
ZF 105/200	Wire Mesh Cable Trays
ZF 105/300	Wire Mesh Cable Trays
ZF 105/400	Wire Mesh Cable Trays
ZF 105/450	Wire Mesh Cable Trays
ZF 105/500	Wire Mesh Cable Trays
ZF 105/550	Wire Mesh Cable Trays
ZF 105/600	Wire Mesh Cable Trays
ZF 105/750	Wire Mesh Cable Trays
ZF 105/900	Wire Mesh Cable Trays

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>.



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2145693-1
 Report Reference E177464-19970530
 Date 14-Jan-2022

ZF Series, ZF 150 – 5.9 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF 150/150	Wire Mesh Cable Trays
ZF 150/200	Wire Mesh Cable Trays
ZF 150/250	Wire Mesh Cable Trays
ZF 150/300	Wire Mesh Cable Trays
ZF 150/400	Wire Mesh Cable Trays
ZF 150/450	Wire Mesh Cable Trays
ZF 150/500	Wire Mesh Cable Trays
ZF 150/550	Wire Mesh Cable Trays
ZF 150/600	Wire Mesh Cable Trays
ZF 150/750	Wire Mesh Cable Trays
ZF 150/900	Wire Mesh Cable Trays
ZF Series, ZF 200 – 7.87 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF Series, ZF 250 – 9.84 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF 30/300	Wire Mesh Cable Trays
ZF Series, ZF 300 – 11.81 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF Series, ZF 400 – 15.75 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF Series, ZF 450 – 17.72 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF Series, ZF 50 – 1.97 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF Series, ZF 500 – 19.69 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF 54/300	Wire Mesh Cable Trays
ZF 54/400	Wire Mesh Cable Trays
ZF 54/450	Wire Mesh Cable Trays
ZF 54/500	Wire Mesh Cable Trays
ZF 54/550	Wire Mesh Cable Trays
ZF 54/600	Wire Mesh Cable Trays
ZF 54/750	Wire Mesh Cable Trays
ZF 54/900	Wire Mesh Cable Trays
ZF Series, ZF 550 – 21.65 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF Series, ZF 600 – 23.62 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF Series, ZF 750 – 29.53 in.	Wire Mesh Cable Trays - Custom Order Sizes
ZF Series, ZF 900 – 35.43 in.	Wire Mesh Cable Trays - Custom Order Sizes

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>.

